

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 60, y: 3 [Root] 10:00:00

```
graph TD; Server[Server-PT Server0] --- Switch[2960-24TT Switch0]; Switch --- PC0[PC-PT PC0]; Switch --- PC1[PC-PT PC1]; Switch --- PC2[PC-PT PC2]; Switch --- PC3[PC-PT PC3]; Switch --- PC4[PC-PT PC4];
```

Time: 00:19:17 Realtime Simulation

Copper Straight-Through

Scenario 0 New Delete Toggle PDU List Window

Fire Last Status

37°C AQI 117 13:09 06-07-2021



Cisco Packet Tracer

File Edit Options

Logical Physical

Time: 00:19:56

Simulation

Server0

Physical Config Services **Desktop** Programming Attributes

IP Configuration

IP Configuration

☐ DHCP ☒ Static

IPv4 Address 192.168.0.1

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::207:ECFF:FE47:A151

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

10:19:30

Simulation

Fire Last Status

Cisco Packet Tracer

File Edit Options

Logical

Time: 00:19:34

Server0
Physical
Config
Services
Desktop
Programming
Attributes

SERVICES
HTTP
DHCP
DHCPv6
TFTP
DNS
SYSLOG
AAA
NTP
EMAIL
FTP
IoT
VM Management
Radius EAP

DHCP

Interface
FastEthernet0
Service
On
Off

Pool Name
serverPool

Default Gateway
0.0.0.0

DNS Server
0.0.0.0

Start IP Address :
192
168
0
0

Subnet Mask:
255
255
255
0

Maximum Number of Users :
255

TFTP Server:
0.0.0.0

WLC Address:
0.0.0.0

Add
Save
Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	0.0.0.0	192.168.0.0	255.255.255.0	255	0.0.0.0	0.0.0.0

10:08:30
Simulation

Fire
Last Status

Type here to search
37°C
AQI 117
ENG
13:10
06-07-2021