

Resume – Madhavarao Patil

Present Address:

Plot. No. 114, First Floor, Near Tirumala
Residency, Sri Durga Estate, Quthubullapur road, Suchitra-
500055, Ranga Reddy Dist. Telangana State. India

E-mail: madhav.sp97@gmail.com

Mobile No: +91-9632282297



Academic Profile:

Degree/Courses studied	Institution/Universities/Bord	Year of Passing	Percentage/Grade
M Sc. (Applied Genetics)	Karnataka University Dharwad (KUD), P G Department KU Campus, Dharwad	2021	A
B Sc. (CBZ)	Karnataka University Dharwad (KUD), Kittel Science College Dharwad	2019	A
Intermediate	Doddappa Appa Residential Independent PU Science College Kalaburagi	2015	76.33
S.S.L.C	Millennium Kannada and English Medium School	2013	69.60

M.Sc. research work

Isolation, screening and characterization of protease enzyme producing bacteria from mangrove soil

To isolate and screen for protease-producing bacterial species and to identify the isolates.

Biochemical and molecular identification of protease-producing bacteria.

Amplification of bacterial strain by PCR technique.

Sequencing of amplified product using Big Dye-terminator sequencing method.

Conclusion: Protease is one of the most valuable industrial enzymes, which has applications in food, backing industry, brewing industry, feed processing, and management of industrial and household waste. The objective of the project was to focus on isolation, screening, characterization and identification of protease producing bacteria from Mangrove Forest of Kali Estuary, Karwar. Based on morphological and biochemical characteristics the strain identified was *Bacillus cereus* using 16S rRNA sequencing techniques.

Evaluation of germplasm lines of Rice (*Oryza Sativa* L.) for yield and component traits.

To grow germplasm lines (*Indica* and *Javanica*) of Rice as per recommended agronomy practices.

Evaluate lines for flowering and agronomy traits.

Group lines into different clusters based on phenotypic diversity.

Skills and Strength

Prime qualities which aid me to create impact on my career are, dedication, hardworking nature and punctuality.

Sufficient computer knowledge in Microsoft office, Excel and Paint.

Practical experience in Agarose Gel Electrophoresis.

Adequate knowledge in genetics and basics of Plant Breeding.

Undergone training on pollination technique (selfing and crossing) in Rice and Maize crop.

Undergone training on seed production technique in Rice and Maize crop during exposure visit.

The key aspects followed, learned and observed during seed production are described below,

Isolation: Space isolation and time isolation (Maize) or barrier isolation (Rice) (objective is to avoid of unintended cross pollination to main the genetic purity).

Staggered planting of male and female parents to achieve the proper synchronization of pollen shedding time and stigma receptivity for good seed set.

Planting row ratio: Usually depends on the parent traits such as height and vigorous nature of the male parent, amount of pollen Shed on the female parent stigmatic surface, pollen shedding duration. The female parent should possess moderate tillers and high tillers in case of male parent (this will ensure continuous supply of pollen), wide exertion of lemma and palea and the receptivity of the stigma should be for longer period (longer in case of Maize but shorter duration in case of Rice was observed).

The planting row ratio more commonly followed during seed production in Rice is 6:2.

The planting row ratio for seed production in Maize is 4:1 or 6:2.

In case of corn de-tasseling is done to make female parent sterile.

Nick Management: To get better seed set we need to achieve proper synchronization of pollen shedding time and stigma receptivity. If the interval of pollen shedding and stigma receptivity exceeds, application of fertilizer (Urea) to delay flowering of early parent and to advance the flowering of late parent (GA3) to achieve proper synchronization in Rice.

Proper supply of nutrients and timely irrigation is also an essential criterion for successful nicking.

Insect and Pest Management: To avoid the loss of yield due to infestation by virus, bacteria and fungi. Used chemicals (insecticides, fungicides and bactericides) to get rid of the diseases. This made a drastic increase in the yield of the crop which is economically beneficial.

Roughing: It is a process of removal of off types (pollen shedders, other varieties and volunteer's plants) to maintain the genetic purity. This is must and should be done during the vegetative stage/maximum tillering stage, flowering stage, before harvesting period.

Possess practical experience in Bioinformatics search tools for retrieval of information from the database such as (GenBank: for retrieval of nucleotide sequence), (PDB: for retrieval of proteins structure and amino acid information), (KEGG: for retrieval of enzymatic pathways), (BLAST: for comparing the amino acid sequence of protein or nucleotide sequence of DNA with the database of sequence), (CLUSTAL W: for alignment of multiple sequence).

Personal Profile:

Date of Birth: 23/11/1997

Place of Birth: Kalaburagi

Sex: Male

Father Name: Subhashchandra Patil

Mother Name: Prabhavati

Languages known: Kannada, Hindi and English (read and write)

Hobbies: Travel, listening to music, playing badminton.

References:**Mr. Sunil Patil**

Research Officer

Pioneer Overseas Corporation

Hyderabad-500082

Mobile No:7708838971

Email: sunilgoud4797@gmail.com

Dr. Y. Ramesh Babu

Assistant Professor

Karnataka University

Dharwad-580003

Mobile 9036919301

Email: rameshy@kud.ac.in