

Cucumber Report

2 Mar 2025, 00:13:41

Start : Mar 02, 12:13:19.965 am

End : Mar 02, 12:13:40.559 am

Duration : 20.594 s

Features



Scenarios


Steps

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 0
FAILED - 13
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 51






#	Feature Name	T	P	F	S	Duration
1	Login page feature	3	0	3	0	20.594 s
2	Account Page Feature	4	0	4	0	20.535 s
3	Contact Us Feature	6	0	6	0	19.294 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login page feature</u>	<u>Forgot Password link</u>	2	0	0	2	9.296 s
2	<u>Login page feature</u>	<u>Login page title</u>	3	0	0	3	5.036 s
3	<u>Login page feature</u>	<u>Login with correct credentials</u>	6	0	0	6	15.471 s
4	<u>Account Page Feature</u>	<u>Accounts section count</u>	4	0	0	4	19.515 s
5	<u>Account Page Feature</u>	<u>Accounts page title</u>	4	0	0	4	19.205 s
6	<u>Account Page Feature</u>	<u>Accounts page title</u>	4	0	0	4	14.316 s
7	<u>Account Page Feature</u>	<u>Accounts section count</u>	4	0	0	4	10.361 s
8	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	11.941 s
9	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	19.285 s
10	<u>Contact Us Feature</u>	<u>Contact Us scenario with different set of data</u>	4	0	0	4	17.445 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Contact Us Feature	Contact Us scenario with different set of data	4	0	0	4	18.285 s
12	Contact Us Feature	Contact Us scenario with different set of data	4	0	0	4	6.158 s
13	Contact Us Feature	Contact Us scenario with different set of data	4	0	0	4	8.667 s

(F)- Login page feature

FAILED	DURATION - 20.594 s	Scenarios		Steps	
/ 12:13:19.965 am // 12:13:40.559 am /		Total - 3	3	Total - 11	11
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 11	



(S)- Forgot Password link

<div>FAILED</div> <div>DURATION - 9.296 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 12:13:19.969 am // 12:13:29.265 am /				
Login page feature				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016)	FAILED	9.195 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user is on login page	SKIPPED	0.000 s
2	Then - Then forgot your password link should be displayed	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		



(S)- Login page title

<div>FAILED</div> <div>DURATION - 5.036 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 12:13:20.005 am // 12:13:25.041 am /				
Login page feature				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - parallel.ApplicationHooks.launchBrowser()</p> <p>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)</p>	FAILED	4.943 s
1	Given - Given user is on login page	SKIPPED	0.001 s
2	When - When user gets the title of the page	SKIPPED	0.001 s
3	Then - Then page title should be "Login - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.001 s



(S)- Login with correct credentials

FAILED		DURATION - 15.471 s			Steps Total - 6 Pass - 0 Fail - 0 Skip - 6			
/ 12:13:25.088 am // 12:13:40.559 am /								
Login page feature								



#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)	FAILED	15.464 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user is on login page	SKIPPED	0.000 s
2	When - When user enters username "dec2020secondbatch@gmail.com"	SKIPPED	0.000 s
3	And - And user enters password "Selenium@12345"	SKIPPED	0.000 s
4	And - And user clicks on Login button	SKIPPED	0.000 s
5	Then - Then user gets the title of the page	SKIPPED	0.000 s
6	And - And page title should be "My account - My Store"	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		

(F)- Account Page Feature

FAILED	DURATION - 20.535 s	Scenarios		Steps	
/ 12:13:19.982 am // 12:13:40.517 am /		Total - 4		Total - 16	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 0	
		Skip - 0		Skip - 16	



(S)- Accounts section count

<div>FAILED</div> <div>DURATION - 19.515 s</div>			Steps		
/ 12:13:19.982 am // 12:13:39.497 am /			Total - 4		
Account Page Feature			Pass - 0		
@accounts			Fail - 0		
			Skip - 4		

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)	FAILED	19.423 s

#	Step / Hook Details	Status	Duration						
	at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)								
1	Given - Given user has already logged in to application	SKIPPED	0.000 s						
	<table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>	username	password	dec2020secondbatch@gmail.com	Selenium@12345				
username	password								
dec2020secondbatch@gmail.com	Selenium@12345								
2	Given - Given user is on Accounts page	SKIPPED	0.000 s						
3	Then - Then user gets accounts section	SKIPPED	0.000 s						
	<table><tr><td>ORDER HISTORY AND DETAILS</td></tr><tr><td>MY CREDIT SLIPS</td></tr><tr><td>MY ADDRESSES</td></tr><tr><td>MY PERSONAL INFORMATION</td></tr><tr><td>MY WISHLISTS</td></tr><tr><td>Home</td></tr></table>	ORDER HISTORY AND DETAILS	MY CREDIT SLIPS	MY ADDRESSES	MY PERSONAL INFORMATION	MY WISHLISTS	Home		
ORDER HISTORY AND DETAILS									
MY CREDIT SLIPS									
MY ADDRESSES									
MY PERSONAL INFORMATION									
MY WISHLISTS									
Home									
4	And - And accounts section count should be 6	SKIPPED	0.000 s						
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s						
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)								
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s						
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)								

(S)- Accounts page title

<div>FAILED</div> <div>DURATION - 19.205 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
<div>/ 12:13:20.053 am // 12:13:39.258 am /</div>			
<div>Account Page Feature</div>			
<div>@accounts</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)	FAILED	19.191 s

#	Step / Hook Details	Status	Duration	
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)			
1	Given - Given user has already logged in to application	SKIPPED	0.002 s	
	<table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>			username
username	password			
dec2020secondbatch@gmail.com	Selenium@12345			
2	Given - Given user is on Accounts page	SKIPPED	0.001 s	
3	When - When user gets the title of the page	SKIPPED	0.000 s	
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.000 s	
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s	
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)			
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.000 s	
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)			

(S)- Accounts page title



FAILED	DURATION - 14.316 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 12:13:26.201 am // 12:13:40.517 am /				
Account Page Feature				
@accounts				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser()	FAILED	14.309 s
	<pre> org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', </pre>		

#	Step / Hook Details	Status	Duration				
	<div>os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191]</div> <div>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)</div>						
1	<div>Given - Given user has already logged in to application</div> <table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>	username	password	dec2020secondbatch@gmail.com	Selenium@12345	SKIPPED	0.000 s
username	password						
dec2020secondbatch@gmail.com	Selenium@12345						
2	Given - Given user is on Accounts page	SKIPPED	0.000 s				
3	When - When user gets the title of the page	SKIPPED	0.000 s				
4	Then - Then page title should be "My account - My Store"	SKIPPED	0.000 s				
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s				

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.000 s



(S)- Accounts section count

FAILED	DURATION - 10.361 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 12:13:28.714 am // 12:13:39.075 am /				
Account Page Feature				
@accounts				



#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)	FAILED	10.353 s

#	Step / Hook Details	Status	Duration						
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)								
1	Given - Given user has already logged in to application	SKIPPED	0.000 s						
	<table><tr><td>username</td><td>password</td></tr><tr><td>dec2020secondbatch@gmail.com</td><td>Selenium@12345</td></tr></table>	username	password	dec2020secondbatch@gmail.com	Selenium@12345				
username	password								
dec2020secondbatch@gmail.com	Selenium@12345								
2	Given - Given user is on Accounts page	SKIPPED	0.001 s						
3	Then - Then user gets accounts section	SKIPPED	0.000 s						
	<table><tr><td>ORDER HISTORY AND DETAILS</td></tr><tr><td>MY CREDIT SLIPS</td></tr><tr><td>MY ADDRESSES</td></tr><tr><td>MY PERSONAL INFORMATION</td></tr><tr><td>MY WISHLISTS</td></tr><tr><td>Home</td></tr></table>	ORDER HISTORY AND DETAILS	MY CREDIT SLIPS	MY ADDRESSES	MY PERSONAL INFORMATION	MY WISHLISTS	Home		
ORDER HISTORY AND DETAILS									
MY CREDIT SLIPS									
MY ADDRESSES									
MY PERSONAL INFORMATION									
MY WISHLISTS									
Home									
4	And - And accounts section count should be 6	SKIPPED	0.000 s						
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s						
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)								
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.000 s						
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)								

(F)- Contact Us Feature

FAILED	DURATION - 19.294 s	Scenarios		Steps	
/ 12:13:19.993 am // 12:13:39.287 am /		Total - 6		Total - 24	
		Pass - 0		Pass - 0	
		Fail - 6		Fail - 0	
		Skip - 0		Skip - 24	



(S)- Contact Us scenario with different set of data

<div>FAILED</div> <div>DURATION - 11.941 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 12:13:19.996 am // 12:13:31.937 am /			
Contact Us Feature			

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)	FAILED	11.872 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.000 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 1	SKIPPED	0.001 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)	FAILED	0.001 s
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.001 s



(S)- Contact Us scenario with different set of data

<div>FAILED</div> <div>DURATION - 19.285 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 12:13:20.002 am // 12:13:39.287 am /				
Contact Us Feature				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)	FAILED	19.229 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33) </pre>		
1	Given - Given user navigates to contact us page	SKIPPED	0.000 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 0	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	<pre> AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47) </pre>	FAILED	0.001 s
	<pre> AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39) </pre>	FAILED	0.001 s

(S)- Contact Us scenario with different set of data



<div>FAILED</div> <div>DURATION - 17.445 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 12:13:20.012 am // 12:13:37.457 am /				
Contact Us Feature				

#	Step / Hook Details	Status	Duration
	<pre> BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] </pre>	FAILED	17.405 s

#	Step / Hook Details	Status	Duration
	<pre> (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33) </pre>		
1	Given - Given user navigates to contact us page	SKIPPED	0.001 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 3	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	<pre> AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47) </pre>	FAILED	0.000 s
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		



(S)- Contact Us scenario with different set of data

<div>FAILED</div> <div>DURATION - 18.285 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 12:13:20.021 am // 12:13:38.306 am /				
Contact Us Feature				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647)	FAILED	18.239 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33) </pre>		
1	Given - Given user navigates to contact us page	SKIPPED	0.000 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 5	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	<pre> AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47) </pre>	FAILED	0.002 s
	<pre> AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39) </pre>	FAILED	0.001 s

(S)- Contact Us scenario with different set of data



<div>FAILED</div> <div>DURATION - 6.158 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 12:13:20.029 am // 12:13:26.187 am /				
Contact Us Feature				

#	Step / Hook Details	Status	Duration
	<pre> BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 </pre>	FAILED	6.136 s

#	Step / Hook Details	Status	Duration
	<p>Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191]</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)</p>		
1	Given - Given user navigates to contact us page	SKIPPED	0.000 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 2	SKIPPED	0.000 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)	FAILED	0.001 s

(S)- Contact Us scenario with different set of data

FAILED		DURATION - 8.667 s			Steps Total - 4 Pass - 0 Fail - 0 Skip - 4			
/ 12:13:20.032 am // 12:13:28.699 am /								
Contact Us Feature								

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 133.0.6943.142 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'DIVYA_MOHAN', ip: '192.168.0.25', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0120A813+48355] (No symbol) [0x0119C4B1] (No symbol) [0x010A5358] (No symbol) [0x010C61AC] (No symbol) [0x010C1EF3] (No symbol) [0x010C0579] (No symbol) [0x010F0C55] (No symbol) [0x010F093C] (No symbol) [0x010EA536] (No symbol) [0x010C82DC] (No symbol) [0x010C93DD] GetHandleVerifier [0x0146AABD+2539405] GetHandleVerifier [0x014AA78F+2800735] GetHandleVerifier [0x014A456C+2775612] GetHandleVerifier [0x012951E0+616112] (No symbol) [0x011A5F8C] (No symbol) [0x011A2328] (No symbol) [0x011A240B] (No symbol) [0x01194FF7] BaseThreadInitThunk [0x76677BA9+25] RtlInitializeExceptionChain [0x7779C0CB+107] RtlClearBits [0x7779C04F+191] at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1016) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)	FAILED	8.626 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:29) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:33)		
1	Given - Given user navigates to contact us page	SKIPPED	0.000 s
2	When - When user fills the form from given sheetname "contactus" and rownumber 4	SKIPPED	0.001 s
3	And - And user clicks on send button	SKIPPED	0.000 s
4	Then - Then it shows a successful message "Your message has been successfully sent to our team."	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:47)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:39)		