Area Luminaire

OUTDOOR LIGHTS | AREA LUMINAIRES

OVERVIEW

Power	?0.9
Voltage	100-277V AC
Power Factor	?0.9
Total Harmonic Distortion (THD)	<20%
Lumen Output	7,000 lm / 10,000 lm / 15,000 lm
Efficacy	100 lm/W / 110 lm/W
CCT	3000K-5000K Selectable
Beam Angle	120°
Color Rendering Index (CRI)	?80
Operating Temperature	-40°F to 140°F
Suitable Location	Wet Location
Housing	Die-Cast Aluminum
Finish	Bronze
Mounting Options	Pole Mount

Product Description

The Area Luminaire delivers exceptional illumination for large outdoor areas with superior energy efficiency. Featuring high-efficacy LED technology and robust construction, this luminaire ensures reliable performance in demanding environments. The precision-engineered housing and advanced thermal management system provide extended lifespan and consistent light output. Ideal for parking lots, loading docks, and perimeter security applications.

Application Area

Parking Lots, Loading Docks, Perimeter Security, Street Lighting, Highway Lighting, Industrial Areas

Features

Warranty

Warranty Limitations: 5-year limited warranty covering defects in materials and workmanship under normal use and proper installation.

© 2025 IKIO LED LIGHTING. All Rights Reserved. Products and technologies in this document may be covered by one or more Patents Pending.
The product images shown are for illustration purposes only and may not be an exact representation of the product. Specifications subject to change without notice.

Area Luminaire | OUTDOOR LIGHTS | AREA LUMINAIRES | OUTDOOR LIGHTS | AREA LUMINAIRES

Product Specifications

Distribution	Power (W)	CCT (K)	Lumens (lm)	Efficacy (lm/W)	BUG	CRI
Type III	≥0.9	3000K-5000K Selectable	7,000 lm / 10,000 lm / 15,000 lm	100 lm/W / 110 lm/W		≥80

Product Ordering Information

model	cct	lumens
Area Luminaire	3000K-5000K Selectable	7,000 lm / 10,000 lm / 15,000 lm

© 2025 IKIO LED LIGHTING. All Rights Reserved. Products and technologies in this document may be covered by one or more Patents Pending.
The product images shown are for illustration purposes only and may not be an exact representation of the product. Specifications subject to change without notice.

Area Luminaire | OUTDOOR LIGHTS | AREA LUMINAIRES | OUTDOOR LIGHTS | AREA LUMINAIRES

DIMENSIONS

Product Dimensions & Weight	
Length (L)	12.5
Width (W)	8.5
Height (H)	6.2
Net Weight	8.5 lbs

Slip Fitter Dimensions & Weight



© 2025 IKIO LED LIGHTING. All Rights Reserved. Products and technologies in this document may be covered by one or more Patents Pending.
The product images shown are for illustration purposes only and may not be an exact representation of the product. Specifications subject to change without notice.