




UID	Product #	Product Description	Qty	Unit Price	Total Price
1	100-1	<p>400 Series Awning</p> <p>Overall Joined Rough Opening = 99 1/4" x 24 5/8"</p> <p>Overall Joined Unit = 98 3/4" x 24 1/8"</p> <p>Installation Zip Code = 55082</p> <p>U.S. ENERGY STAR® Climate Zone = Northern</p> <p>Search by Unit Code = No</p> <p>Standard Width = RO: 24 5/8"   UNIT: 24 1/8"</p> <p>Standard Height = RO: 24 5/8"   UNIT: 24 1/8"</p> <p>Frame Width = 24 1/8</p> <p>Frame Height = 24 1/8</p> <p>Unit Code = A21</p> <p>Frame Option = Installation Flange</p> <p>Combination Operation / Venting = Vent(All)</p> <p>Venting / Handing = Vent</p> <p>Electric Operator Prep = No</p> <p>Exterior Color = Sandtone</p> <p>Interior Species = Pine</p> <p>Interior Finish Color = Unfinished</p> <p>Glass Construction Type = Dual Pane</p> <p>Glass Option = Low-E4</p> <p>High Altitude Breather Tubes = No</p> <p>Glass Strength = Standard</p> <p>Glass Tint = No Tint</p> <p>Specialty Glass = None</p> <p>Gas Fill = Argon</p> <p>Art Glass Series = None</p> <p>None</p> <p>DP/PG Upgrade = Yes</p> <p>Hardware Style = Classic Series</p> <p>Hardware Color/Finish = White</p> <p>Corrosion Resistant Hardware = None</p> <p>Security Sensor Type = None</p> <p>Insect Screen Type = None</p> <p>Exterior Trim Style = 3 1/2" Flat</p> <p>Exterior Trim Type = Sill Nose</p> <p>Exterior Trim Color = White</p> <p>Exterior Trim Sill Size = 1 3/4"</p> <p>Exterior Trim Application Method = Pre-cut Trim Kit</p> <p>Extension Jamb Type = None</p> <p>Installation Material Options = No</p> <p>Re-Order Item = No</p> <p>Room Location = None</p> <p>Unit U-Factor = 0.28</p> <p>Unit Solar Heat Gain Coefficient (SHGC) = 0.31</p> <p>U.S. ENERGY STAR Certified = No</p> <p>Hardware Part Number = 1521026</p> <p>Vertical</p> <p>Factory</p> <p>0.75" thick, 24.125" length</p> <p>SKU = 289185</p> <p>Vendor Name = S/O ANDERSEN LOGISTICS</p> <p>Vendor Number = 60509030</p> <p>Customer Service = (888) 888-7020</p> <p>Catalog Version Date = 03/26/2019</p>	1	\$2,299.30	\$2,299.30




UID	Product #	Product Description	Qty	Unit Price	Total Price
2	100-2	400 Series Awning Overall Joined Rough Opening = 99 1/4" x 24 5/8" Overall Joined Unit = 98 3/4" x 24 1/8" Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = RO: 24 5/8"   UNIT: 24 1/8" Standard Height = RO: 24 5/8"   UNIT: 24 1/8" Frame Width = 24 1/8" Frame Height = 24 1/8" Unit Code = A21 Frame Option = Installation Flange Combination Operation / Venting = Vent(All) Venting / Handing = Vent Electric Operator Prep = No Exterior Color = Sandtone Interior Species = Pine Interior Finish Color = Unfinished Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Art Glass Series = None None DP/PG Upgrade = Yes Hardware Style = Classic Series Hardware Color/Finish = White Corrosion Resistant Hardware = None Security Sensor Type = None Insect Screen Type = None Exterior Trim Style = 3 1/2" Flat Exterior Trim Type = Sill Nose Exterior Trim Color = White Exterior Trim Sill Size = 1 3/4" Exterior Trim Application Method = Pre-cut Trim Kit Extension Jamb Type = None Installation Material Options = No Re-Order Item = No Room Location = None Unit U-Factor = 0.28 Unit Solar Heat Gain Coefficient (SHGC) = 0.31 U.S. ENERGY STAR Certified = No Hardware Part Number = 1521026 Vertical Factory 0.75" thick, 24.125" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2019	1	\$13.80	\$13.80

UID	Product #	Product Description	Qty	Unit Price	Total Price
3	100-3	400 Series Awning Overall Joined Rough Opening = 99 1/4" x 24 5/8" Overall Joined Unit = 98 3/4" x 24 1/8" Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = RO: 24 5/8"   UNIT: 24 1/8" Standard Height = RO: 24 5/8"   UNIT: 24 1/8" Frame Width = 24 1/8 Frame Height = 24 1/8 Unit Code = A21 Frame Option = Installation Flange Combination Operation / Venting = Vent(All) Venting / Handing = Vent Electric Operator Prep = No Exterior Color = Sandtone Interior Species = Pine Interior Finish Color = Unfinished Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Art Glass Series = None None DP/PG Upgrade = Yes Hardware Style = Classic Series Hardware Color/Finish = White Corrosion Resistant Hardware = None Security Sensor Type = None Insect Screen Type = None Exterior Trim Style = 3 1/2" Flat Exterior Trim Type = Sill Nose Exterior Trim Color = White Exterior Trim Sill Size = 1 3/4" Exterior Trim Application Method = Pre-cut Trim Kit Extension Jamb Type = None Installation Material Options = No Re-Order Item = No Room Location = None Unit U-Factor = 0.28 Unit Solar Heat Gain Coefficient (SHGC) = 0.31 U.S. ENERGY STAR Certified = No Hardware Part Number = 1521026 Vertical Factory 0.75" thick, 24.125" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2019	1	\$13.80	\$13.80

UID	Product #	Product Description	Qty	Unit Price	Total Price
4	100-4	400 Series Awning \$13.80 Overall Joined Rough Opening = 99 1/4" x 24 5/8" Overall Joined Unit = 98 3/4" x 24 1/8" Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = RO: 24 5/8"   UNIT: 24 1/8" Standard Height = RO: 24 5/8"   UNIT: 24 1/8" Frame Width = 24 1/8 Frame Height = 24 1/8 Unit Code = A21 Frame Option = Installation Flange Combination Operation / Venting = Vent(All) Venting / Handing = Vent Electric Operator Prep = No Exterior Color = Sandtone Interior Species = Pine Interior Finish Color = Unfinished Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Art Glass Series = None None DP/PG Upgrade = Yes Hardware Style = Classic Series Hardware Color/Finish = White Corrosion Resistant Hardware = None Security Sensor Type = None Insect Screen Type = None Exterior Trim Style = 3 1/2" Flat Exterior Trim Type = Sill Nose Exterior Trim Color = White Exterior Trim Sill Size = 1 3/4" Exterior Trim Application Method = Pre-cut Trim Kit Extension Jamb Type = None Installation Material Options = No Re-Order Item = No Room Location = None Unit U-Factor = 0.28 Unit Solar Heat Gain Coefficient (SHGC) = 0.31 U.S. ENERGY STAR Certified = No Hardware Part Number = 1521026 Vertical Factory 0.75" thick, 24.125" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2019	1	\$13.80	\$13.80

UID	Product #	Product Description	Qty	Unit Price	Total Price
5	300-1	<p>400 Series Double-Hung Bay</p> <p>Overall Joined Rough Opening = 79 1/8" x 70 3/4"</p> <p>Overall Joined Unit = 80 7/16" x 70 1/4"</p> <p>Dimensional Entry Type = Standard Sizes (By Center Width)</p> <p>Installation Zip Code = 55082</p> <p>U.S. ENERGY STAR® Climate Zone = Northern</p> <p>Search by Unit Code = No</p> <p>Unit 1, 3: Frame Width = 21 5/8</p> <p>Unit 1, 3: Frame Height = 68 7/8</p> <p>Unit 2: Frame Width = 41 5/8</p> <p>Unit 2: Frame Height = 68 7/8</p> <p>Unit Code = TW45-3456-18</p> <p>Combination Operation / Venting = Active (All)</p> <p>Venting / Handing = AA</p> <p>Exterior Color = Dark Bronze</p> <p>Exterior Sash/Panel Color = Dark Bronze</p> <p>Interior Species = Pine</p> <p>Interior Finish Color = White - Painted</p> <p>Jamb Liner Color = White</p> <p>Glass Construction Type = Dual Pane</p> <p>Glass Option = Low-E4</p> <p>High Altitude Breather Tubes = No</p> <p>Glass Strength = Tempered</p> <p>Specialty Glass = Reed Vertical</p> <p>Gas Fill = Argon</p> <p>None</p> <p>DP/PG Upgrade = No</p> <p>Sash Lift Type = Hand Lift</p> <p>Sash Lift Style = Traditional</p> <p>Sash Lift Color/Finish = Antique Brass</p> <p>Lock Hardware Style = Traditional</p> <p>Number of Sash Locks = 1</p> <p>Lock Hardware Color/Finish = White (Factory Applied)</p> <p>Window Opening Control Device = No</p> <p>Security Sensor Type = None</p> <p>Insect Screen Type = Half Screen</p> <p>Insect Screen Material = TruScene</p> <p>Insect Screen Color = Sandtone</p> <p>Bay/Bow Option Type = Standard</p> <p>Bay/Bow/Box Extension Jamb Color = White - Painted</p> <p>Head and Seat Board Species = Pine</p> <p>Head and Seat Board Finish Color = White - Painted</p> <p>Overall Wall Depth = 6 9/16"</p> <p>Platform Boards = Top and Bottom Platforms</p> <p>Angle Bay/Bow Supports = w/Cable Support System</p> <p>Top Auxiliary Casing = Top Auxiliary</p> <p>Auxiliary Casing Colors = Dark Bronze</p> <p>Casing Application Location = Shipped Loose</p> <p>Trim Board = Fibrex Cellular Trim Board</p> <p>Installation Material Options = No</p> <p>Re-Order Item = No</p> <p>Room Location = None</p> <p>Unit 1, 3: Unit U-Factor = ---</p> <p>Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---</p>	1	\$4,376.20	\$4,376.20



		Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019			
--	--	---	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
6	300-2	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$32.00	\$32.00



	<p>Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019</p>			
--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
7	300-3	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$175.00	\$175.00

		Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019			
--	--	---	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
8	300-4	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$8.00	\$8.00

		Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019			
--	--	---	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
9	300-5	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$32.00	\$32.00

		Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019			
--	--	---	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
10	300-6	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$201.80	\$201.80



	<p>Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019</p>			
--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
11	300-7	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$10.50	\$10.50

	<p>Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019</p>			
--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
12	300-8	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$32.00	\$32.00

		Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019			
--	--	---	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
13	300-9	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$175.00	\$175.00

	Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019			
--	---	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
14	300-10	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$8.00	\$8.00



	<p>Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019</p>			
--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
15	300-11	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$66.50	\$66.50

	<p>Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019</p>			
--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
16	300-12	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$499.60	\$499.60

		Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019			
--	--	---	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
17	300-13	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$51.40	\$51.40

	<p>Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019</p>			
--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
32	300-14	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$95.00	\$95.00




	<p>Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019</p>			
--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
33	300-15	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	\$135.80	\$135.80

	<p>Unit 1, 3: U.S. ENERGY STAR Certified = No Unit 1, 3: Clear Opening Width = 17.875 Unit 1, 3: Clear Opening Height = 29.75 Unit 1, 3: Clear Opening Area = 3.71 Unit 2: Unit U-Factor = --- Unit 2: Unit Solar Heat Gain Coefficient (SHGC) = --- Unit 2: U.S. ENERGY STAR Certified = No Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 2: Clear Opening Width = 37.875 Unit 2: Clear Opening Height = 29.75 Unit 2: Clear Opening Area = 7.84 Unit 1, 3: Sash Lift Part Number = 9159472 Unit 1, 3: Insect Screen 1 Part Number = 1191228 Unit 1, 3: Extension Jamb 1 Part Number = 9042346 Unit 1, 3: Head and Seat Board Part Number = 9042002 Unit 1, 3: Platform Boards Part Number = 1635216 Unit 1, 3: Angle Bay/Bow Supports Part Number = 1355020 Unit 1, 3: Top Auxiliary Casing Part Number = 9071617 Unit 1, 3: Trim Board Part Number = 9033388 Unit 1, 3: Top Head Jamb Member Part Number = 1630030 Unit 2: Sash Lift Part Number = 9159472 Unit 2: Insect Screen 1 Part Number = 1191136 Unit 2: Extension Jamb 1 Part Number = 9042346 Unit 2: Head and Seat Board Part Number = 9042002 Unit 2: Platform Boards Part Number = 1635216 Unit 2: Angle Bay/Bow Supports Part Number = 1355020 Unit 2: Top Auxiliary Casing Part Number = 9071617 Unit 2: Trim Board Part Number = 9033388 Unit 2: Top Head Jamb Member Part Number = 1630035 Vertical Factory 0" thick, 68.875" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019</p>			
--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
18	400-1	<p>400 Series Casement Bow</p> <p>Overall Joined Rough Opening = 120 3/8" x 73 7/8"</p> <p>Overall Joined Unit = 120 3/4" x 73 3/8"</p> <p>Dimensional Entry Type = Overall Width, Angle</p> <p>Installation Zip Code = 55082</p> <p>U.S. ENERGY STAR® Climate Zone = Northern</p> <p>Search by Unit Code = No</p> <p>Frame Width = 24 1/8"</p> <p>Frame Height = 71 7/8"</p> <p>Unit 1, 2, 4, 5: Unit Code = C56-BOW</p> <p>Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary</p> <p>Unit 1, 2, 4, 5: Venting / Handling = Stationary</p> <p>Unit 3: Unit Code = C56-BOW</p> <p>Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary</p> <p>Unit 3: Venting / Handling = Left</p> <p>Unit 3: Hinge Style = Hinge with Wash Mode</p> <p>Exterior Color = White</p> <p>Exterior Sash/Panel Color = White</p> <p>Interior Species = Pine</p> <p>Interior Finish Color = White - Vinyl Wrapped</p> <p>Glass Construction Type = Dual Pane</p> <p>Glass Option = Low-E4 SmartSun</p> <p>High Altitude Breather Tubes = No</p> <p>Glass Strength = Tempered</p> <p>Glass Tint = No Tint</p> <p>Specialty Glass = Fern</p> <p>Gas Fill = Argon</p> <p>Art Glass Series = None</p> <p>Removable Interior Grille</p> <p>Colonial</p> <p>Grille Pattern = Colonial</p> <p>Grille Bar Width = 7/8"</p> <p>Exterior Grille Color = White</p> <p>Interior Grille Species = Maple</p> <p>Interior Grille Color = White</p> <p>2W6H</p> <p>Grille Alignment Type = Standard Grille Alignment</p> <p>DP/PG Upgrade = No</p> <p>Hardware Style = Contemporary Folding</p> <p>Hardware Color/Finish = Bright Brass</p> <p>Corrosion Resistant Hardware = None</p> <p>Window Opening Control Device = No</p> <p>Security Sensor Type = None</p> <p>Insect Screen Type = Full Screen</p> <p>Insect Screen Material = Aluminum</p> <p>Insect Screen Color = White</p> <p>Bay/Bow Option Type = Walkout</p> <p>Bay/Bow/Box Extension Jamb Color = White - Painted</p> <p>Head and Seat Board Species = Pine</p> <p>Head and Seat Board Finish Color = White - Painted</p> <p>Overall Wall Depth = 5 1/4"</p> <p>Platform Boards = Top and Bottom Platforms</p> <p>Angle Bay/Bow Supports = w/Cable Support System</p>	1	\$6,801.00	\$6,801.00



		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
19	400-2	400 Series Casement Bow \$75.60 Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	\$75.60	\$75.60

		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
20	400-3	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	\$75.60	\$75.60



		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
21	400-4	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	\$76.70	\$76.70

		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
22	400-5	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	\$51.60	\$51.60

		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
23	400-6	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System		\$75.60	\$75.60

		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
24	400-7	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	\$75.60	\$75.60



		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
25	400-8	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	\$75.60	\$75.60

		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
26	400-9	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	\$89.40	\$89.40

		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
27	400-10	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	\$303.50	\$303.50

		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
28	400-11	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	\$51.40	\$51.40



		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
29	400-12	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	\$95.00	\$95.00

		<p> Top Auxiliary Casing = Top Auxiliary  Auxiliary Casing Colors = White  Casing Application Location = Shipped Loose  Trim Board = None  Installation Material Options = No  Re-Order Item = No  Room Location = None  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit U-Factor = ---  Unit 1, 2, 4, 5: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 1, 2, 4, 5: U.S. ENERGY STAR Certified = No  Unit 3: Unit U-Factor = ---  Unit 3: Unit Solar Heat Gain Coefficient (SHGC) = ---  Unit 3: U.S. ENERGY STAR Certified = No  Unit 3: Clear Opening Width = 14.423  Unit 3: Clear Opening Height = 67.023  Unit 3: Clear Opening Area = 6.713  Unit 1, 2, 4, 5: Extension Jamb 1 Part Number = 9042260  Unit 1, 2, 4, 5: Head and Seat Board Part Number = 9052743  Unit 1, 2, 4, 5: Platform Boards Part Number = 1349314  Unit 1, 2, 4, 5: Angle Bay/Bow Supports Part Number = 1355020  Unit 1, 2, 4, 5: Top Auxiliary Casing Part Number = 1613508  Unit 3: Hardware Part Number = 9016729  Unit 3: Insect Screen 1 Part Number = 1345020  Unit 3: Extension Jamb 1 Part Number = 9042260  Unit 3: Head and Seat Board Part Number = 9052743  Unit 3: Platform Boards Part Number = 1349314  Unit 3: Angle Bay/Bow Supports Part Number = 1355020  Unit 3: Top Auxiliary Casing Part Number = 1613508  Vertical  Factory  0" thick, 71.875" length  SKU = 289185  Vendor Name = S/O ANDERSEN LOGISTICS  Vendor Number = 60509030  Customer Service = (888) 888-7020  Catalog Version Date = 06/18/2019 </p>			
--	--	--	--	--	--

UID	Product #	Product Description	Qty	Unit Price	Total Price
31	500-1	100 Series Single Casement-CW Parts and Accessory Group = Hardware Components Hardware Component Type = Handle Hardware Handing = Left Hardware Color/Finish = White Re-Order Item = No Room Location = None Hardware Component Part Number = 9123321 SKU = 288537 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019	1	\$7.70	\$7.70

