

UID	Product #	Product Description	Qty	Unit Price	Total Price
1	100-1	400 Series Awning	1	\$2,289.30	\$2,289.30
•		Overall Joined Rough Opening = 99 1/4" x 24 5/8"	1 .	. ,	. ,
		Overall Joined Unit = 98 3/4" x 24 1/8"			
		Installation Zip Code = 55082			
		U.S. ENERGY STAR® Climate Zone = Northern			
		Search by Unit Code = No			
		Standard Width = RO: 24 5/8"   UNIT: 24 1/8"			
		Standard Height = RO: 24 7/8"   UNIT: 24 3/8"			
		Frame Width = 24 1/8	7 7		
		Frame Height = 24 1/8	525 -		
		Unit Code = A21	RO - 24.625		
		Frame Option = Installation Flange	8		
		Combination Operation / Venting = Vent(All)	* *	→ 24.125 → → 24.125 -	
		Venting / Handing = Vent			98.75 ———
		Electric Operator Prep = No			D - 99.25.
		Exterior Color = Sandtone			
		Interior Species = Pine			
		Interior Finish Color = Unfinished			
		Glass Construction Type = Dual Pane			
		Glass Option = Low-E4			
		High Altitude Breather Tubes = No			
		Glass Strength = Standard			
		Glass Tint = No Tint			
		Specialty Glass = None			
		Gas Fill = Argon			
		Art Glass Series = None			
		None			
		DP/PG Upgrade = Yes			
		Hardware Style = Classic Series			
		Hardware Color/Finish = White			
		Corrosion Resistant Hardware = None			
		Security Sensor Type = None Insect Screen Type = None			
		Exterior Trim Style = 3 1/2" Flat			
		Exterior Trim Type = Sill Nose			
		Exterior Trim Type = Sill Nose			
		Exterior Trim Solor = Write  Exterior Trim Sill Size = 1 3/4"			
		Exterior Trim Application Method = Pre-cut Trim Kit			
		Extension Jamb Type = None			
		Installation Material Options = No			
		Re-Order Item = No			
		Room Location = None			
		Unit U-Factor = 0.28			
		Unit Solar Heat Gain Coefficient (SHGC) = 0.31			
		U.S. ENERGY STAR Certified = No			
		Hardware Part Number = 1521026			
		Vertical			
		Factory			
		0.75" thick, 24.125" length			
		SKU = 289185			
		Vendor Name = S/O ANDERSEN LOGISTICS			
		Vendor Number = 60509030			
		Customer Service = (888) 888-7020			
	<u> </u>	Catalog Version Date = 03/26/2019			

UID	Product #	Product Description	Qty	Unit Price	Total Price
UID 2	Product # 100-2	400 Series Awning Overall Joined Rough Opening = 99 1/4" x 24 5/8" Overall Joined Unit = 98 3/4" x 24 1/8" Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = RO: 24 5/8"   UNIT: 24 1/8" Standard Height = RO: 24 5/8"   UNIT: 24 1/8" Frame Width = 24 1/8 Frame Height = 24 1/8	Qty 2	Unit Price \$13.80	Total Price \$27.60
		Unit Code = A21 Frame Option = Installation Flange Combination Operation / Venting = Vent(All) Venting / Handing = Vent Electric Operator Prep = No Exterior Color = Sandtone Interior Species = Pine Interior Finish Color = Unfinished Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No			
		Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Art Glass Series = None None DP/PG Upgrade = Yes Hardware Style = Classic Series Hardware Color/Finish = White			
		Corrosion Resistant Hardware = None Security Sensor Type = None Insect Screen Type = None Exterior Trim Style = 3 1/2" Flat Exterior Trim Type = Sill Nose Exterior Trim Color = White Exterior Trim Sill Size = 1 3/4" Exterior Trim Application Method = Pre-cut Trim Kit Extension Jamb Type = None			
		Installation Material Options = No Re-Order Item = No Room Location = None Unit U-Factor = 0.28 Unit Solar Heat Gain Coefficient (SHGC) = 0.31 U.S. ENERGY STAR Certified = No Hardware Part Number = 1521026 Vertical Factory			
		0.75" thick, 24.125" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020			

UID	Product #	Product Description	Qty	Unit Price	Total Price
3	100-3	400 Series Awning	1	\$13.80	\$13.80
		Overall Joined Rough Opening = 99 1/4" x 24 5/8"			
		Overall Joined Unit = 98 3/4" x 24 1/8"			
		Installation Zip Code = 55082			
		U.S. ENERGY STAR® Climate Zone = Northern			
		Search by Unit Code = No			
		Standard Width = RO: 24 5/8"   UNIT: 24 1/8"			
		Standard Height = RO: 24 5/8"   UNIT: 24 1/8" Frame Width = 24 1/8			
		Frame Height = 24 1/8			
		Unit Code = A21			
		Frame Option = Installation			
		Combination Operation / Venting = Vent(All)			
		Venting / Handing = Vent			
		Electric Operator Prep = No			
		Exterior Color = Sandtone			
		Interior Species = Pine			
		Interior Finish Color = Unfinished			
		Glass Construction Type = Dual Pane			
		Glass Option = Low-E4			
		High Altitude Breather Tubes = No			
		Glass Strength = Standard			
		Glass Tint = No Tint			
		Specialty Glass = None			
		Gas Fill = Argon			
		Art Glass Series = None			
		None DP/PG Upgrade = Yes			
		Hardware Style = Classic Series			
		Hardware Color/Finish = White			
		Corrosion Resistant Hardware = None			
		Security Type = None			
		Insect Screen Type = None			
		Exterior Trim Style = 3 1/2" Flat			
		Exterior Trim Type = Sill Nose			
		Exterior Trim Color = White			
		Exterior Trim Sill Size = 1 3/4"			
		Exterior Trim Application Method = Pre-cut Trim Kit			
		Extension Jamb Type = None			
		Installation Material Options = No			
		Re-Order Item = No			
		Room Location = None			
		Unit U-Factor = 0.28			
		Unit Solar Heat Gain Coefficient (SHGC) = 0.31 U.S. ENERGY STAR Certified = No			
		Hardware Part Number = 1521026			
		Vertical			
		Factory			
		0.75" thick, 24.125" length			
		SKU = 289185			
		Vendor Name = S/O ANDERSEN LOGISTICS			
		Vendor Number = 60509030			
1		Customer Service = (888) 888-7020			
		Catalog Version Date = 03/26/2019			

\$13.80
!
!
!
!
!
!
!
!
!
!
!
!
!
!
ļ ļ
ļ ļ
ļ ļ
ļ ļ
ļ ļ

UID	Product #	Product Description	Qty	Unit Price	Total Price
5	300-1	400 Series Double-Hung Bay	1	\$4,196.20	\$4,196.20
5	300-1	Overall Joined Rough Opening = 79 1/8" x 70 3/4"	'	ψτ, 1 30.20	ψτ, 130.20
		Overall Joined Unit = 80 7/16" x 70 1/4"			
		Dimensional Entry Type = Standard Sizes (By Center			
		Width)			
		Installation Zip Code = 55082		T 30 0	
		U.S. ENERGY STAR® Climate Zone = Northern			
		Search by Unit Code = No			
		Unit 1, 3: Frame Width = 21 5/8			47
		Unit 1, 3: Frame Height = 68 7/8		8 875 -	7
		Unit 2: Frame Width = 41 5/8		8875	
		Unit 2: Frame Height = 74 7/8		1	
		Unit Code = TW45-3456-18			
		Combination Operation / Venting = Active (All)			5.7
		Venting / Handing = AA			
		Exterior Color = Dark Bronze			
		Exterior Sash/Panel Color = Dark Bronze		77.83	70,625
		Interior Species = Pine		```	41.625
		Interior Finish Color = White - Painted		F	80.4375 —
		Jamb Liner Color = White			
		Glass Construction Type = Dual Pane			
		Glass Option = Low-E4			
		High Altitude Breather Tubes = No			
		Glass Strength = Tempered			
		Specialty Glass = Reed Vertical			
		Gas Fill = Argon			
		None			
		DP/PG Upgrade = No			
		Sash Lift Type = Hand Lift Sash Lift Style = Traditional			
		Sash Lift Color/Finish = Antique Brass			
		Lock Hardware Style = Traditional			
		Number of Sash Locks = 1			
		Lock Hardware Color/Finish = White (Factory Applied)			
		Window Opening Control Device = No			
		Security Sensor Type = None			
		Insect Screen Type = Half Screen			
		71			
		Insect Screen Color = Sandtone			
		Bay/Bow Option Type = Standard			
		Bay/Bow/Box Extension Jamb Color = White - Painted			
		Head and Seat Board Species = Pine			
		Head and Seat Board Finish Color = White - Painted			
		Overall Wall Depth = 6 9/16"			
		Platform Boards = Top and Bottom Platforms			
		Angle Bay/Bow Supports = w/Cable Support System			
		Top Auxiliary Casing = Top Auxiliary			
		Auxiliary Casing Colors = Dark Bronze			
		Casing Application Location = Shipped Loose			
		Trim Board = Fibrex Cellular Trim Board			
		Re-Order Item = No			
		Room Location = None			
		Unit 1, 3: Unit U-Factor =			
		Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) =			
	L	Since 1, or other solar Float Saint Solaritolorit (OF 100) =	J.	1	1