THE
HOME
DEPOT

UID	Product #	Product Description	Qty	Unit Price	Total Price
1	100-1	400 Series Awning Overall Joined Rough Opening = 99 1/4" x 24 5/8" Overall Joined Unit = 98 3/4" x 24 1/8" Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = RO: 24 5/8" | UNIT: 24 1/8" Standard Height = RO: 24 5/8" | UNIT: 24 1/8" Frame Width = 24 1/8 Frame Height = 24 1/8 Unit Code = A21 Frame Option = Installation Flange Combination Operation / Venting = Vent(All) Venting / Handing = Vent Electric Operator Prep = No Exterior Color = Sandtone Interior Species = Pine Interior Finish Color = Unfinished Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Art Glass Series = None None DP/PG Upgrade = Yes Hardware Style = Classic Series Hardware Color/Finish = White Corrosion Resistant Hardware = None Security Sensor Type = None Insect Screen Type = None Installation Material Options = No Re-Order Item = No Room Location = None Unit U-Factor = 0.28 Unit Solar Heat Gain Coefficient (SHGC) = 0.31 U.S. ENERGY STAR Certified = No Hardware Part Number = 1521026 Vertical Factory 0.75" thick, 24.125" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2019	1	$2,299.30	$2,299.30



UID	Product #	Product Description	Qty	Unit Price	Total Price
2	100-2	400 Series Awning Overall Joined Rough Opening = 99 1/4" x 24 5/8" Overall Joined Unit = 98 3/4" x 24 1/8" Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Standard Width = RO: 24 5/8" | UNIT: 24 1/8" Standard Height = RO: 24 5/8" | UNIT: 24 1/8" Frame Width = 24 1/8 Frame Height = 24 1/8 Unit Code = A21 Frame Option = Installation Flange Combination Operation / Venting = Vent(All) Venting / Handing = Vent Electric Operator Prep = No Exterior Color = Sandtone Interior Species = Pine Interior Finish Color = Unfinished Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Corrosion Resistant Hardware = None Security Sensor Type = None Insect Screen Type = None Exterior Trim Style = 3 1/2" Flat Exterior Trim Type = Sill Nose Exterior Trim Color = White Exterior Trim Sill Size = 1 3/4" Exterior Trim Application Method = Pre-cut Trim Kit Extension Jamb Type = None Installation Material Options = No Re-Order Item = No Room Location = None Unit U-Factor = 0.28 Unit Solar Heat Gain Coefficient (SHGC) = 0.31 U.S. ENERGY STAR Certified = No Hardware Part Number = 1521026 Vertical Factory 0.75" thick, 24.125" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2019	1	$13.80	$13.80

UID	Product #	Product Description	Qty	Unit Price	Total Price
3	100-3	400 Series Awning Overall Joined Rough Opening = 99 1/4" x 24 5/8" Overall Joined Unit = 98 3/4" x 24 1/8" Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit Code = A21 Frame Option = Installation Flange Combination Operation / Venting = Vent(All) Venting / Handing = Vent Electric Operator Prep = No Exterior Color = Sandtone Interior Species = Pine Interior Finish Color = Unfinished Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Art Glass Series = None None DP/PG Upgrade = Yes Hardware Style = Classic Series Hardware Color/Finish = White Corrosion Resistant Hardware = None Security Sensor Type = None Insect Screen Type = None Exterior Trim Style = 3 1/2" Flat Exterior Trim Type = Sill Nose Exterior Trim Color = White Exterior Trim Sill Size = 1 3/4" Exterior Trim Application Method = Pre-cut Trim Kit Extension Jamb Type = None Installation Material Options = No Re-Order Item = No Room Location = None Unit U-Factor = 0.28 Unit Solar Heat Gain Coefficient (SHGC) = 0.31 U.S. ENERGY STAR Certified = No Hardware Part Number = 1521026 Vertical Factory 0.75" thick, 24.125" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2019	1	$13.80	$13.80

UID	Product #	Product Description	Qty	Unit Price	Total Price
4	100-4	Search by Unit Code = No Standard Width = RO: 24 5/8" | UNIT: 24 1/8" Standard Height = RO: 24 5/8" | UNIT: 24 1/8" Frame Width = 24 1/8 Frame Height = 24 1/8 Unit Code = A21 Frame Option = Installation Flange Combination Operation / Venting = Vent(All) Venting / Handing = Vent Electric Operator Prep = No Exterior Color = Sandtone Interior Species = Pine Interior Finish Color = Unfinished Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Standard Glass Tint = No Tint Specialty Glass = None Gas Fill = Argon Art Glass Series = None None DP/PG Upgrade = Yes Hardware Style = Classic Series Hardware Color/Finish = White Corrosion Resistant Hardware = None Security Sensor Type = None Insect Screen Type = None Exterior Trim Style = 3 1/2" Flat Exterior Trim Type = Sill Nose Exterior Trim Color = White Exterior Trim Sill Size = 1 3/4" Exterior Trim Application Method = Pre-cut Trim Kit Extension Jamb Type = None Installation Material Options = No Re-Order Item = No Room Location = None Unit U-Factor = 0.28 Unit Solar Heat Gain Coefficient (SHGC) = 0.31 U.S. ENERGY STAR Certified = No Hardware Part Number = 1521026 Vertical Factory 0.75" thick, 24.125" length SKU = 289185 Vendor Name = S/O ANDERSEN LOGISTICS Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 03/26/2019	1	$13.80	$13.80

UID	Product #	Product Description	Qty	Unit Price	Total Price
6	300-2	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	$32.00	$32.00

UID	Product #	Product Description	Qty	Unit Price	Total Price
7	300-3	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	$175.00	$175.00

UID	Product #	Product Description	Qty	Unit Price	Total Price
8	300-4	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No	1	$8.00	$8.00

UID	Product #	Product Description	Qty	Unit Price	Total Price
9	300-5	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	$32.00	$32.00

UID	Product #	Product Description	Qty	Unit Price	Total Price
11	300-7	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	$10.50	$10.50

UID	Product #	Product Description	Qty	Unit Price	Total Price
12	300-8	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	$32.00	$32.00

UID	Product #	Product Description	Qty	Unit Price	Total Price
13	300-9	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	$175.00	$175.00

UID	Product #	Product Description	Qty	Unit Price	Total Price
14	300-10	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	$8.00	$8.00

UID	Product #	Product Description	Qty	Unit Price	Total Price
15	300-11	Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	$66.50	$66.50

UID	Product #	Product Description	Qty	Unit Price	Total Price
17	300-13	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	$51.40	$51.40

UID	Product #	Product Description	Qty	Unit Price	Total Price
32	300-14	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No Re-Order Item = No Room Location = None Unit 1, 3: Unit U-Factor = --- Unit 1, 3: Unit Solar Heat Gain Coefficient (SHGC) = ---	1	$95.00	$95.00

UID	Product #	Product Description	Qty	Unit Price	Total Price
33	300-15	400 Series Double-Hung Bay Overall Joined Rough Opening = 79 1/8" x 70 3/4" Overall Joined Unit = 80 7/16" x 70 1/4" Dimensional Entry Type = Standard Sizes (By Center Width) Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Unit 1, 3: Frame Width = 21 5/8 Unit 1, 3: Frame Height = 68 7/8 Unit 2: Frame Width = 41 5/8 Unit 2: Frame Height = 68 7/8 Unit Code = TW45-3456-18 Combination Operation / Venting = Active (All) Venting / Handing = AA Exterior Color = Dark Bronze Exterior Sash/Panel Color = Dark Bronze Interior Species = Pine Interior Finish Color = White - Painted Jamb Liner Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 High Altitude Breather Tubes = No Glass Strength = Tempered Specialty Glass = Reed Vertical Gas Fill = Argon None DP/PG Upgrade = No Sash Lift Type = Hand Lift Sash Lift Style = Traditional Sash Lift Color/Finish = Antique Brass Lock Hardware Style = Traditional Number of Sash Locks = 1 Lock Hardware Color/Finish = White (Factory Applied) Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Half Screen Insect Screen Material = TruScene Insect Screen Color = Sandtone Bay/Bow Option Type = Standard Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 6 9/16" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System Top Auxiliary Casing = Top Auxiliary Auxiliary Casing Colors = Dark Bronze Casing Application Location = Shipped Loose Trim Board = Fibrex Cellular Trim Board Installation Material Options = No	1	$135.80	$135.80

UID	Product #	Product Description	Qty	Unit Price	Total Price
18	400-1	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	$6,801.00	$6,801.00

UID	Product #	Product Description	Qty	Unit Price	Total Price
19	400-2	400 Series Casement Bow $75.60 Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	$75.60	$75.60

UID	Product #	Product Description	Qty	Unit Price	Total Price
20	400-3	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	$75.60	$75.60

UID	Product #	Product Description	Qty	Unit Price	Total Price
21	400-4	400 Series Casement Bow U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	$76.70	$76.70

UID	Product #	Product Description	Qty	Unit Price	Total Price
22	400-5	400 Series Casement Bow Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	$51.60	$51.60

UID	Product #	Product Description	Qty	Unit Price	Total Price
23	400-6	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System		$75.60	$75.60

UID	Product #	Product Description	Qty	Unit Price	Total Price
24	400-7	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	$75.60	$75.60

UID	Product #	Product Description	Qty	Unit Price	Total Price
26	400-9	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	$89.40	$89.40

UID	Product #	Product Description	Qty	Unit Price	Total Price
27	400-10	400 Series Casement Bow Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	$303.50	$303.50

UID	Product #	Product Description	Qty	Unit Price	Total Price
28	400-11	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Option = Low-E4 SmartSun High Altitude Breather Tubes = No Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Bay/Bow/Box Extension Jamb Color = White - Painted Head and Seat Board Species = Pine Head and Seat Board Finish Color = White - Painted Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	$51.40	$51.40

UID	Product #	Product Description	Qty	Unit Price	Total Price
29	400-12	400 Series Casement Bow Overall Joined Rough Opening = 120 3/8" x 73 7/8" Overall Joined Unit = 120 3/4" x 73 3/8" Dimensional Entry Type = Overall Width, Angle Installation Zip Code = 55082 U.S. ENERGY STAR® Climate Zone = Northern Search by Unit Code = No Frame Width = 24 1/8 Frame Height = 71 7/8 Unit 1, 2, 4, 5: Unit Code = C56-BOW Unit 1, 2, 4, 5: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 1, 2, 4, 5: Venting / Handing = Stationary Unit 3: Unit Code = C56-BOW Unit 3: Combination Operation / Venting = Stationary-Stationary-Left-Stationary-Stationary Unit 3: Venting / Handing = Left Unit 3: Hinge Style = Hinge with Wash Mode Exterior Color = White Exterior Sash/Panel Color = White Interior Species = Pine Interior Finish Color = White - Vinyl Wrapped Glass Construction Type = Dual Pane Glass Strength = Tempered Glass Tint = No Tint Specialty Glass = Fern Gas Fill = Argon Art Glass Series = None Removable Interior Grille Colonial Grille Pattern = Colonial Grille Bar Width = 7/8" Exterior Grille Color = White Interior Grille Species = Maple Interior Grille Color = White 2W6H Grille Alignment Type = Standard Grille Alignment DP/PG Upgrade = No Hardware Style = Contemporary Folding Hardware Color/Finish = Bright Brass Corrosion Resistant Hardware = None Window Opening Control Device = No Security Sensor Type = None Insect Screen Type = Full Screen Insect Screen Material = Aluminum Insect Screen Color = White Bay/Bow Option Type = Walkout Overall Wall Depth = 5 1/4" Platform Boards = Top and Bottom Platforms Angle Bay/Bow Supports = w/Cable Support System	1	$95.00	$95.00

UID	Product #	Product Description	Qty	Unit Price	Total Price
31	500-1	100 Series Single Casement-CW Parts and Accessory Group = Hardware Components Hardware Component Type = Handle Hardware Handing = Left Hardware Color/Finish = White Re-Order Item = No Room Location = None Vendor Number = 60509030 Customer Service = (888) 888-7020 Catalog Version Date = 06/18/2019	1	$7.70	$7.70