REC-CIS

GE23131-Programming Using C-2024

Quiz navigation

1 2

Show one page at a time

Finish review

Status	Finished
Started	Monday, 13 January 2025, 12:35 PM
Completed	Monday, 13 January 2025, 12:42 PM
Duration	7 mins 16 secs

Question **1**

Correct

Marked out of 1.00

Flag question

You are a bank account hacker. Initially you have 1 rupee in your account, and you want exactly ***N*** ru account. You wrote two hacks, first hack can multiply the amount of money you own by 10, while the can multiply it by 20. These hacks can be used any number of time. Can you achieve the desired amount ***N*** using these hacks.

Constraints:

1<=T<=100

1<=N<=10^12

Input

· The test case contains a single integer N.

Output

For each test case, print a single line containing the string "1" if you can make exactly N rupees or "0

SAMPLE INPUT

1

SAMPLE OUTPUT

1

SAMPLE INPUT

2

SAMPLE OUTPUT

0

Answer: (penalty regime: 0 %)

REC-CIS

	Test	Expected	Got	
	`printf("%d", myFunc(1))`	1	1	
	`printf("%d", myFunc(2))`	0	0	
	`printf("%d", myFunc(10))`	1	1	
	`printf("%d", myFunc(25))`	0	0	
	`printf("%d", myFunc(200))`	1	1	

Passed all tests!

Question **2**

Correct

Marked out of 1.00

Flag question

Find the number of ways that a given integer, ***X***, can be expressed as the sum of the ***N^th^*** powers of u natural numbers.

For example, if ***X = 13*** and ***N = 2***, we have to find all combinations of unique squares adding up to 1 solution is $2^2 + 3^2$.

Function Description

Complete the powerSum function in the editor below. It should return an integer that represents the possible combinations.

powerSum has the following parameter(s):

X: the integer to sum to

N: the integer power to raise numbers to

Input Format

The first line contains an integer ***X***.

The second line contains an integer ***N***.

Constraints

1 ≤ X ≤ 1000

2 ≤ N ≤ 10

Output Format

Output a single integer, the number of possible combinations calculated.

REC-CIS

10
2

Sample Output 0

1

Explanation 0

If ***X = 10*** and ***N = 2***, we need to find the number of ways that ***10*** can be represented as the sum of s
unique numbers.

$10 = 1^2 + 3^2$

This is the only way in which ***10*** can be expressed as the sum of unique squares.

Sample Input 1

100
2

Sample Output 1

3

Explanation 1

$100 = (10^2) = (6^2 + 8^2) = (1^2 + 3^2 + 4^2 + 5^2 + 7^2)$

Sample Input 2

100
3

Sample Output 2

1

Explanation 2

100 can be expressed as the sum of the cubes of ***1, 2, 3, 4***.
(1 + 8 + 27 + 64 = 100). There is no other way to express ***100*** as the sum of cubes.

Answer: (penalty regime: 0 %)

REC-CIS

	Test	Expected	Got	
	`printf("%d", powerSum(10, 1, 2))`	1	1	

Passed all tests!

Save the state of the flags