

```
(ryu-venv) divyaa@divyaa-vm:~/Documents/SDN-Project$ ryu-manager --verbose traffic_monitor.py
loading app traffic_monitor.py
loading app ryu.controller.ofp_handler
instantiating app traffic_monitor.py of TrafficMonitor
instantiating app ryu.controller.ofp_handler of OFPHandler
BRICK TrafficMonitor
  CONSUMES EventOFPPFlowStatsReply
  CONSUMES EventOFPPacketIn
  CONSUMES EventOFPPortStatsReply
  CONSUMES EventOFPPStateChange
  CONSUMES EventOFPSwitchFeatures
BRICK ofp_event
  PROVIDES EventOFPPFlowStatsReply TO {'TrafficMonitor': {'main'}}
  PROVIDES EventOFPPacketIn TO {'TrafficMonitor': {'main'}}
  PROVIDES EventOFPPortStatsReply TO {'TrafficMonitor': {'main'}}
  PROVIDES EventOFPPStateChange TO {'TrafficMonitor': {'dead', 'main'}}
  PROVIDES EventOFPSwitchFeatures TO {'TrafficMonitor': {'config'}}
  CONSUMES EventOFPEchoReply
  CONSUMES EventOFPEchoRequest
  CONSUMES EventOFPErrormsg
  CONSUMES EventOFPHello
  CONSUMES EventOFPPortDescStatsReply
  CONSUMES EventOFPPortStatus
  CONSUMES EventOFPSwitchFeatures
connected socket:<eventlet.greenio.base.GreenSocket object at 0x73a450af2af0> address:('127.0.0.1', 49074)
EVENT ofp_event->TrafficMonitor EventOFPPStateChange
Unregistered datapath: None
connected socket:<eventlet.greenio.base.GreenSocket object at 0x73a4509f8ee0> address:('127.0.0.1', 49078)
hello ev <ryu.controller.ofp_event.EventOFPHello object at 0x73a44ecb99d0>
```

```
hello ev <ryu.controller.ofp_event.EventOFPHello object at 0x73a44ecb99d0>
move onto config mode
EVENT ofp_event->TrafficMonitor EventOFPSwitchFeatures
switch features ev version=0x4,msg_type=0x6,msg_len=0x20,xid=0x10562aef,OFPSwitchFeatures(auxiliary_id=0,capability_n_tables=254)
Switch 1 connected
move onto main mode
EVENT ofp_event->TrafficMonitor EventOFPPStateChange
Registered datapath: 1
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:10
Priority  Match          Packets      Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
50       OFPMatch(oxm_fields={'eth_type': 2054}) 0      0
0        OFPMatch(oxm_fields={}) 4      320

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes      TX-bytes
-----
4294967294 0              0              0              0
```

```

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          5          10            426          998
2          5          12            426          1198
3          3          7             266          586
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:15
Priority   Match                               Packets      Bytes
-----
100        OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0              0
50         OFPMatch(oxm_fields={'eth_type': 2054}) 0              0
0          OFPMatch(oxm_fields={}) 11             890

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          7          25            586          2931
2          7          25            586          2931
3          6          26            516          3001
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:20
Priority   Match                               Packets      Bytes
-----
100        OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0              0
0          OFPMatch(oxm_fields={}) 12             960

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          7          27            586          3108
2          7          27            586          3108
3          7          27            586          3108
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

```

```

EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:25
Priority  Match                Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0
0        OFPMatch(oxm_fields={}) 15      1170

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts    TX-pkts    RX-bytes  TX-bytes
-----
4294967294 0          0          0          0
1          8          31         656        3425
2          8          31         656        3425
3          8          30         656        3318
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:30
Priority  Match                Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0
0        OFPMatch(oxm_fields={}) 15      1170

=====

```

```

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts    TX-pkts    RX-bytes  TX-bytes
-----
4294967294 0          0          0          0
1          8          31         656        3425
2          8          31         656        3425
3          8          30         656        3318
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:30
Priority  Match                Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0
0        OFPMatch(oxm_fields={}) 15      1170

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts    TX-pkts    RX-bytes  TX-bytes
-----
4294967294 0          0          0          0
1          8          31         656        3425
2          8          31         656        3425
3          8          31         656        3425
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn

```

```
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:35
Priority  Match                Packets  Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
1        OFPMatch(oxm_fields={'eth_dst': 'ca:ba:df:cb:ba:95'}) 30937    2041898
1        OFPMatch(oxm_fields={'eth_dst': '4e:19:5a:f0:92:de'}) 75831    3518849272
0        OFPMatch(oxm_fields={}) 18          1328
```

```
=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts    TX-pkts    RX-bytes  TX-bytes
-----
4294967294 0          0          0          0
1          31934     78511     2107816   3646992099
2          78488     31957     3646989330 2110585
3          8         32        656       3467
```

```
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:40
Priority  Match                Packets  Bytes
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:40
Priority  Match                Packets  Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
1        OFPMatch(oxm_fields={'eth_dst': 'ca:ba:df:cb:ba:95'}) 64887    4282682
1        OFPMatch(oxm_fields={'eth_dst': '4e:19:5a:f0:92:de'}) 162276   7567147018
0        OFPMatch(oxm_fields={}) 20        1468
```

```
=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts    TX-pkts    RX-bytes  TX-bytes
-----
4294967294 0          0          0          0
1          66108     165213    4363376   7700381815
2          165192     66132     7700574654 4366215
3          8         34        656       3607
```

```
EVENT ofp_event->TrafficMonitor EventOFPPacketIn
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:45
Priority  Match                Packets  Bytes
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:45
Priority  Match                Packets  Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
1        OFPMatch(oxm_fields={'eth_dst': 'ca:ba:df:cb:ba:95'}) 73260    4835643
1        OFPMatch(oxm_fields={'eth_dst': '4e:19:5a:f0:92:de'}) 181930   8467731123
0        OFPMatch(oxm_fields={}) 21        1538
```

```

0          OFPMatch(oxm_fields={}) 21          1538

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes  TX-bytes
-----
4294967294 0          0          0          0
1          73270       181967     4836411   8467734981
2          181941     73296     8467731965 4839427
3          9         36        726       3784
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:50
Priority  Match          Packets  Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0          0
1        OFPMatch(oxm_fields={'eth_dst': 'ca:ba:df:cb:ba:95'}) 73260     4835643
1        OFPMatch(oxm_fields={'eth_dst': '4e:19:5a:f0:92:de'}) 181930    8467731123
0        OFPMatch(oxm_fields={}) 21          1538

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes  TX-bytes
-----
4294967294 0          0          0          0
1          73270       181967     4836411   8467734981
2          181941     73296     8467731965 4839427
3          9         36        726       3784
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply

2          181941     73296     8467731965 4839427
3          9         36        726       3784
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:08:55
Priority  Match          Packets  Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0          0

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes  TX-bytes
-----
4294967294 0          0          0          0
1          73270       181967     4836411   8467734981
2          181941     73296     8467731965 4839427
3          9         36        726       3784
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:00
Priority  Match          Packets  Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0          0

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes  TX-bytes

```

```

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          73270      181967      4836411     8467734981
2          181941      73296      8467731965  4839427
3           9         36         726         3784
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

```

```

=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:05
Priority   Match                               Packets    Bytes
-----
100        OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0          0

```

```

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          73271      181967      4836481     8467734981
2          181941      73296      8467731965  4839427
3           9         36         726         3784
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

```

```

=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:10
Priority   Match                               Packets    Bytes

```

```

=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:10
Priority   Match                               Packets    Bytes
-----
100        OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0          0

```

```

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          73271      181967      4836481     8467734981
2          181941      73297      8467731965  4839497
3           9         36         726         3784
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply

```

```

=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:15
Priority   Match                               Packets    Bytes
-----
100        OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0          0
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

```

```

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          73271      181969      4836481     8467735158
2          181942      73298      8467732035  4839604
3           9         37         726         3891

```

```
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:20
Priority  Match                Packets  Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
=====

PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes  TX-bytes
-----
4294967294 0              0              0          0
1          73271        181969        4836481   8467735158
2          181942        73298         8467732035 4839604
3          10            38            796        3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:25
Priority  Match                Packets  Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
=====

PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes  TX-bytes
-----
4294967294 0              0              0          0
1          73271        181969        4836481   8467735158

=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes  TX-bytes
-----
4294967294 0              0              0          0
1          73271        181969        4836481   8467735158
2          181942        73298         8467732035 4839604
3          10            38            796        3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:30
Priority  Match                Packets  Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
=====

PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes  TX-bytes
-----
4294967294 0              0              0          0
1          73271        181969        4836481   8467735158
2          181942        73298         8467732035 4839604
3          10            38            796        3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:35
```



```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:35
Priority  Match                Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
```

```
=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          73271       181969       4836481     8467735158
2          181942       73298        8467732035 4839604
3           10         38           796         3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:40
Priority  Match                Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
```

```
=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          73271       181969       4836481     8467735158
2          181942       73298        8467732035 4839604
```

```
=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          73271       181969       4836481     8467735158
2          181942       73298        8467732035 4839604
3           10         38           796         3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:45
Priority  Match                Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
```

```
=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          73271       181969       4836481     8467735158
2          181942       73298        8467732035 4839604
3           10         38           796         3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:50
Priority  Match                Packets    Bytes
```



```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:50
Priority  Match                Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
=====
```

```
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          73271        181969        4836481     8467735158
2          181942        73298         8467732035  4839604
3          10           38            796         3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:09:55
Priority  Match                Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
=====
```

```
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          73276        181969        4836971     8467735158
2          181942        73298         8467732035  4839604
3          10           38            796         3961
```

```
1          73276        181969        4836971     8467735158
2          181942        73298         8467732035  4839604
3          10           38            796         3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:00
Priority  Match                Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
PORT STATS - Switch 0000000000000001
Port      RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1          73279        181969        4837097     8467735158
2          181942        73298         8467732035  4839604
3          10           38            796         3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:05
Priority  Match                Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
=====
```

```
PORT STATS - Switch 0000000000000001
```

```

=====
PORT STATS - Switch 0000000000000001
Port    RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1        73280      181969      4837167     8467735158
2        181942      73298      8467732035  4839604
3         10       38         796       3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

```

```

=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:10
Priority  Match          Packets      Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0

```

```

=====
PORT STATS - Switch 0000000000000001
Port    RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1        73280      181969      4837167     8467735158
2        181942      73298      8467732035  4839604
3         10       38         796       3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

```

```

=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:15

```

```

=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:15
Priority  Match          Packets      Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0

```

```

=====
PORT STATS - Switch 0000000000000001
Port    RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1        73281      181969      4837209     8467735158
2        181942      73299      8467732035  4839674
3         10       38         796       3961
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply

```

```

=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:20
Priority  Match          Packets      Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0

```

```

=====
PORT STATS - Switch 0000000000000001
Port    RX-pkts      TX-pkts      RX-bytes    TX-bytes
-----
4294967294 0              0              0            0
1        73286      181970      4837419     8467735265
2        181943      73300      8467732105  4839781

```

```
=====
PORT STATS - Switch 0000000000000001
Port    RX-pkts    TX-pkts    RX-bytes    TX-bytes
-----
4294967294 0          0          0          0
1        73286    181970    4837419    8467735265
2        181943    73300     8467732105 4839781
3         10      39        796        4068
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:25
Priority  Match          Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
```

```
=====
PORT STATS - Switch 0000000000000001
Port    RX-pkts    TX-pkts    RX-bytes    TX-bytes
-----
4294967294 0          0          0          0
1        73286    181971    4837419    8467735335
2        181943    73300     8467732105 4839781
3         10      39        796        4068
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:30
Priority  Match          Packets    Bytes
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:30
Priority  Match          Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
```

```
=====
PORT STATS - Switch 0000000000000001
Port    RX-pkts    TX-pkts    RX-bytes    TX-bytes
-----
4294967294 0          0          0          0
1        73286    181971    4837419    8467735335
2        181943    73300     8467732105 4839781
3         11      40        866        4138
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:35
Priority  Match          Packets    Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
```

```
=====
PORT STATS - Switch 0000000000000001
Port    RX-pkts    TX-pkts    RX-bytes    TX-bytes
-----
4294967294 0          0          0          0
1        73286    181971    4837419    8467735335
2        181943    73300     8467732105 4839781
3         11      40        866        4138
```

```
1      73286      181971      4837419      8467735335
2      181943      73300      8467732105  4839781
3       11        40        866        4138
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:40
Priority  Match                Packets      Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
```

```
=====
PORT STATS - Switch 0000000000000001
Port     RX-pkts      TX-pkts      RX-bytes     TX-bytes
-----
4294967294 0            0            0            0
1      73286      181971      4837419      8467735335
2      181943      73300      8467732105  4839781
3       11        40        866        4138
EVENT ofp_event->TrafficMonitor EventOFPPFlowStatsReply
EVENT ofp_event->TrafficMonitor EventOFPPortStatsReply
```

```
=====
FLOW TABLE - Switch 0000000000000001 @ 20:10:45
Priority  Match                Packets      Bytes
-----
100      OFPMatch(oxm_fields={'eth_type': 2048, 'ipv4_src': '10.0.0.3'}) 0      0
```

```
=====
PORT STATS - Switch 0000000000000001
```

```
=====
PORT STATS - Switch 0000000000000001
Port     RX-pkts      TX-pkts      RX-bytes     TX-bytes
-----
4294967294 0            0            0            0
1      73286      181971      4837419      8467735335
2      181943      73300      8467732105  4839781
3       11        40        866        4138
Terminated
(ryu-venv) divyaa@divyaa-vm:~/Documents/SDN-Project$
```