

SETUP Object Manager 53+ Items, Sorted by Label

Quick Find Schema Builder Create Custom Object Custom Object from Spr...

LABEL	API NAME	TYPE	DESCRIPTION	LAST M
Account	Account	Standard Object		
Activity	Activity	Standard Object		
Activity History	DevopsActivityLog	Standard Object		
Address	Address	Standard Object		
Agent Work	AgentWork	Standard Object		
Alternative Payment Method	AlternativePaymentMethod	Standard Object		
API Anomaly Event Store	ApiAnomalyEventStore	Standard Object		
Appointment Category	AppointmentCategory	Standard Object		
Appointment Invitation	AppointmentInvitation	Standard Object		



Search Setup



Setup

Home

Object Manager ▾



SETUP

New Custom Object

Custom Object Definition Edit

Save

Save & New

Cancel

Custom Object Information

Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label

Vehicle

Example: Account

Plural Label

Vehicles

Example: Accounts

Starts with vowel sound

☐

The Object Name is used when referencing the object via the API.

Object Name

Vehicle

Example: Account

Description

Context-Sensitive Help Setting



Open the standard Salesforce.com Help & Training window



New Custom Object

- ☒ Allow Reports
- ☐ Allow Activities
- ☐ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing [↓](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

Deployment Status

[What is this?](#)

- ☐ In Development
- ☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)



</> Developer Edition



Search Setup



Setup

Home

Object Manager ▾



SETUP

New Custom Object



Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit

Save

Save & New

Cancel

Custom Object Information

Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label

Example: Account

Plural Label

Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name

Example: Account

Description

Developer Edition

Search Setup

Star

+

🔒

?

⚙️

🔔

👤

Setup

Home

Object Manager

tabs

User Interface

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.

SETUP

Tabs

Custom Tabs

Help for this Page

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs

New

What Is This?

No Custom Object Tabs have been defined

Web Tabs

New

What Is This?

No Web Tabs have been defined

Visualforce Tabs

New

What Is This?



</> Developer Edition



Search Setup



Setup

Home

Object Manager

tabs

User Interface

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.



SETUP

Tabs

Select an existing custom object or [create a new custom object now](#).

Object --None--

Tab Style --None--

Vehicle

Vehicle Dealer

(Optional) Choose a Home Page Custom Link to display as a splash page the first time your users click on this tab.

Splash Page Custom Link --None--

Enter a short description.

Description

Next

Cancel

35°C

ENG

12:4

Developer Edition

Search Setup

Star

Plus

Alert

Help

Settings

Notifications

Profile

Setup

Home

Object Manager

app manager

Apps

App Manager

External Client Apps

External Client App Manager

Lightning Out 2.0 Apps

Lightning Out 2.0 App Manager

Didn't find what you're looking for? Try using Global Search.

SETUP

Lightning Experience App Manager

New Lightning App

New External Client App

New Lightning App

31 items • Sorted by App Name • Filtered by All app menu items - TabSet Type, App Type

	App Name	Developer Na...	Description	Last Modified Date	App T...	Visib...	
1	Agentforce Grid	AIWorkbench	Access Agentforce Grid	8/27/2026, 12:34 AM	Lightning	✓	
2	Agentforce Studio	AgentforceStudio	Agentforce Studio	8/27/2026, 12:34 AM	Lightning	✓	
3	All Tabs	AllTabSet		8/27/2026, 12:24 AM	Classic		
4	Analytics Studio	Insights	Build CRM Analytics dashboards and apps	8/27/2026, 12:24 AM	Classic	✓	
5	App Launcher	AppLauncher	App Launcher tabs	8/27/2026, 12:24 AM	Classic	✓	
6	Approvals	Approvals	Manage approvals and approval flows	8/27/2026, 12:24 AM	Lightning	✓	
7	Automation	FlowsApp	Automate business processes and repetitive tasks.	8/27/2026, 12:33 AM	Lightning	✓	
8	Bolt Solutions	LightningBolt	Discover and manage business solutions designed for your industry.	8/27/2026, 12:24 AM	Lightning	✓	
9	Community	Community	Salesforce CRM Communities	8/27/2026, 12:24 AM	Classic	✓	

35°C

ENG

12:50



New Lightning App

Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.

App Details

*App Name ⓘ

WhatNext Vision Motors

*Developer Name ⓘ


WhatNext_Vision_Motors

Description ⓘ

Enter a description...


App Branding

Image ⓘ



Primary Color Hex

Value ⓘ



#0070D2

Org Theme Options

☐ Use the app's image and color instead of the org's custom theme



Next

8	Bolt Solutions	LightningBolt	Discover and manage business solutions designed for your industry.	8/27/2026, 12:24 AM	Lightning	✓	
9	Community	Community	Salesforce CRM Communities	8/27/2026, 12:24 AM	Classic	✓	

New Lightning App

Available Profiles

Selected Profiles

- System Administrator
- Salesforce API Only System Integrations



Back

Save & Finish

8	Bolt Solutions	LightningBolt	Discover and manage business solutions designed for your industry.	8/27/2026, 12:24 AM	Lightning	✓	
9	Community	Community	Salesforce CRM Communities	8/27/2026, 12:24 AM	Classic	✓	

Developer Edition

Search Setup

Star

+

?

Settings

Notifications

Profile

Setup

Home

Object Manager

Object Manager

2 Items, Sorted by Label

vehicle

Schema Builder

Create

Label	API Name	Type	Description	Last Modified	Deployed
Vehicle	Vehicle__c	Custom Object		9/2/2026	✓
Vehicle Dealer	Vehicle_Dealer__c	Custom Object		9/2/2026	✓

orgfarm-563d9648cb-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/011g0000003q4vK0/FieldsAndRelationships/view

ChatGPT Java Interview Ques... Test Blaze Dashboard Freebuff — the free... New folder All Bookm

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Vehicle

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Fields & Relationships

4 Items, Sorted by Field Label

New Deleted Fields Field Dependencies Set History Tracking

Custom Field

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Vehicle Name	Name	Text(80)		✓

SETUP > OBJECT MANAGER

Vehicle

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lists and Filters

☐ Geolocation

☐ Number

☐ Percent

☐ Phone

☒ Picklist

☐ Picklist (Multi-Select)

☐ Text

☐ Text Area

☐ Text Area (Long)

☐ Text Area (Rich)

☐ Text (Encrypted) ⓘ

☐ Time

☐ URL

Clicking Send an Email icon that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.

Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

Vehicle

- Details
- Fields & Relationships**
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters
- Partition Rules

Field Label Vehicle Model

- Values
- ☐ Use global picklist value set
 - ☒ Enter values, with each value separated by a new line

Sedan
SUV
EV
etc

- ☐ Display values alphabetically, not in the order entered
- ☐ Use first value as default value
- ☒ Restrict picklist to the values defined in the value set

Field Name Vehicle_Model

Previous Next Cancel



Search Setup



SetupHomeObject Manager ▾

SETUP > OBJECT MANAGER

Vehicle

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

☐ Currency

☐ Date

☐ Date/Time

☐ Email

☐ Geolocation

☒ Number

☐ Percent

☐ Phone

☐ Picklist

☐ Picklist (Multi-Select)

☐ Text

☐ Text Area

☐ Text Area (Long)

another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

 35°C
Mostly cloudy

 Search



ENG
IN



14:12
02-09-2026

Step 2. Enter the details

Step

Previous

Next

Field Label



Please enter the length of the number and the number of decimal places. For example, a number with a length of 8 and 2 decimal places can accept values up to "12345678.90".

Length

Number of digits to the left of the decimal point

Decimal Places

Number of digits to the right of the decimal point

Field Name



Description

Help Text



Finstein

SETUP > OBJECT MANAGER

Vehicle

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

☐ None Selected

Select one of the data types below.

☐ Auto Number

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary 

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☒ Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☐ Master-Detail Relationship

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

☐ External Lookup Relationship

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

☐ Checkbox

Allows users to select a True (checked) or False (unchecked) value.

☐ Currency

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

SETUP > OBJECT MANAGER

Vehicle

- Details
- Fields & Relationships**
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters

New Relationship

Help for this Page

Step 2. Choose the related object

Step 2

Previous Next Cancel

Select the other object to which this object is related.

Related To Vehicle

Previous Next Cancel



Vehicle

- Details
- Fields & Relationships**
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters

Vehicle

New Relationship

Help for this Page

Step 4. Establish field-level security for reference field

Step 4 of 6

PreviousNextCancel

Field Label	Vehicle
Data Type	Lookup
Field Name	Vehicle
Description	

Select the profiles to which you want to grant edit access to this field via field-level security. The field will be hidden from all profiles if you do not add it to field-level security.

Field-Level Security for Profile	☒ Visible	☐ Read-Only
Analytics Cloud Integration User	☒	☐
Analytics Cloud Security User	☒	☐



Search Setup

Star icon, Plus icon, Help icon, Settings icon, Notifications icon, Profile icon

flows

Process Automation

Flows

Identity

Login Flows

Didn't find what you're looking for? Try using Global Search.



SETUP Flows

Flow Trigger Explorer New Flow

Flow Definitions

All Flows



50+ items • Sorted by Flow Label • Filtered by All flow definitions • Updated a few seconds ago

Settings icon, Refresh icon, Filter icon

Flow Label	Process Type	Active	Tem...	Package State	Pack...	Last ...	Last ...	
Add Case Comment	Autolaunched Flow			Managed-Installed				☐
Add or Modify Service Appointment Attendees	Salesforce Scheduler Flow			Managed-Installed				☐
Approvals Workflow: Evaluate Approval Requests	Screen Flow			Managed-Installed				☐
Approvals Workflow: Process Approval Submission	Screen Flow			Managed-Installed				☐
Authentication Provider User Registration	Identity User Registration Flow			Managed-Installed				☐
Basic Approval Request	Flow Orchestration for CMS			Managed-Installed				☐
Book Appointment from Invitation	Salesforce Scheduler Flow			Managed-Installed				☐
Cancel All Eligible Items Flow	Screen Flow			Managed-Installed				☐



Search Setup



SETUP > OBJECT MANAGER

Vehicle

- Details
- Fields & Relationships**
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label Vehicle Model

- Values
- ☐ Use global picklist value set
 - ☒ Enter values, with each value separated by a new line

Sedan
SUV
EV

- ☐ Display values alphabetically, not in the order entered
- ☐ Use first value as default value
- ☒ Restrict picklist to the values defined in the value set

Einstein





 Setup

Home

Object Manager 

 **SETUP**

New Custom Object

Custom Object Common

Edit

Save Save & New Cancel

Custom Object Information  Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label

Example: Account

Plural Label

Example: Accounts

Starts with vowel sound

☐

The Object Name is used when referencing the object via the API.

Object Name

Example: Account

Description



SETUP > OBJECT MANAGER

Vehicle Dealer

- Details
- Fields & Relationships**
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters

Vehicle Dealer
New Custom Field

[Help for this Page](#) ?

Step 4. Add to page layouts Step 4 of 4

Previous Save & New Save Cancel

Field Label	Dealer Code
Data Type	Auto Number
Field Name	Dealer_Code
Description	

Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.

To change the location of this field on the page, you will need to customize the page layout.

☒ Add Field	Page Layout Name
☒	Vehicle Dealer Layout



Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Dealer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

☐ Number

are removed.

☐ Percent

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

☒ Phone

Allows users to enter any phone number. Automatically formats it as a phone number.

☐ Picklist

Allows users to select a value from a list you define.

☐ Picklist (Multi-Select)

Allows users to select multiple values from a list you define.

☐ Text

Allows users to enter any combination of letters and numbers.

☐ Text Area

Allows users to enter up to 255 characters on separate lines.

☐ Text Area (Long)

Allows users to enter up to 131,072 characters on separate lines.

☐ Text Area (Rich)

Allows users to enter formatted text, add images

Vehicle Dealer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Vehicle Dealer

New Custom Field

[Help for this Page](#) ?

Step 2. Enter the details

Step 2 of 4

[Previous](#)

[Next](#)

[Cancel](#)

Field Label



Field Name



Description

Help Text

Search Setup



Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Dealer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

☐ Date

Currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

☐ Date/Time

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

☒ Email

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

☐ Geolocation

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

☐ Number

Allows users to enter any number. Leading zeros are removed.



Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Dealer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Vehicle Dealer

New Custom Field

[Help for this Page](#) ?

Step 2. Enter the details

Step 2 of 4

Previous

Next

Cancel

Field Label

Email



Field Name

Email



Description

Help Text



Einstein



EDIT

Custom Object Information

***** = Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label **Example:** Account

Plural Label **Example:** Accounts

Starts with
vowel
sound ☐

The Object Name is used when referencing the object via the API.

Object Name **Example:** Account

Description

Vehicle Customer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

☐ Percent

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

☐ Phone

Allows users to enter any phone number. Automatically formats it as a phone number.

☒ Picklist

Allows users to select a value from a list you define.

☐ Picklist (Multi-Select)

Allows users to select multiple values from a list you define.

☐ Text

Allows users to enter any combination of letters and numbers.

☐ Text Area

Allows users to enter up to 255 characters on separate lines.

☐ Text Area (Long)

Allows users to enter up to 131,072 characters on separate lines.

☐ Text Area (Rich)

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.



Search Setup



Setup

Home

Object Manager



SETUP > OBJECT MANAGER

Vehicle Customer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Previous

Next

Cancel

Field Label

Preferred Vehicle Type



Values



Use global picklist value set



Enter values, with each value separated by a new line

Sedan
SUV
EV

☐ Display values alphabetically, not in the order entered




Search Setup



Setup

Home

Object Manager ▾



SETUP

New Custom Object

Custom Object Information

Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label

Vehicle Order

Example: Account

Plural Label

Vehicle Orders

Example: Accounts

Starts with vowel sound

☐

The Object Name is used when referencing the object via the API.

Object Name

Vehicle_Order

Example: Account

Description



33°C
Mostly sunny



Search





Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Vehicle Order

New Relationship

[Help for this Page](#) ?

Step 2. Choose the related object

Step 2

[Previous](#)

[Next](#)

[Cancel](#)

Select the other object to which this object is related.

Related
To

Vehicle Customer ▾

[Previous](#)

[Next](#)

[Cancel](#)



</> Developer Edition



Search Setup



Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Step 3. Enter the label and name for the lookup field Step 3 of 6

Previous

Next

Cancel

Field Label



Field Name



Description

Help Text





Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Vehicle Order

New Relationship

[Help for this Page](#) ?

Step 2. Choose the related object

Step 2

[Previous](#)

[Next](#)

[Cancel](#)

Select the other object to which this object is related.

Related
To

Vehicle



[Previous](#)

[Next](#)

[Cancel](#)



Setup

Home

Object Manager

[SETUP](#) > [OBJECT MANAGER](#)

Vehicle Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Step 6. Add custom related lists

Step 6 of 6

[Previous](#)

[Save & New](#)

[Save](#)

[Cancel](#)

Field Label Vehicle

Data Type Lookup

Field Name Vehicle

Description

Specify the title that the related list will have in all of the layouts associated with the parent.

Related List Label

Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.

Search Setup



Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

☐ Currency

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

☒ Date

Allows users to enter a date or pick a date from a popup calendar.

☐ Date/Time

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

☐ Email

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

☐ Geolocation

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.



33°C

Mostly sunny



Search





Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Step 2. Enter the details

Step 2 of 4

Previous Next Cancel

Field Label ⓘ

Field Name ⓘ

Description

Help Text



Fintain



Vehicle Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

☐ **Geolocation**

validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

☐ **Number**

Allows users to enter any number. Leading zeros are removed.

☐ **Percent**

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

☐ **Phone**

Allows users to enter any phone number. Automatically formats it as a phone number.

☒ **Picklist**

Allows users to select a value from a list you define.

☐ **Picklist (Multi-Select)**

Allows users to select multiple values from a list you define.



33°C
Mostly sunny



Search



Search Setup



Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Previous

Next

Cancel

Field Label **Status**

Values ☐ Use global picklist value set

☒ Enter values, with each value separated by a new line

Pending
Confirmed
Delivered
Canceled

☐ Display values alphabetically, not in the order entered



Einstein



Setup

Home

Object Manager ▾



SETUP

New Custom Object



permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit

Save

Save & New

Cancel

Custom Object Information

***** = Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label

Vehicle Test Drive

Example: Account

Plural

Label

Vehicle Test Drives

Example: Accounts

Starts with
vowel
sound

☐

The Object Name is used when referencing the object via the API.

Object
Name

Vehicle_Test_Drive

Example: Account



Search Setup



Setup

Home

Object Manager



SETUP > OBJECT MANAGER

Vehicle Test Drive

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Vehicle Test Drive

New Relationship

[Help for this Page](#)

Step 2. Choose the related object

Step 2

Previous

Next

[Cancel](#)

Select the other object to which this object is related.

Related
To

Vehicle Customer



Previous

Next

[Cancel](#)



Setup

Home

Object Manager ▾

[SETUP](#) > [OBJECT MANAGER](#)

Vehicle Test Drive

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Vehicle Test Drive

New Relationship

[Help for this Page](#) ?

Step 5. Add reference field to Page Layouts

Step 5 of 6

[Previous](#)

[Next](#)

[Cancel](#)

Field Label Customer

Data Type Lookup

Field Name Customer

Description

Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.



Search Setup



Setup

Home

Object Manager

SETUP > OBJECT MANAGER

Vehicle Test Drive

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Data Type



None Selected

Select one of the data types below.



Auto Number

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.



Formula

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.



Roll-Up Summary

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.



Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on



Search Setup



Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Test Drive

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Vehicle Test Drive

New Relationship

[Help for this Page](#) ?

Step 2. Choose the related object

Step 2

[Previous](#)[Next](#)[Cancel](#)

Select the other object to which this object is related.

Related
To

Vehicle ▾

[Previous](#)[Next](#)[Cancel](#)



Search Setup



Setup

Home

Object Manager

SETUP > OBJECT MANAGER

Vehicle Test Drive

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Step 3. Enter the label and name for the lookup field

Step 3 of 6

Previous

Next

Cancel

Field Label



Field Name



Description

Help Text





Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Test Drive

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

○ **Number**

(unchecked) value.

○ **Currency**

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

☒ **Date**

Allows users to enter a date or pick a date from a popup calendar.

○ **Date/Time**

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

○ **Email**

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

○ **Geolocation**

Allows users to define locations. Includes latitude and longitude components, and can be used to



Search Setup



Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Test Drive

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Step 2. Enter the details

Step 2 of 4

Previous

Next

Cancel

Field Label



Field Name



Description

Help Text



Setup

Home

Object Manager ▾

SETUP > OBJECT MANAGER

Vehicle Test Drive

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

☐ Number

Allows users to enter any number. Leading zeros are removed.

☐ Percent

Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.

☐ Phone

Allows users to enter any phone number. Automatically formats it as a phone number.

☒ Picklist

Allows users to select a value from a list you define.

☐ Picklist (Multi-Select)

Allows users to select multiple values from a list you define.

☐ Text

Allows users to enter any combination of letters and numbers.

☐ Text Area

Allows users to enter up to 255 characters on separate lines.

☐ Text Area (Long)

Allows users to enter up to 131,072 characters on separate lines.



Search Setup



Setup

Home

Object Manager



SETUP > OBJECT MANAGER

Vehicle Test Drive

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Step 2. Enter the details

Step 2 of 4

Previous

Next

Cancel

Field Label

Status



Values



Use global picklist value set



Enter values, with each value separated by a new line

Scheduled
Completed
Canceled



Einstein



Search Setup



Setup

Home

Object Manager ▾



SETUP

New Custom Object

Custom Object Definition Edit

Save

Save & New

Cancel

Custom Object Information

***** Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label **Example:** Account

Plural Label **Example:** Accounts

Starts with
vowel
sound ☐

The Object Name is used when referencing the object via the API.

Object Name **Example:** Account

Description

☰

ChatGPT

Java Interview Ques...

Text Blaze Dashboard

Freebuff — the free...

New folder

All Bookmarks

≡

Developer Edition

▼

☁

Search Setup

★ ▼

+

?

⚙

🔔

👤

⋮

Setup

Home

Object Manager ▼

🔍 flows

▼ Process Automation

Flows

▼ Identity

Login Flows

Didn't find what you're looking for? Try using Global Search.

⚙

SETUP

Flows

Flow Trigger Explorer

New Flow

Flow Definitions

All Flows ▼

📌

50+ items • Sorted by Flow Label • Filtered by All flow definitions • Updated a few seconds ago

⚙ ▼

↺

🔍

Flow Label ↑	Process Type	Active	Tem...	Package State	Pack...	Last ...	Last ...	
Add Case Comment	Autolaunched Flow	☑	☐	Managed-Installed				▼
Add or Modify Service Appointment Attendees	Salesforce Scheduler Flow	☑	☐	Managed-Installed				▼
Approvals Workflow: Evaluate Approval Requests	Screen Flow	☑	☑	Managed-Installed				▼
Approvals Workflow: Process Approval Submission	Screen Flow	☑	☐	Managed-Installed				▼
Authentication Provider User Registration	Identity User Registration Flow	☐	☑	Managed-Installed				▼
Basic Approval Request	Flow Orchestration for CMS	☑	☑	Managed-Installed				▼
Book Appointment from Invitation	Salesforce Scheduler Flow	☑	☑	Managed-Installed				▼
Cancel All Eligible Items Flow	Screen Flow	☐	☐	Managed-Installed				▼

☁ 30°C

Mostly clear

🖥

🔍 Search

🚢

📄

🔗

🐞

🌐

🌀

📅

📁

🖼

👤

🌐

⬆

ENG

IN

📶

🔊

🔋

20:56

02-09-2026

Record-Triggered Flow
Start

Object: Select an object [Edit](#)

Trigger: **A record is created**

Optimize for: **Actions and Related Recor...**

[Open Flow Trigger Explorer](#)



End

Configure Start

Select Object

Select the object whose records trigger the flow when they're created, updated, or deleted.

*Object

Search objects...

Configure Trigger

Trigger the Flow When:

- ☒ A record is created
- ☐ A record is updated
- ☐ A record is created or updated
- ☐ A record is deleted

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

Record-Triggered Flow
Start

Object: **Vehicle Order** [Edit](#)

Trigger: **A record is created**

Conditions: **1**

Optimize for: **Actions and Related Recor...**

[+ Add Scheduled Paths \(Optional\)](#)

[Open Flow Trigger Explorer for Vehicle...](#)

Run Immediately

Get Customer Information
Get Records

Get Records

*Label

Get Customer Information

*API Name ?

Get_Customer_Information


Description

Get Records of This Object

*Object

Search objects...





Update Records

* Label

* API Name


Description

*** How to Find Records to Update and Set Their Values**

- ☒ Use the vehicle order record that triggered the flow
- ☐ Update records related to the vehicle order record that triggered the flow
- ☐ Use the IDs and all field values from a record or record collection
- ☐ Specify conditions to identify records, and set fields individually

Set Filter Conditions

Condition Requirements to Update Record



Update Records

Assign Dealer to Order Assign_Dealer_to_Order

Description

*** How to Find Records to Update and Set Their Values**

- ☐ Use the vehicle order record that triggered the flow
- ☐ Update records related to the vehicle order record that triggered the flow
- ☒ Use the IDs and all field values from a record or record collection
- ☐ Specify conditions to identify records, and set fields individually

Select Record(s) to Update

* Record or Record Collection

Vehicle Dealer from Get Nearest Dealer X

Make sure that each record has an ID. Otherwise the flow can't find the records to update, and it fails. ⓘ



Save the flow

* Flow Label

Auto Assign Dealer

* Flow API Name ⓘ

Auto_Assign_Dealer

Description

[Show Advanced](#)

Cancel

Save





Record-Triggered Flow
Start

Object: **Vehicle Test Drive** [Edit](#)

Trigger: **A record is created or updated**

Optimize for: **Actions and Related Recor...**

[+ Add Scheduled Paths \(Optional\)](#)

[Open Flow Trigger Explorer for Vehicle...](#)

Run Immediately



End

Configure Start

Select Object

Select the object whose records trigger the flow when they're created, updated, or deleted.

* Object

Vehicle Test Drive


Configure Trigger

Trigger the Flow When:

- ☐ A record is created
- ☐ A record is updated
- ☒ A record is created or updated
- ☐ A record is deleted

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.



Configure Start

Set Entry Conditions

Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow execution can help conserve your org's resources.

Condition Requirements

All Conditions Are Met (AND)

Field	Operator	Value
Status	Equals	A Pending

[+ Add Condition](#)

Optimize Flow

Optimize the Flow for:

Fast Field Updates

Actions and Related Records

Object: **Vehicle Test Drive** [Edit](#)

Trigger: **A record is created or updated**

Conditions: 1

Optimize for: **Actions and Related Recor...**

Scheduled Paths: 2 [Edit](#)

[Open Flow Trigger Explorer for Vehicle...](#)



Configure Scheduled Paths

SCHEDULED PATHS [+](#)

Run Immediately

[New Scheduled Path](#)

Add a scheduled path if you want a flow path to run a certain amount of time after the triggering record is created or updated. That time can be based on the triggering event or on a specified date or date/time field in the record. A separate flow interview runs for each scheduled path. Each scheduled path interview is queued to run at the scheduled time, but can be delayed until system resources become available. Path labels appear on connectors in the canvas.

SCHEDULED PATH DETAILS

*Path Label

*API Name [?](#)

*Time Source

Select... [v](#)

*Offset Number


*Offset Options [?](#)

Select an Option [v](#)

> Show advanced options

[Delete Path](#)

Object: **Vehicle Test Drive** [Edit](#)
Trigger: **A record is created or updated**
Conditions: 1
Optimize for: **Actions and Related Records**
Scheduled Paths: 2 [Edit](#)
[Open Flow Trigger Explorer for Vehicle...](#)



Configure Scheduled Paths

SCHEDULED PATHS [+](#)

Run Immediately

[Reminder Before Test Drive.](#)

Add a scheduled path if you want a flow path to run a certain amount of time after the triggering record is created or updated. That time can be based on the triggering event or on a specified date or date/time field in the record. A separate flow interview runs for each scheduled path. Each scheduled path interview is queued to run at the scheduled time, but can be delayed until system resources become available. Path labels appear on connectors in the canvas.

SCHEDULED PATH DETAILS

* Path Label

Reminder Before Test Drive.

* API Name [i](#)

Reminder_Before_Test_Drive

* Time Source

Vehicle_Test_Drive__c: Test Drive Date


* Offset Number

1

* Offset Options [i](#)

Days Before

> Show advanced options



Get Records

Filter Vehicle Customer Records

Condition Requirements

All Conditions Are Met (AND)

Field	Operator	Value
Record ID	Equals	...hicle_Test_Drive_c > Vehicle

+ Add Condition

Sort Vehicle Customer Records

Sort Order

Not Sorted

⚠ If you store only the first record, filter by a unique field, such as ID.

Developer Edition

Flow Builder

Run

Debug

View Tests

Save As New Version

Save

Activate

Run Immediately

+

Get Customer Information.

Get Records

+

Send Test Drive Reminder

Action

+

End

Send Email

*Label

Send Test Drive Reminder

*API Name

Send_Test_Drive_Reminder

Description

Use values from earlier in the flow to set the inputs for the "Send Email" core action. To use its outputs later in the flow, store them in variables.

Set Input Values

Configure Recipient Details

Recipient Addresses

Auto-Layout ▼

Run

Debug

View Tests

Save As New Version ▼

Save

Activate

Run Immediately

**Get Customer Information.**
Get Records**Send Test Drive Reminder**
Action**End**

← ⚡ Send Email



Rich-Text-Formatted Body ⓘ



True X

Use Line Breaks ⓘ



Enter value or search resources...




Attachment ID ⓘ



Search records...



Attachment ID Collection ⓘ



Save the flow

* Flow Label

Test Drive Reminder

* Flow API Name ?

Test_Drive_Reminder

Description

[Show Advanced](#)

Cancel

Save



Search...



Your Developer Edition Toolkit

Handpicked blogs, videos, and events to level up your skills.

salesforce developers

Improve Enterprise RAG Accuracy in Data 360

By Barnali Patnaik, Aanchal Varma, & Kartik Muktinutalapati

BLOG

Improve Enterprise RAG Accuracy in D

Learn how to improve enterprise RAG accuracy in Data 360 with three configuration changes that help AI agents deliver more accurate answers without custom code or model training.

[Read the guide](#)

Setup Menu

- Setup
Setup for current app
- Data Cloud Setup
- Salesforce Go
- Agentforce Vibes
- Developer Console

File Edit Debug Test Workspace Help < >

New

Open CTRL+O

Open Resource CTRL+SHIFT+O

Open Lightning Resources CTRL+SHIFT+A

Open Log CTRL+G

Open Raw Log CTRL+SHIFT+G

Download Log CTRL+ALT+G

Save CTRL+S

Save All CTRL+SHIFT+S

Delete CTRL+DELETE

Close CTRL+I

Close All CTRL+ALT+I

Apex Class

Apex Trigger

Visualforce Page

Visualforce Component

Static Resource

Lightning Application

Lightning Component

Lightning Interface

Lightning Event

Lightning Tokens

Logs

Tests

Checkpoints

Query Editor

View State

Progress

Problems

User

Application

Operation

Time

Status

Read

Size



New Apex class ✕

Please enter a name for your new Apex class

OK

Cancel

Logs Tests Checkpoints Query Editor View State Progress Problems ✕

User	Application	Operation	Time ▾	Status	Read	Size
------	-------------	-----------	--------	--------	------	------

```
1 public class VehicleOrderTriggerHandler {
2
3     public static void handleTrigger(List<Vehicle_Order__c> newOrders, Map<Id, Vehicle_Order__c> oldOrders, Boolean isBefore, Boolean
4
5         if (isBefore) {
6
7             if (isInsert || isUpdate) {
8
9                 preventOrderIfOutOfStock(newOrders);
10
11             }
12
13         }
14
15
16
17
```

File Edit Debug Test Workspace Help < >

VehicleOrderTriggerhandler.apxc *

Code Coverage: None

API Version:

67



Go To

```
116
117     }
118
119     }
120
121     if (!vehiclesToUpdate.isEmpty()) {
122
123         update vehicle
124
125     }
126
127 }
128
129 }
130
131 }
```

New Apex Trigger

Name:

sObject:

Submit

Logs

Tests

Checkpoints

Query Editor

View State

Progress

Problems

User

Application

Operation

Time

Status

Read

Size

Filter

Click here to filter the log list

Code Coverage: None

API Version: 67

Go To

```
116
117     }
118
119     }
120
121     if (!vehiclesToUpdate.isEmpty()) {
122
123         update vehicle
124
125     }
126
127 }
128
129 }
130
131 }
```

New Apex Trigger

Name: VehicleOrderTrigger

sObject: Vehicle_Order__c

Submit

```
1 trigger VehicleOrderTrigger on Vehicle_Order__c (before insert,before update, after insert, after update) {
2
3     VehicleOrderTriggerHandler.handleTrigger(trigger.new, trigger.oldMap, trigger.isBefore,trigger.isAfter, trigger.isInsert, trigger.isUpdate)
4
5 }
```

User	Application	Operation	Time	Status	Read	Size
------	-------------	-----------	------	--------	------	------

