Ex. No: 1

```
CREATE TABLE Student (StudentID int PRIMARY KEY, Name varchar(30), Age
int);
```

Output:

Table created.

```
INSERT INTO Student VALUES (1, 'Alice', 20);
INSERT INTO Student VALUES (2, 'Bob', 22);
INSERT INTO Student VALUES (3, 'Charlie', 21);
INSERT INTO Student VALUES (4, 'David', 19);
```

Output:

4 rows created.

```
CREATE TABLE Courses (CourseID int PRIMARY KEY, CourseName varchar(20));
```

Output:

Table created.

```
INSERT INTO Courses VALUES (101, 'Database Management');
INSERT INTO Courses VALUES (102, 'Algorithms');
INSERT INTO Courses VALUES (103, 'Web Development');
```

Output:

3 rows created.

```
CREATE TABLE Enrollments (StudentID int REFERENCES Student(StudentID),
CourseID int REFERENCES Courses(CourseID));
```

Output:

Table created.

```
INSERT INTO Enrollments VALUES (1, 101);
INSERT INTO Enrollments VALUES (1, 102);
INSERT INTO Enrollments VALUES (2, 102);
INSERT INTO Enrollments VALUES (3, 101);
INSERT INTO Enrollments VALUES (3, 103);
INSERT INTO Enrollments VALUES (4, 103);
```

Output:

6 rows created.

SELECT * FROM Student;

Output:

StudentID	Name	Age
1	Alice	20
2	Bob	22
3	Charlie	21
4	David	19

SELECT Name, Age FROM Student WHERE Age > 20;

Output:

Name	Age
Bob	22
Charlie	21

SELECT Name FROM Student WHERE StudentID IN (SELECT StudentID FROM Enrollments WHERE CourseID = (SELECT CourseID FROM Courses WHERE CourseName = 'Database Management'));

Output:

Name
Alice
Charlie

SELECT CourseID, CourseName FROM Courses WHERE CourseID IN (SELECT CourseID FROM Enrollments GROUP BY CourseID HAVING COUNT(*) > 1);

Output:

CourseID	CourseName
101	Database Management
102	Algorithms
103	Web Development

SELECT AVG(Age) AS AverageAge FROM Student;

Output:

AverageAge
20.5

```
SELECT Name, Age FROM Student WHERE Age > (SELECT AVG(Age) FROM
Student);
```

Output:

Name	Age
Bob	22
Charlie	21