

SIZE SET INSPECTION REPORT

STYLE NO# 2365

DIVISION -

Date: -

DESCRIPTION: oversized flannel shirt piping

COLOUR: -

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG			✓		BUTTON			✓		PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE			✓		PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING			✓		LINING					AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER					PH				

* WASHCARE: placement okay

* SPARE BUTTON POSITION: not required

PATTERN CHECK LIST

Grain Line: OK
Notches: OK
Graded Nest: OK
Corrections Implemnted: Yes
YY/ Mini Marker: Yes

Planned Size Set Submission Date: ■■ ■■■■■. 8 by 20.

Actual Submission Date: 24

PCD: 25

Cut Quantity: 7 piece

Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 1.5% W = +3%

All four colors; pass not stated

MEASUREMENT (SPEC ATTACHED)

Result: PASS
Graded Nest: OK
Corrections To Be Done: -
Bring Back To Specs: Bring back all specs out of tolerance

Cutting Check: OK
Seam Allowance: OK
Corrections Implemented: OK

LINING: -

DETAILED COMMENTS

(1) Approved PP sample has 6th grade overlock; updated tack pack has 5th grade overlock

(2) Pocket shape found poor

(3) Cord found tight at pocket

(4) Poor collar point shape

(5) Poor tie space shape; overlapping

(6) Locker loop measurement found minus

(7) Space stitch visible at cuff, placket slit and collar

(8) Body stripe found wavy while pocket attached

(9) Top stitch found uneven; placket bumping and wavy

(10) Hand feel observed slightly harsh

(11) Plaid found uneven at right back yoke, placket and collar

ACTION TO BE TAKEN BY VENDOR

Upgrade side seam and armhole overlock to approved PP sample

Correct pocket shape

Correct tight cord at pocket

Improve collar point shape

Correct tie space shape and overlapping

Bring locker loop measurement back to spec

Correct visible space stitching

Correct stripe alignment and waviness at pocket

Correct topstitch and placket appearance

Improve hand feel

Correct plaid matching

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STATUS: FNL



STYLE: 2365

2365 OVERSIZED FLANNEL SHIRT W PIPING

HOLIDAY-B 2026



GRADE MEASUREMENTS - SIZE SET INSPECTION RESULT

Company:	AMERICAN EAGLE OUTFITTERS	Tolerance Model:	WW TOP L20 Size Range : ALPHA WW	Size Range:	XXS, XS, S, M, L, XL, XXL
Division / Dept:	07 / 066	POM Descr:	XXS-XXL- TRIBURG Base Size : S	Base Size:	S
Season:	HOLIDAY-B 2026	Modified By:	BIASIE Modified Date/Time : 2026-06-11 12:07:03	Sizes Measured:	S
Style Desc:	2365 OVERSIZED FLANNEL SHIRT W PIPING	Status:	FNL	Measurement Result:	FAIL CONDITIONALLY (18 of 34 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS *	S	M *	L *	XL *	XXL *
0.00Z	SISTER 2365	0	0	-	-	-	-	-	-	-
0.00Z	SISTER 2365,2377,2390	0	0	-	-	-	-	-	-	-
0.00B	DISCLAIMER (Wvn): Measure Gmts in Circumference	0	0	-	-	-	-	-	-	-
1.01A	REF ON BODY - FRONT LENGTH FROM HPS	-3/8	+3/8	-	-	27 1/4 spec	-	-	-	-
1.01A	REF ON BODY - BACK LENGTH FROM HPS	-3/8	+3/8	-	-	28 spec	-	-	-	-
1.01A	FRONT LENGTH FROM HPS	-1/2	+1/2	26 spec	26 5/8 spec	26 -1 1/4 100%	27 7/8 spec	28 1/2 spec	29 1/4 spec	30 spec
1.01B	BACK LENGTH FROM HPS	-1/2	+1/2	26 1/4 spec	26 7/8 spec	26 1/4 -1 1/4 100%	28 1/8 spec	28 3/4 spec	29 1/2 spec	30 1/4 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	1 7/8 spec	1 7/8 spec	1 7/8 ok 100%	1 7/8 spec	1 7/8 spec	1 7/8 spec	1 7/8 spec
2.01A	SHOULDER SEAM FORWARD @ NECK	-1/8	+1/8	1/2 spec	1/2 spec	1/2 ok 100%	1/2 spec	1/2 spec	1/2 spec	1/2 spec
2.01B	SHOULDER SEAM FORWARD AT ARMHOLE	-1/8	+1/8	3/4 spec	3/4 spec	3/4 ok 100%	3/4 spec	3/4 spec	3/4 spec	3/4 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-3/8	+3/8	17 3/4 spec	18 1/4 spec	17 3/4 -1 100%	19 1/4 spec	20 spec	20 3/4 spec	21 3/4 spec
1.22A	ACROSS FRONT POSITION	0	0	5 spec	5 spec	5 ok 95%	5 spec	5 spec	5 spec	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-3/8	+3/8	16 1/4 spec	16 3/4 spec	16 1/4 -1 100%	17 3/4 spec	18 1/2 spec	19 1/4 spec	20 1/4 spec
1.25A	ACROSS BACK AT YOKE SEAM	-3/8	+3/8	17 spec	17 1/2 spec	17 -1 100%	18 1/2 spec	19 1/4 spec	20 spec	21 spec

POM	Description	Tol-	Tol+	XXS *	XS *	S	M *	L *	XL *	XXL *
1.28A	CHEST 1" BELOW ARMHOLE-PLEAT EXTENDED	-3/4	+3/4	45 spec	47 spec	45 -4 100%	51 spec	54 spec	57 spec	61 spec
4.21A	BOTTOM OPENING STRAIGHT-ABOVE SHIRT TAIL	-3/4	+3/4	45 spec	47 spec	45 -4 85%	51 spec	54 spec	57 spec	61 spec
4.20A	FRONT SHIRT TAIL HEIGHT	-1/8	+1/8	4 3/4 spec	4 3/4 spec	4 3/4 ok 100%	4 3/4 spec	4 3/4 spec	4 3/4 spec	4 3/4 spec
4.20A	BACK SHIRT TAIL HEIGHT	-1/8	+1/8	4 spec	4 spec	4 ok 100%	4 spec	4 spec	4 spec	4 spec
3.22B	BOTTOM HEM HEIGHT - SELF TURN	-1/8	+1/8	1/4 spec	1/4 spec	1/4 ok 100%	1/4 spec	1/4 spec	1/4 spec	1/4 spec
3.01A	SLEEVE LENGTH FROM CB LONG	-3/8	+3/8	32 1/2 spec	33 spec	32 1/2 -1 100%	34 spec	34 3/4 spec	35 1/2 spec	36 1/2 spec
3.05A	SLEEVE CAP HEIGHT	-1/4	+1/4	5 3/4 spec	6 spec	5 3/4 -1/2 100%	6 1/2 spec	6 7/8 spec	7 1/4 spec	7 3/4 spec
3.06B	ARMHOLE STRAIGHT	-3/8	+3/8	8 7/8 spec	9 1/4 spec	8 7/8 -3/4 100%	10 spec	10 5/8 spec	11 1/4 spec	12 spec
3.13A	MUSCLE 1" FROM UNDERARM	-1/4	+1/4	15 1/4 spec	16 spec	15 1/4 -1 1/2 100%	17 1/2 spec	18 3/4 spec	20 spec	21 1/2 spec
3.14B	ELBOW POSITION FROM CUFF EDGE	0	0	10 spec	10 spec	13 1/4 +3 1/4 80%	10 spec	10 spec	10 spec	10 spec
3.15A	ELBOW	-1/4	+1/4	13 1/4 spec	13 7/8 spec	14 1/2 spec	15 1/8 spec	16 spec	16 7/8 spec	18 1/8 spec
3.19A	SLEEVE OPENING (L/S) @ EDGE	-1/4	+1/4	8 1/2 spec	9 spec	8 1/2 -1 85%	10 spec	10 1/2 spec	11 spec	11 1/2 spec
3.22A	SLEEVE CUFF HEIGHT	-1/8	+1/8	2 1/2 spec	2 1/2 spec	2 1/2 ok 100%	2 1/2 spec	2 1/2 spec	2 1/2 spec	2 1/2 spec
3.24A	SLEEVE PLACKET OPENING LENGTH	-1/8	+1/8	4 1/2 spec	4 1/2 spec	4 1/2 ok 100%	4 1/2 spec	4 1/2 spec	4 1/2 spec	4 1/2 spec
3.24C	SLEEVE PLACKET WIDTH	-1/8	+1/8	3/4 spec	3/4 spec	3/4 ok 100%	3/4 spec	3/4 spec	3/4 spec	3/4 spec
2.03A	FRONT NECK DROP FROM HPS TO SEAM	-1/8	+1/8	3 3/4 spec	3 7/8 spec	3 -1 90%	4 1/8 spec	4 1/4 spec	4 3/8 spec	4 1/2 spec
2.04A	BACK NECK DROP FROM HPS TO SEAM	-1/8	+1/8	3/4 spec	3/4 spec	3/4 ok 65%	3/4 spec	3/4 spec	3/4 spec	3/4 spec
2.05C	BACK NECK WIDTH SEAM TO SEAM	-1/4	+1/4	5 3/4 spec	6 spec	5 3/4 -1/2 60%	6 1/2 spec	6 3/4 spec	7 spec	7 1/4 spec

POM	Description	Tol-	Tol+	XXS *	XS *	S	M *	L *	XL *	XXL *
2.09A	NECKBAND HEIGHT AT CB	-1/8	+1/8	1 1/8 spec	1 1/8 spec	1 1/8 ok 100%	1 1/8 spec	1 1/8 spec	1 1/8 spec	1 1/8 spec
2.11A	COLLAR POINT	-1/8	+1/8	2 1/4 spec	2 1/4 spec	2 1/4 ok 90%	2 1/4 spec	2 1/4 spec	2 1/4 spec	2 1/4 spec
2.08C	COLLAR LENGTH AT OUTER EDGE	-1/4	+1/4	15 3/4 spec	16 3/8 spec	15 3/4 -1 1/4 100%	17 5/8 spec	18 1/4 spec	18 7/8 spec	19 1/2 spec
9.01B	LOCKER LOOP WIDTH	-1/8	+1/8	3/8 spec	3/8 spec	3/8 ok 100%	3/8 spec	3/8 spec	3/8 spec	3/8 spec
9.01C	LOCKER LOOP SPREAD	-1/8	+1/8	2 spec	2 spec	2 ok 85%	2 spec	2 spec	2 spec	2 spec
2.10A	COLLAR HEIGHT AT CB	-1/8	+1/8	2 spec	2 spec	2 ok 100%	2 spec	2 spec	2 spec	2 spec
2.18A	CENTER FRONT PLACKET WIDTH	0	0	1 spec	1 spec	1 ok 100%	1 spec	1 spec	1 spec	1 spec
7.04B	BUTTON POSITION FROM BOTTOM EDGE	-1/8	+1/8	4 1/4 spec	4 1/4 spec	3 -1 1/4 90%	4 1/4 spec	4 1/4 spec	4 1/4 spec	4 1/4 spec
1.11B GR	CB YOKE DEPTH @ CB NECK	-1/8	+1/8	4 spec	4 1/4 spec	4 1/2 spec	4 3/4 spec	5 spec	5 1/4 spec	5 1/2 spec
2.20B	CB YOKE BOX PLEAT WIDTH	-1/8	+1/8	1 1/2 spec	1 1/2 spec	1 1/2 spec	1 1/2 spec	1 1/2 spec	1 1/2 spec	1 1/2 spec
6.01A GR	CHEST POCKET LENGTH AT CENTER	-1/8	+1/8	5 1/4 spec	5 1/4 spec	5 1/2 spec	5 1/2 spec	5 3/4 spec	5 3/4 spec	6 spec
6.02A GR	CHEST POCKET WIDTH AT TOP	-1/8	+1/8	4 3/4 spec	4 3/4 spec	5 spec	5 spec	5 1/4 spec	5 1/4 spec	5 1/2 spec
6.16A	POCKET HEM HEIGHT	-1/8	+1/8	3/4 spec	3/4 spec	1/4 -1/2 100%	3/4 spec	3/4 spec	3/4 spec	3/4 spec
6.50A GR	CHEST POCKET POSITION FROM HPS	-1/8	+1/8	8 3/4 spec	9 spec	9 1/4 spec	9 1/2 spec	9 3/4 spec	10 spec	10 1/4 spec
6.50C GR	CHEST POCKET POSITION FROM CF	-1/8	+1/8	1 1/2 spec	1 5/8 spec	1 1/2 -1/4 90%	1 7/8 spec	2 1/8 spec	2 3/8 spec	2 5/8 spec

Each cell shows the measured value, its deviation, and how confidently it was transcribed. **Orange** = outside tolerance. **Blue** = heard with under 90% confidence, so confirm against the recording. **Grey** = the style set's own specification, shown for a size marked * that this inspection did not measure. Those are not readings.

OUT OF TOLERANCE

1.01A FRONT LENGTH FROM HPS — size S: measured 26 against 27 1/4, -1 1/4

1.01B BACK LENGTH FROM HPS — size S: measured 26 1/4 against 27 1/2, -1 1/4

1.20A ACROSS SHOULDER SEAM TO SEAM — size S: measured 17 3/4 against 18 3/4, -1

1.23A ACROSS FRONT SEAM TO SEAM — size S: measured 16 1/4 against 17 1/4, -1

1.25A ACROSS BACK AT YOKE SEAM — size S: measured 17 against 18, -1

1.28A CHEST 1" BELOW ARMHOLE-PLEAT EXTENDED — size S: measured 45 against 49, -4

4.21A BOTTOM OPENING STRAIGHT-ABOVE SHIRT TAIL — size S: measured 45 against 49, -4

3.01A SLEEVE LENGTH FROM CB LONG — size S: measured 32 1/2 against 33 1/2, -1

3.05A SLEEVE CAP HEIGHT — size S: measured 5 3/4 against 6 1/4, -1/2
3.06B ARMHOLE STRAIGHT — size S: measured 8 7/8 against 9 5/8, -3/4
3.13A MUSCLE 1" FROM UNDERARM — size S: measured 15 1/4 against 16 3/4, -1 1/2
3.19A SLEEVE OPENING (L/S) @ EDGE — size S: measured 8 1/2 against 9 1/2, -1
2.03A FRONT NECK DROP FROM HPS TO SEAM — size S: measured 3 against 4, -1
2.05C BACK NECK WIDTH SEAM TO SEAM — size S: measured 5 3/4 against 6 1/4, -1/2
2.08C COLLAR LENGTH AT OUTER EDGE — size S: measured 15 3/4 against 17, -1 1/4
7.04B BUTTON POSITION FROM BOTTOM EDGE — size S: measured 3 against 4 1/4, -1 1/4
6.16A POCKET HEM HEIGHT — size S: measured 1/4 against 3/4, -1/2
6.50C GR CHEST POCKET POSITION FROM CF — size S: measured 1 1/2 against 1 3/4, -1/4

3 spoken measurements could not be matched to a point of measure and are listed in the CSV.

Generated from meeting-4912 and checked against style_2365.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 2365 · oversized flannel shirt piping · Pass with comment · Source: meeting-4912 · 55 rows · 5 need review (shown in red)

Construction

No	Item	Value	Note	Conf
6	Approved PP sample overlock		6th grade overlock at side seam and armhole; updated tack pack has 5th grade overlock	0.90

Shrinkage

No	Item	Value	Note	Conf
4	Pattern shrinkage length	1.5%	All four colors	1.00
5	Pattern shrinkage width	+3%	All four colors	1.00

Mini marker

No	Item	Value	Note	Conf
1	YY shell	1.45 meter		1.00
2	Locker loop	0.003 meter		0.95
3	Pocket trim	0.01 meter		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
7	Pocket shape		Found poor; correct pocket shape	1.00
8	Cord at pocket		Found tight; correct tightness	1.00
9	Collar point shape		Poor shape; improve shape	1.00
10	Tie space shape		Poor shape and overlapping; correct	0.75
11	Locker loop measurement		Found minus; bring back to spec	1.00
12	Space stitch		Visible at cuff, placket slit and collar; correct stitching	0.90
13	Body stripe at pocket		Found wavy while pocket attached; correct alignment	1.00
14	Top stitch and placket		Top stitch uneven; placket bumping and wavy	1.00
15	Hand feel		Observed slightly harsh; improve hand feel	1.00
16	Plaid matching		Uneven at right back yoke, placket and collar	1.00