

SIZE SET INSPECTION REPORT

STYLE NO# 7147

DIVISION -

Date: -

DESCRIPTION: V-neck fitted top

COLOUR: navy

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER			✓		PH			✓	

* MAIN LABEL: Horizontal end fold at center back; code 008

* THREAD: Worthmann Tex 21 and Tex 27

* LINING: Bodice to be fully lined

* ZIPPER: Invisible zipper at wearer left side seam

* PH: Okay

PATTERN CHECK LIST

Grain Line: OK

Notches: OK

Graded Nest: OK

Corrections Implemnted: OK

YY/ Mini Marker: Shell = 0.656 meters; Lining = 0.471 meter; efficiency = 65.06%; one-way marker due to nap direction

Planned Size Set Submission Date: -

Actual Submission Date: -

PCD: -

Cut Quantity: 5 pieces

Size Set Inspection Result: -

SHRINKAGE SHELL: L = 0% W = 0%

No shrinkage; pass stated for shell and lining; sample count not stated

DETAILED COMMENTS

(1) Bottom shape uneven and hiking at center front.

(2) Neckline found unbalanced.

(3) Waist seam shape not symmetrical.

(4) Center-front seam not properly pressed.

(5) Puckering at zipper area.

(6) Back dart length uneven.

(7) Nap direction must be one way.

(8) Roping at back armhole.

(9) Poor waist belt corner shape.

(10) DIA states body only lined.

(11) Neckline and armhole must be clean without roping.

MEASUREMENT (SPEC ATTACHED)

Result: -

Graded Nest: OK

Corrections To Be Done: Balance bottom shape and avoid center-front hiking; balance neckline and follow pattern measurement; correct waist seam symmetry and add balance marking for gather; press center-front seam before attaching; correct zipper puckering; correct back dart length; follow one-way nap direction during laying and cutting; correct roping at back armhole; improve waist belt corner shape; update bodice to fully lined construction

Bring Back To Specs: -

Cutting Check: -

Seam Allowance: Not OK

Corrections Implemented: OK

LINING: L = 0% W = 0%

ACTION TO BE TAKEN BY VENDOR

Balance bottom at end level; use even seam allowance during body attaching.

Balance neckline and follow pattern measurement while patching shell and lining.

Use even seam allowance and add balance marking for gather.

Press center-front seam before attaching.

Correct sewing method and thread tension; attach zipper smoothly.

Educate operator to follow back dart marking.

Follow approved-sample direction during fabric laying and cutting.

Improve operator handling and correct thread tension.

Use pressing template and keep finish stitch neat and clean.

Update construction to fully lined bodice and check with New York team.

Ensure clean finish and prevent roping.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

STATUS: FNL

STYLE: 7147

7147 V NECK FITTED TOP

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS
 Division / Dept: 02 / 035
 Season: HOLIDAY-B 2026
 Style Desc: 7147 V NECK FITTED TOP
 Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW TOP L20 Size Range : ALPHA WW
POM Descr : GRADE SPECIFICATIONS Base Size : M
Block :
Modified By : VANGR Modified Date/Time : 2026-07-07 11:19:10
Sizes Measured : XS, S, M, L, XL

Size Range : XXS, XS, S, M, L, XL, XXL
Base Size : M
Grading Method/UM : Incremental / IN
Status : FNL
Measurement Result : FAIL CONDITIONALLY (7 of 130 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.01A	REFERENCE ON BODY - FRONT LENGTH FROM HPS	-	-	-	-	-	22 spec	-	-	-
1.01A	FRONT LENGTH FROM HPS	-3/8	+3/8	19 1/8 spec	19 3/4 +1/2 100%	20 3/8 +1/2 55%	21 +1/2 100%	21 5/8 +1/2 100%	22 3/8 +1/2 100%	23 1/8 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 spec	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 spec	12 1/2 +1/4 100%	13 +1/4 100%	13 1/2 ok 100%	14 1/4 ok 100%	15 ok 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ?? 100%	5 ok 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 3/4 spec	11 1/4 ok 58%	11 3/4 +1/4 100%	12 1/4 ok 100%	13 +1/4 100%	13 3/4 +1/4 100%	14 1/2 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 5/8 spec	12 1/8 -1/8 100%	12 5/8 -1/8 100%	13 1/8 ok 100%	13 7/8 -1/4 100%	14 5/8 ok 100%	15 3/8 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	33 1/2 spec	35 1/2 ok 100%	37 1/2 ok 100%	39 1/2 ok 100%	42 1/2 ok 100%	45 1/2 ok 100%	49 1/2 spec
1.29F	EMPIRE SEAM POSITION FROM HPS	-1/4	+1/4	12 5/8 spec	13 ok 100%	13 3/8 ok 65%	13 3/4 ok 100%	14 3/8 ok 100%	15 1/8 +1/4 100%	15 7/8 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.31A	EMPIRE WAIST	-3/4	+3/4	30 1/2 spec	32 1/2 -1/2 100%	34 1/2 -1/2 100%	36 1/2 -1/2 100%	39 1/2 -1/2 100%	42 1/2 -1/2 100%	46 1/2 spec
4.22A	BOTTOM SWEEP	-3/4	+3/4	38 1/2 spec	40 1/2 -1/2 92%	42 1/2 ok 100%	44 1/2 -1/4 100%	47 1/2 -1/4 100%	50 1/2 -1/4 100%	54 1/2 spec
4.27A	BOTTOM HEM HEIGHT	-1/8	+1/8	3/16 spec	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 spec
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 3/8 spec	1 1/2 ok 100%	1 5/8 ok 100%	1 3/4 ok 100%	2 1/8 ok 100%	2 5/8 ok 100%	3 1/8 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 3/8 spec	4 1/2 ok 100%	4 5/8 +1/8 100%	4 3/4 ok 100%	5 1/8 +1/8 100%	5 5/8 ok 100%	6 1/8 spec
7.02B GR	WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH	-1/4	+1/4	4 spec	4 1/2 ok 100%	5 ok 100%	5 1/2 ok 88%	6 ok 100%	6 1/2 ok 100%	7 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE	-1/4	+1/4	3 7/8 spec	4 1/8 +3/8 62%	4 3/8 +1/4 100%	4 5/8 +1/4 100%	5 ok 100%	5 3/8 ok 100%	5 7/8 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	7 5/8 spec	8 -1/4 100%	8 3/8 ok 100%	8 3/4 +1/4 100%	9 3/8 ok 100%	10 ok 85%	10 3/4 spec
3.19B	SLEEVE OPENING (S/S)	-1/4	+1/4	10 1/4 spec	11 -1/4 100%	11 3/4 -1/4 100%	12 1/2 ok 100%	13 3/4 -1/4 100%	15 ok 100%	16 1/2 spec
8.08A	SLEEVE CAP SHIRring SPREAD - EVENLY BETWEEN OUTSEAM	-1/8	+1/8	2 7/8 spec	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 +1/8 100%	2 7/8 +1/8 100%	2 7/8 spec
2.05B	NECK WIDTH EDGE TO EDGE	-1/2	+1/2	7 1/4 spec	7 3/4 ok 100%	8 1/4 +1/8 100%	8 3/4 -1/4 100%	9 1/2 +1/4 62%	10 1/4 -1/4 100%	11 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 7/8 spec	10 -1/4 100%	10 1/8 -1/8 100%	10 1/4 +3/8 100%	10 3/8 +1/8 100%	10 1/2 +1/4 100%	10 5/8 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 spec
8.05A	BACK FISH DART LENGTH	-1/4	+1/4	6 1/2 spec	6 1/2 ok 100%	6 1/2 +1/8 100%	6 1/2 ok 100%	6 1/2 ok 100%	6 1/2 ok 100%	6 1/2 spec
7.06B	NG TIE LENGTH EXPOSED	-3/8	+3/8	25 3/4 spec	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 spec
*	TIE WIDTH	-1/4	+1/4	1 spec	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 spec
8.08A	BUST SHIRring SPREAD - AT EMPIRE	-1/4	+1/4	2 3/4 spec	2 3/4 ok 100%	2 3/4 ok 62%	2 3/4 -1/4 100%	2 3/4 -1/4 100%	2 3/4 ok 100%	2 3/4 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
*	START BUST SHIRRING FROM CF SEAM	-1/8	+1/8	2 1/4 spec	2 1/4 -1/8 100%	2 1/4 ok 100%	2 1/4 +1/8 100%	2 1/4 ok 100%	2 1/4 -1/8 45%	2 1/4 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline** = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

1.01A FRONT LENGTH FROM HPS — size XS: measured 20 1/4 against 19 3/4, +1/2
3.02B SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE — size XS: measured 4 1/2 against 4 1/8, +3/8
1.01A FRONT LENGTH FROM HPS — size S: measured 20 7/8 against 20 3/8, +1/2
1.01A FRONT LENGTH FROM HPS — size M: measured 21 1/2 against 21, +1/2
2.03A FRONT NECK DROP FROM HPS TO EDGE — size M: measured 10 5/8 against 10 1/4, +3/8
1.01A FRONT LENGTH FROM HPS — size L: measured 22 1/8 against 21 5/8, +1/2
1.01A FRONT LENGTH FROM HPS — size XL: measured 22 7/8 against 22 3/8, +1/2

1 of 140 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.

?? 1.22A ACROSS FRONT POSITION FROM HPS — size L: spec 5, spoken as "Across front position from HPS", no deviation or okay captured

Generated from SIZE SET 7147 (1)(6) and checked against style_7147.pdf. Every value must be confirmed before this report is sent to a vendor.

VENDOR'S SIGNATURE

SENT VIA MAIL

Auto-generated from meeting recording transcript - demo pipeline output

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 7147 · V-neck fitted top · Colour navy · Source: SIZE SET 7147 (1)(6) · 174 rows · 7 need review (shown in red)

Size XS (28)

No	Point of measure	Measured	Dev	Note	Conf
10	Front length from HPS	19 3/4	+1/2		1.00
11	Shoulder slope from HPS	1/2			1.00
12	Shoulder seam forward	3/4			1.00
13	Across shoulder seam to seam	12 1/2	+1/4		1.00
14	Across front position from HPS	5			1.00
15	Across front seam to seam	11 1/4		Wording garbled as "L11 quarter/elbow and quarter."	0.58
16	Across back position from HPS	5			1.00
17	Across back seam to seam	12 1/8	-1/8		1.00
18	Chest 1 inch below armhole, side seam to side seam	35 1/2			1.00
19	Empire seam position from HPS	13		Spoken as MPR seam position.	1.00
20	Empire waist	32 1/2	-1/2		1.00
21	Bottom sweep	14 1/2	-1/2	Value clearly transcribed in both passes.	0.92
22	Bottom hem height	3/16	+1/16		1.00
23	Center front bodice length to empire	1 1/2			1.00
24	Bodice length at side seam	4 1/2			1.00
25	Wearer left side seam invisible zipper length	4 1/2			1.00
26	Sleeve length from armhole, short including lace	4 1/8	+3/8	Measured value was garbled as "Foren one by eight."	0.62
27	Armhole straight	8	-1/4		1.00
28	Sleeve opening	11	-1/4		1.00
29	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
30	Neck width H to H	7 3/4			1.00
31	Back neck drop from HPS to H	1/2			1.00
32	Front neck drop from HPS to H	10	-1/4		1.00
33	Back fish dart length	6 1/2			1.00
34	Tie length exposed	25 3/4	+1/4		1.00
35	Tie width	1			1.00
36	Bust shirring spread at empire	2 3/4			1.00
37	Start bust shirring from center front seam	2 1/4	-1/8		1.00

Size S (28)

No	Point of measure	Measured	Dev	Note	Conf
38	Front length from HPS	20 3/8	+1/2	Initially transcribed as 12 3/8; deviation was first called +1, then corrected to +1/2.	0.55
39	Shoulder slope from HPS	1/2			1.00
40	Shoulder seam forward	3/4			1.00
41	Across shoulder seam to seam	13	+1/4		1.00
42	Across front position from HPS	5			1.00
43	Across front seam to seam	11 3/4	+1/4		1.00
44	Across back position from HPS	5			1.00
45	Across back seam to seam	12 5/8	-1/8		1.00
46	Chest 1 inch below armhole, side seam to side seam	37 1/2			1.00
47	Empire seam position from HPS	13 3/8		Speech included an extra "12" before the reconfirmed value.	0.65
48	Empire waist	34 1/2	-1/4		1.00
49	Bottom sweep	42 1/2			1.00
50	Bottom hem height	3/16	+1/16		1.00
51	Center front bodice length to empire	1 5/8			1.00
52	Bodice length at side seam	4 5/8	+1/8		1.00
53	Wearer left side seam invisible zipper length	5			1.00
54	Sleeve length from armhole, short including lace	4 3/8	+1/4		1.00
55	Armhole straight	8 3/8			1.00
56	Sleeve opening	11 3/4	-1/4		1.00
57	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
58	Neck width H to H	8 1/4	+1/8		1.00
59	Back neck drop from HPS to H	1/2			1.00
60	Front neck drop from HPS to H	10 1/8	-1/8		1.00
61	Back fish dart length	6 1/2	+1/8		1.00
62	Tie length exposed	25 3/4	+1/4	Speaker corrected the verdict after initially saying okay.	1.00
63	Tie width	1			1.00
64	Bust shirring spread at empire	2 3/4		Initially transcribed as 2 3/8, then reconfirmed as 2 3/4.	0.62
65	Start bust shirring from center front seam	2 1/4			1.00

Size M (28)

No	Point of measure	Measured	Dev	Note	Conf
66	Front length from HPS	21	+1/2		1.00
67	Shoulder slope from HPS	1/2			1.00
68	Shoulder seam forward	3/4			1.00
69	Across shoulder seam to seam	13 1/2			1.00
70	Across front position from HPS	5		Spoken once as across front placket.	1.00
71	Across front seam to seam	12 1/4			1.00
72	Across back position from HPS	5			1.00
73	Across back seam to seam	13 1/8			1.00
74	Chest 1 inch below armhole, side seam to side seam	39 1/2			1.00
75	Empire seam position from HPS	13 3/4			1.00
76	Empire waist	36 1/2	-1/2		1.00
77	Bottom sweep	44 1/2	-1/4		1.00
78	Bottom hem height	3/16	+1/16		1.00
79	Center front bodice length to empire	1 3/4			1.00
80	Bodice length at side seam	4 3/4			1.00
81	Wearer left side seam invisible zipper length	5 1/2		Spoken as "J-part length."	0.88
82	Sleeve length from armhole, short including lace	4 5/8	+1/4		1.00
83	Armhole straight	8 3/4	+1/4		1.00
84	Sleeve opening	12 1/2			1.00
85	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
86	Neck width H to H	8 3/4	-1/4		1.00
87	Back neck drop from HPS to H	1/2			1.00
88	Front neck drop from HPS to H	10 1/4	+3/8		1.00
89	Back fish dart length	6 1/2			1.00
90	Tie length exposed	25 3/4	+1/4		1.00
91	Tie width	1			1.00
92	Bust shirring spread at empire	2 3/4	-1/4		1.00
93	Start bust shirring from center front seam	2 1/4	+1/8		1.00

Size L (28)

No	Point of measure	Measured	Dev	Note	Conf
94	Front length from HPS	21 5/8	+1/2		1.00
95	Shoulder slope from HPS	1/2			1.00
96	Shoulder seam forward	3/4			1.00
97	Across shoulder seam to seam	14 1/4			1.00
98	Across front position from HPS	5			1.00
99	Across front seam to seam	13	+1/4		1.00
100	Across back position from HPS	5			1.00
101	Across back seam to seam	13 7/8	-1/4		1.00
102	Chest 1 inch below armhole, side seam to side seam	42 1/2			1.00
103	Empire seam position from HPS	14 3/8			1.00
104	Empire waist	39 1/2	-1/2		1.00
105	Bottom sweep	47 1/2	-1/4		1.00
106	Bottom hem height	3/16	+1/16		1.00
107	Center front bodice length to empire	2 1/8			1.00
108	Bodice length at side seam	5 1/8	+1/8		1.00
109	Wearer left side seam invisible zipper length	6			1.00
110	Sleeve length from armhole, short including lace	5			1.00
111	Armhole straight	9 3/8			1.00
112	Sleeve opening	13 3/4	-1/4		1.00
113	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
114	Neck width H to H	9 1/2	+1/4	Initially called 8 3/4, then corrected to 9 1/2.	0.62
115	Back neck drop from HPS to H	1/2			1.00
116	Front neck drop from HPS to H	10 3/8	+1/8		1.00
117	Back fish dart length	6 1/2			1.00
118	Tie length exposed	25 3/4	+1/4		1.00
119	Tie width	1			1.00
120	Bust shirring spread at empire	2 3/4	-1/4		1.00
121	Start bust shirring from center front seam	2 1/4			1.00

Size XL (28)

No	Point of measure	Measured	Dev	Note	Conf
122	Front length from HPS	22 3/8	+1/2		1.00
123	Shoulder slope from HPS	1/2			1.00
124	Shoulder seam forward	3/4			1.00
125	Across shoulder seam to seam	15			1.00
126	Across front position from HPS	5			1.00
127	Across front seam to seam	13 3/4	+1/4		1.00
128	Across back position from HPS	5			1.00
129	Across back seam to seam	14 5/8			1.00
130	Chest 1 inch below armhole, side seam to side seam	45 1/2			1.00
131	Empire seam position from HPS	15 1/8	+1/4		1.00
132	Empire waist	42 1/2	-1/2		1.00
133	Bottom sweep	50 1/2	-1/4		1.00
134	Bottom hem height	3/16	+1/16		1.00
135	Center front bodice length to empire	2 5/8			1.00
136	Bodice length at side seam	5 5/8			1.00
137	Wearer left side seam invisible zipper length	6 1/2			1.00
138	Sleeve length from armhole, short including lace	5 3/8			1.00
139	Armhole straight	10		Transcribed as "tan."	0.85
140	Sleeve opening	15			1.00
141	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
142	Neck width H to H	10 1/4	-1/4		1.00
143	Back neck drop from HPS to H	1/2			1.00
144	Front neck drop from HPS to H	10 1/2	+1/4		1.00
145	Back fish dart length	6 1/2			1.00
146	Tie length exposed	25 3/4	+1/4	Speaker first said okay, then corrected to +1/4.	1.00
147	Tie width	1			1.00
148	Bust shirring spread at empire	2 3/4			1.00
149	Start bust shirring from center front seam	1/4	-1/8	Only "one quarter" was transcribed; the whole-number portion may have been dropped.	0.45

Construction

No	Item	Value	Note	Conf
150	Sample size	M		1.00
151	Bodice lining	Fully lined	DIA says body only lined and must be updated.	1.00
152	Bodice finish	Clean finish with lining		1.00
153	Sleeve construction	Circular cut flutter sleeve	Slight shirring at bodice; seam update requested.	0.86
154	Hem finish	Baby hem		1.00
155	Self tie construction	1 inch flat two-ply clean finish	Comes from side seam and functionally ties at center back.	1.00
156	Sleeve hem finish	Lace finish		1.00
157	Back shaping	Fish eye darts	Controls fullness at back.	1.00
158	Invisible zipper placement	Wearer left side seam		1.00

Bill of materials

No	Item	Value	Note	Conf
159	Gumdrop velvet	Entire garment shell fabric		1.00
160	100% polyester lining	Entire garment		1.00
161	100% polyester	Tie only		1.00
162	Lace trim	Present		1.00
163	Invisible zipper	Present		1.00
164	Overlock thread	Worthmann Tex 21		1.00
165	Construction thread	Worthmann Tex 27	For all construction.	1.00
166	Main label stitching thread	Worthmann Tex 21		1.00
167	Main label	Horizontal end fold	At center back; code 008.	1.00

Shrinkage

No	Item	Value	Note	Conf
6	Shell length shrinkage	0%	No shrinkage	1.00
7	Shell width shrinkage	0%	No shrinkage	1.00
8	Lining length shrinkage	0%		1.00
9	Lining width shrinkage	0%		1.00

Mini marker

No	Item	Value	Note	Conf
1	Shell average consumption	0.656 meters		1.00
2	Marker efficiency	65.06%		1.00
3	Marker direction	One-way	Due to nap direction	1.00
4	Shell YY	0.656 meters		1.00
5	Lining YY	0.471 meter		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
168	Bottom shape	Uneven and hiking at center front	Balance at end level and use even seam allowance.	1.00
169	Neckline	Unbalanced	Follow pattern measurement during shell and lining patching.	1.00
170	Waist seam shape	Not symmetrical	Use even seam allowance and add balance marking for gather.	1.00
171	Zipper area	Puckering	Correct sewing method and thread tension.	1.00
172	Back dart length	Uneven	Follow marking during making.	1.00
173	Back armhole	Roping	Improve handling and thread tension.	1.00
174	Waist belt corner shape	Poor	Use template for pressing and keep stitching neat.	1.00