

STATUS: FNL

STYLE: 7147

7147 V NECK FITTED TOP

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS  
 Division / Dept: 02 / 035  
 Season: HOLIDAY-B 2026  
 Style Desc: 7147 V NECK FITTED TOP  
 Fit / Other:



## GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

**Tolerance Model :** WW TOP L20 Size Range : ALPHA WW  
**POM Descr :** GRADE SPECIFICATIONS Base Size : M  
**Block :**  
**Modified By :** VANGR Modified Date/Time : 2026-07-07 11:19:10  
**Sizes Measured :** XS, S, M, L, XL

**Size Range :** XXS, XS, S, M, L, XL, XXL  
**Base Size :** M  
**Grading Method/UM :** Incremental / IN  
**Status :** FNL  
**Measurement Result :** FAIL CONDITIONALLY (7 of 130 out of tolerance)

| POM   | Description                                       | Tol- | Tol+ | XXS *          | XS                     | S                      | M                    | L                      | XL                     | XXL *          |
|-------|---------------------------------------------------|------|------|----------------|------------------------|------------------------|----------------------|------------------------|------------------------|----------------|
| 1.01A | REFERENCE ON BODY - FRONT LENGTH FROM HPS         | -    | -    | -              | -                      | -                      | 22<br>spec           | -                      | -                      | -              |
| 1.01A | FRONT LENGTH FROM HPS                             | -3/8 | +3/8 | 19 1/8<br>spec | 19 3/4<br>-1/2<br>100% | 20 3/8<br>+1/2<br>62%  | 21<br>+1/2<br>100%   | 21 5/8<br>+1/2<br>100% | 22 3/8<br>+1/2<br>100% | 23 1/8<br>spec |
| 2.02A | SHOULDER SLOPE FROM HPS                           | -1/4 | +1/4 | 1/2<br>spec    | 1/2<br>ok<br>100%      | 1/2<br>ok<br>100%      | 1/2<br>ok<br>100%    | 1/2<br>ok<br>100%      | 1/2<br>ok<br>100%      | 1/2<br>spec    |
| 2.01A | SHOULDER SEAM FORWARD                             | -1/8 | +1/8 | 3/4<br>spec    | 3/4<br>ok<br>100%      | 3/4<br>ok<br>100%      | 3/4<br>ok<br>100%    | 3/4<br>ok<br>100%      | 3/4<br>ok<br>100%      | 3/4<br>spec    |
| 1.20A | ACROSS SHOULDER SEAM TO SEAM                      | -1/4 | +1/4 | 12<br>spec     | 12 1/2<br>+1/4<br>100% | 13<br>+1/4<br>100%     | 13 1/2<br>ok<br>100% | 14 1/4<br>ok<br>100%   | 15<br>ok<br>100%       | 15 3/4<br>spec |
| 1.22A | ACROSS FRONT POSITION FROM HPS                    | 0    | 0    | 5<br>spec      | 5<br>ok<br>100%        | 5<br>ok<br>100%        | 5<br>ok<br>100%      | 5<br>??<br>100%        | 5<br>ok<br>100%        | 5<br>spec      |
| 1.23A | ACROSS FRONT SEAM TO SEAM                         | -1/4 | +1/4 | 10 3/4<br>spec | 11 1/4<br>ok<br>55%    | 11 3/4<br>+1/4<br>100% | 12 1/4<br>ok<br>100% | 13<br>+1/4<br>100%     | 13 3/4<br>+1/4<br>100% | 14 1/2<br>spec |
| 1.24A | ACROSS BACK POSITION FROM HPS                     | 0    | 0    | 5<br>spec      | 5<br>ok<br>100%        | 5<br>ok<br>100%        | 5<br>ok<br>100%      | 5<br>ok<br>100%        | 5<br>ok<br>100%        | 5<br>spec      |
| 1.25A | ACROSS BACK SEAM TO SEAM                          | -1/4 | +1/4 | 11 5/8<br>spec | 12 1/8<br>-1/8<br>100% | 12 5/8<br>-1/8<br>100% | 13 1/8<br>ok<br>100% | 13 7/8<br>-1/4<br>100% | 14 5/8<br>ok<br>100%   | 15 3/8<br>spec |
| 1.28E | CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) | -3/4 | +3/4 | 33 1/2<br>spec | 35 1/2<br>ok<br>100%   | 37 1/2<br>ok<br>100%   | 39 1/2<br>ok<br>100% | 42 1/2<br>ok<br>100%   | 45 1/2<br>ok<br>100%   | 49 1/2<br>spec |
| 1.29F | EMPIRE SEAM POSITION FROM HPS                     | -1/4 | +1/4 | 12 5/8<br>spec | 13<br>ok<br>95%        | 13 3/8<br>ok<br>65%    | 13 3/4<br>ok<br>100% | 14 3/8<br>ok<br>100%   | 15 1/8<br>+1/8<br>55%  | 15 7/8<br>spec |

| POM      | Description                                         | Tol- | Tol+ | XXS *          | XS                     | S                      | M                      | L                      | XL                     | XXL *          |
|----------|-----------------------------------------------------|------|------|----------------|------------------------|------------------------|------------------------|------------------------|------------------------|----------------|
| 1.31A    | EMPIRE WAIST                                        | -3/4 | +3/4 | 30 1/2<br>spec | 32 1/2<br>-1/2<br>100% | 34 1/2<br>-1/2<br>100% | 36 1/2<br>-1/2<br>100% | 39 1/2<br>-1/2<br>100% | 42 1/2<br>-1/2<br>100% | 46 1/2<br>spec |
| 4.22A    | BOTTOM SWEEP                                        | -3/4 | +3/4 | 38 1/2<br>spec | 40 1/2<br>-1/2<br>65%  | 42 1/2<br>ok<br>100%   | 44 1/2<br>-1/4<br>100% | 47 1/2<br>-1/4<br>100% | 50 1/2<br>-1/4<br>100% | 54 1/2<br>spec |
| 4.27A    | BOTTOM HEM HEIGHT                                   | -1/8 | +1/8 | 3/16<br>spec   | 3/16<br>+1/16<br>100%  | 3/16<br>+1/16<br>100%  | 3/16<br>+1/16<br>100%  | 3/16<br>+1/16<br>100%  | 3/16<br>+1/16<br>100%  | 3/16<br>spec   |
| 1.08C    | CF BODICE LENGTH TO EMPIRE                          | -1/8 | +1/8 | 1 3/8<br>spec  | 1 1/2<br>ok<br>100%    | 1 5/8<br>ok<br>100%    | 1 3/4<br>ok<br>100%    | 2 1/8<br>ok<br>100%    | 2 5/8<br>ok<br>100%    | 3 1/8<br>spec  |
| 1.09C    | BODICE LENGTH AT SIDE SEAM                          | -1/8 | +1/8 | 4 3/8<br>spec  | 4 1/2<br>ok<br>100%    | 4 5/8<br>+1/8<br>100%  | 4 3/4<br>ok<br>100%    | 5 1/8<br>+1/8<br>100%  | 5 5/8<br>ok<br>100%    | 6 1/8<br>spec  |
| 7.02B GR | WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH         | -1/4 | +1/4 | 4<br>spec      | 4 1/2<br>ok<br>100%    | 5<br>ok<br>100%        | 5 1/2<br>ok<br>100%    | 6<br>ok<br>100%        | 6 1/2<br>ok<br>100%    | 7 1/4<br>spec  |
| 3.02B    | SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE          | -1/4 | +1/4 | 3 7/8<br>spec  | 4 1/8<br>+3/8<br>60%   | 4 3/8<br>+1/4<br>100%  | 4 5/8<br>+1/4<br>100%  | 5<br>ok<br>100%        | 5 3/8<br>ok<br>100%    | 5 7/8<br>spec  |
| 3.06B    | ARMHOLE STRAIGHT                                    | -1/4 | +1/4 | 7 5/8<br>spec  | 8<br>-1/4<br>95%       | 8 3/8<br>ok<br>100%    | 8 3/4<br>+1/4<br>100%  | 9 3/8<br>ok<br>100%    | 10<br>ok<br>85%        | 10 3/4<br>spec |
| 3.19B    | SLEEVE OPENING (S/S)                                | -1/4 | +1/4 | 10 1/4<br>spec | 11<br>-1/4<br>100%     | 11 3/4<br>-1/4<br>100% | 12 1/2<br>ok<br>100%   | 13 3/4<br>-1/4<br>100% | 15<br>ok<br>100%       | 16 1/2<br>spec |
| 8.08A    | SLEEVE CAP SHIRring SPREAD - EVENLY BETWEEN OUTSEAM | -1/8 | +1/8 | 2 7/8<br>spec  | 2 7/8<br>ok<br>100%    | 2 7/8<br>ok<br>100%    | 2 7/8<br>ok<br>100%    | 2 7/8<br>+1/8<br>100%  | 2 7/8<br>+1/8<br>100%  | 2 7/8<br>spec  |
| 2.05B    | NECK WIDTH EDGE TO EDGE                             | -1/2 | +1/2 | 7 1/4<br>spec  | 7 3/4<br>ok<br>100%    | 8 1/4<br>+1/8<br>100%  | 8 3/4<br>-1/4<br>100%  | 9 1/2<br>+1/4<br>65%   | 10 1/4<br>-1/4<br>100% | 11<br>spec     |
| 2.03A    | FRONT NECK DROP FROM HPS TO EDGE                    | -1/4 | +1/4 | 9 7/8<br>spec  | 10<br>-1/4<br>100%     | 10 1/8<br>-1/8<br>100% | 10 1/4<br>+3/8<br>100% | 10 3/8<br>+1/8<br>100% | 10 1/2<br>+1/4<br>100% | 10 5/8<br>spec |
| 2.04A    | BACK NECK DROP FROM HPS TO EDGE                     | -1/8 | +1/8 | 1/2<br>spec    | 1/2<br>ok<br>100%      | 1/2<br>ok<br>100%      | 1/2<br>ok<br>100%      | 1/2<br>ok<br>100%      | 1/2<br>ok<br>100%      | 1/2<br>spec    |
| 8.05A    | BACK FISH DART LENGTH                               | -1/4 | +1/4 | 6 1/2<br>spec  | 6 1/2<br>ok<br>100%    | 6 1/2<br>+1/8<br>100%  | 6 1/2<br>ok<br>100%    | 6 1/2<br>ok<br>100%    | 6 1/2<br>ok<br>100%    | 6 1/2<br>spec  |
| 7.06B    | NG TIE LENGTH EXPOSED                               | -3/8 | +3/8 | 25 3/4<br>spec | 25 3/4<br>+1/4<br>100% | 25 3/4<br>+1/4<br>100% | 25 3/4<br>+1/4<br>100% | 25 3/4<br>+1/4<br>100% | 25 3/4<br>+1/4<br>100% | 25 3/4<br>spec |
| *        | TIE WIDTH                                           | -1/4 | +1/4 | 1<br>spec      | 1<br>ok<br>100%        | 1<br>ok<br>100%        | 1<br>ok<br>100%        | 1<br>ok<br>100%        | 1<br>ok<br>100%        | 1<br>spec      |
| 8.08A    | BUST SHIRring SPREAD - AT EMPIRE                    | -1/4 | +1/4 | 2 3/4<br>spec  | 2 3/4<br>ok<br>100%    | 2 3/4<br>ok<br>62%     | 2 3/4<br>-1/4<br>100%  | 2 3/4<br>-1/4<br>100%  | 2 3/4<br>ok<br>100%    | 2 3/4<br>spec  |

| POM | Description                      | Tol- | Tol+ | XXS *         | XS                    | S                   | M                     | L                   | XL                   | XXL *         |
|-----|----------------------------------|------|------|---------------|-----------------------|---------------------|-----------------------|---------------------|----------------------|---------------|
| *   | START BUST SHIRring FROM CF SEAM | -1/8 | +1/8 | 2 1/4<br>spec | 2 1/4<br>-1/8<br>100% | 2 1/4<br>ok<br>100% | 2 1/4<br>+1/8<br>100% | 2 1/4<br>ok<br>100% | 2 1/4<br>-1/8<br>65% | 2 1/4<br>spec |

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline** = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked \* that this inspection did not measure, so the specification is shown alone. Those carry no reading.

#### OUT OF TOLERANCE

1.01A FRONT LENGTH FROM HPS — size XS: measured 19 1/4 against 19 3/4, -1/2  
3.02B SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE — size XS: measured 4 1/2 against 4 1/8, +3/8  
1.01A FRONT LENGTH FROM HPS — size S: measured 20 7/8 against 20 3/8, +1/2  
1.01A FRONT LENGTH FROM HPS — size M: measured 21 1/2 against 21, +1/2  
2.03A FRONT NECK DROP FROM HPS TO EDGE — size M: measured 10 5/8 against 10 1/4, +3/8  
1.01A FRONT LENGTH FROM HPS — size L: measured 22 1/8 against 21 5/8, +1/2  
1.01A FRONT LENGTH FROM HPS — size XL: measured 22 7/8 against 22 3/8, +1/2

**1 of 140 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.**

?? 1.22A ACROSS FRONT POSITION FROM HPS — size L: spec 5, spoken as "Across front position from HPS", no deviation or okay captured

Generated from SIZE SET 7147(5) and checked against style\_7147.pdf. Every value must be confirmed before this report is sent to a vendor.