

SIZE SET INSPECTION REPORT

STYLE NO# 2463

DIVISION Airy

Date: 26th 8, 26

DESCRIPTION: flannel girl boxer

COLOUR: tomato glaze

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL		✓			POLYBAG		✓			BUTTON			✓		PRINT			✓	
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT			✓	
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT			✓	
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE	✓				PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING		✓			LINING			✓		AFTER TREATMENT			✓	
					SPARE BUTTON POSITION					ZIPPER					PH			✓	

- * MAIN LABEL: Red thread seam grinning
- * HANG TAG: Not needed
- * WASHCARE: Missing right now
- * INTERLINING: No interlining on this style
- * BEADS/SEQUINS: Not there
- * POLYBAG: Alternate
- * POLY BAG STICKER: Not needed
- * LOT STICKER: Not needed
- * PRE PACK STICKER: Not needed
- * CARTON MARKINGS: Not needed
- * PLACEMENT UPC/P.PACK: Not needed
- * FOLDING: Alternate right now
- * SPARE BUTTON POSITION: Not needed
- * HOOK EYE/BAR: Not needed
- * LACE: Not there
- * BUCKLE: Not there
- * SNAP: Not needed
- * LINING: Single jersey instead of lining
- * ZIPPER: Not there
- * LAYOUT: Print layout actual
- * BEADS/SEQUINS LAYOUT: Not needed
- * PH: Okay as on report

PATTERN CHECK LIST

Grain Line: OK
Notches: Not OK — one notch missing at side seam
Graded Nest: OK
Corrections Implemnted: OK — no pattern corrections
YY/ Mini Marker: Mini marker 52.92 cm; jersey YY 15.7 cm

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: 29.08.26
Cut Quantity: 7 pieces
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 1% W = 0%
Passes; number of samples not stated

DETAILED COMMENTS

- (1) Overall press is very hard; creases visible
- (2) Red thread seam grinning at main label
- (3) Broken stitch at bottom hem
- (4) One notch missing at side seam

MEASUREMENT (SPEC ATTACHED)

Result: PASS
Graded Nest: OK
Corrections To Be Done: Use light press and avoid creases; remove red thread seam grinning at main label; prevent broken stitches at bottom hem
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: L = 1.5% W = 0%

ACTION TO BE TAKEN BY VENDOR

- Use light press and ensure no creases are made
- Ensure seam grinning is removed
- Maintain all seams and ensure no stitch breaking
- Add the missing side-seam notch

OVERALL: The size set will be passed with these corrections; ensure that these are followed up.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE


SENT VIA MAIL

STATUS: FNL

STYLE: 2463

2463 FLANNEL GIRL BOXER

HOLIDAY-B 2026



Company: AMERICAN EAGLE OUTFITTERS
Division / Dept: 07 / 066
Season: HOLIDAY-B 2026
Style Desc: 2463 FLANNEL GIRL BOXER
Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model :	WW BOTTOMS L20 Size Range : ALPHA WW	Size Range :	XXS, XS, S, M
POM Descr :	XXS - M - TRIBURG Base Size : S	Base Size :	S
Block :		Grading Method/UM :	Incremental / IN
Modified By :	BIASIE Modified Date/Time : 2026-06-16 09:34:59	Status :	FNL
Sizes Measured :	XS, S, M	Measurement Result :	FAIL CONDITIONALLY (2 of 66 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS	S	M
*	8/19/25 GD: FOLLOW BROWN RETAIL BOXER FOR FIT						
0.00B	DISCLAIMER (WVN): MEASURE GMTS IN CIRCUMFERENCE	-	-	-	-	-	-
4.05A	WAISTBAND HEIGHT	-1/8	+1/8	1 1/4 spec	1 1/4 ok 100%	1 1/4 -1/8 100%	1 1/4 ok 100%
4.05A	WAISTBAND ELASTIC HEIGHT	-1/8	+1/8	1 3/8 spec	1 3/8 ok 100%	1 3/8 ?? 100%	1 3/8 ok 100%
*	***CATCH ELASTIC W/ WB STITCH						
4.04A	WAIST RELAXED @ TOP EDGE	-3/4	+3/4	24 3/4 spec	26 3/4 ok 100%	28 3/4 -1/2 100%	30 3/4 -1/2 65%
4.02A	WAIST EXTENDED @ TOP EDGE MINIMUM	-3/4	+3/4	37 spec	39 ok 100%	41 ok 100%	43 ok 100%
4.09B	LOW HIP PLACEMENT FROM TOP WAIST	0	0	4 7/8 spec	5 1/4 ok 100%	5 5/8 ok 100%	6 ok 100%
4.10B	3 POINT LOW HIP	-3/4	+3/4	38 1/2 spec	40 1/2 +1/4 100%	42 1/2 ok 100%	44 1/2 -1/2 100%
4.14A	FRONT RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	9 1/4 spec	9 3/4 -1/4 100%	10 1/4 -1/4 100%	10 3/4 -1/4 100%
4.15A	BACK RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	14 1/2 spec	15 -1/4 100%	15 1/2 -1/4 100%	16 -1/4 100%
5.08C	SHORT LEG OPENING	-3/8	+3/8	25 1/2 spec	27 ok 100%	28 1/2 ok 100%	30 -1/4 100%

POM	Description	Tol-	Tol+	XXS *	XS	S	M
5.01A	INSEAM SHORT	-1/4	+1/4	2 1/2 spec	2 1/2 ok 100%	2 1/2 -1/8 100%	2 1/2 ok 100%
5.02A	OUTSEAM FROM TOP WAIST	-1/4	+1/4	10 1/4 spec	10 5/8 +1/8 95%	11 +1/4 100%	11 3/8 ok 100%
7.01A GR	FLY/J-STITCH LENGTH BELOW WAIST SEAM	-1/4	+1/4	3 3/4 spec	4 1/4 ok 100%	4 3/4 ok 100%	5 1/4 ok 100%
7.01B	FLY /J-STITCH WIDTH	-1/8	+1/8	1 1/8 spec	1 1/8 +1/16 95%	1 1/8 ok 100%	1 1/8 ok 100%
4.27A	HEM HEIGHT	-1/8	+1/8	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%
*	FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED	-1/8	+1/8	10 1/2 spec	10 7/8 ok 100%	11 1/4 -1/4 100%	11 5/8 -1/8 100%
*	BK LEG DEPTH 3" FRM CB (TOP EDGE) RELAXED	-1/8	+1/8	11 3/4 spec	12 1/8 -1/8 100%	12 1/2 +1/8 100%	12 7/8 -1/8 100%
*	SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH	-1/8	+1/8	7 3/4 spec	8 ok 100%	8 1/4 -1/4 100%	8 1/2 -1/8 100%
*	BUTTON SPACE ON FLY FRONT	-1/8	+1/8	1 1/2 spec	1 3/4 ok 100%	2 ok 100%	2 ok 100%
7.04B	BUTTON POSITION FROM WAIST STITCH	-1/8	+1/8	1 1/4 spec	1 1/4 -1/8 100%	1 1/4 ok 100%	1 1/4 -1/8 100%
6.05B	ON SEAM POCKET HEM HEIGHT	-1/8	+1/8	1/4 spec	1/4 ok 100%	1/4 ok 100%	1/4 ?? 100%
6.54A	POCKET POSITION FROM BELOW WAIST STITCH	-1/8	+1/8	1 spec	1 ok 100%	1 ok 100%	1 ok 100%
6.14A GR	POCKET OPENING LENGTH	-1/8	+1/8	5 1/4 spec	5 1/2 ok 100%	5 3/4 +1/8 100%	5 3/4 spec
6.17A GR	POCKET BAG LENGTH	-1/4	+1/4	8 1/4 spec	8 5/8 -1/4 100%	9 -1/4 100%	9 -1/4 100%
6.17B GR	POCKET BAG WIDTH	-1/4	+1/4	5 3/4 spec	6 1/8 ok 100%	6 1/2 ok 100%	6 1/2 ok 100%

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio.** **An orange outline = outside tolerance.** **Blue figures = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking.** Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

* FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED — size S: measured 11 against 11 1/4, -1/4

* SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH — size S: measured 8 against 8 1/4, -1/4

2 of 71 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.

?? 4.05A WAISTBAND ELASTIC HEIGHT — size S: spec 1 3/8, spoken as "Waistband elastic height", no deviation or okay captured

?? 6.05B ON SEAM POCKET HEM HEIGHT — size M: spec 1/4, spoken as "On seam pocket hem height", no deviation or okay captured

Generated from rec_2463(2)(1) and checked against style_2463.pdf. Every value must be confirmed before this report is sent to a vendor.

APPROVED FOR PRODUCTION

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 2463 · flannel girl boxer · Colour tomato glaze · Pass with comment · Source: rec_2463(2)(1) · 84 rows · 1 need review (shown in red)

Size XS (24)

No	Point of measure	Measured	Dev	Note	Conf
11	Waistband height	1 1/4			1.00
12	Waistband elastic height	1 3/8			1.00
13	Waist relaxed at top edge	26 3/4			1.00
14	Waist extended at top edge minimum	39			1.00
15	Low hip placement from top waist	5 1/4			1.00
16	3 point low hip	40 1/2	+1/4		1.00
17	Front rise straight to top waist	9 3/4	-1/4		1.00
18	Back rise straight to top waist	15	-1/4		1.00
19	Short leg opening	27			1.00
20	Inseam short	2 1/2			1.00
21	Outseam from top waist	10 5/8	+1/8	Initially called okay, then corrected to plus 1/8	0.95
22	Fly J-stitch length below waist seam	4 1/4			1.00
23	Fly J-stitch width	1 1/8	+1/16	Deviation corrected from minus to plus	0.95
24	Hem height	1/2			1.00
25	Front leg depth 3 inch from center front top edge relaxed	10 7/8			1.00
26	Back leg depth 3 inch from center back top edge relaxed	12 1/8	-1/8		1.00
27	Saddle width 2 inch up from crotch reference point	8			1.00
28	Button space on fly front	1 3/4			1.00
29	Button position from waist stitch	1 1/4	-1/8		1.00
30	On seam pocket hem height	1/4			1.00
31	Pocket position from below waist stitch	1			1.00
32	Pocket opening length	5 1/2			1.00
33	Pocket bag length	8 5/8	-1/4		1.00
34	Pocket bag width	6 1/8			1.00

Size S (24)

No	Point of measure	Measured	Dev	Note	Conf
35	Waistband height	1 1/4	-1/8		1.00
36	Waistband elastic height	1 3/8			1.00
37	Waist relaxed at top edge	28 3/4	-1/2		1.00
38	Waist extended at top edge minimum	41			1.00
39	Low hip placement from top waist	5 5/8			1.00
40	3 point low hip	42 1/2			1.00
41	Front rise straight to top waist	10 1/4	-1/4		1.00
42	Back rise straight to top waist	15 1/2	-1/4		1.00
43	Short leg opening	28 1/2			1.00
44	Inseam short	2 1/2	-1/8		1.00
45	Outseam from top waist	11	+1/4		1.00
46	Fly J-stitch length below waist seam	4 3/4			1.00
47	Fly J-stitch width	1 1/8			1.00
48	Hem height	1/2			1.00
49	Front leg depth 3 inch from center front top edge relaxed	11 1/4	-1/4		1.00
50	Back leg depth 3 inch from center back top edge relaxed	12 1/2	+1/8		1.00
51	Saddle width 2 inch up from crotch	8 1/4	-1/4		1.00
52	Button space on fly front	2			1.00
53	Button position from waist stitch	1 1/4			1.00
54	On seam pocket hem height	1/4			1.00
55	Pocket position from below waist stitch	1			1.00
56	Pocket opening length	5 3/4	+1/8		1.00
57	Pocket bag length	9	-1/4	Value repeated before deviation	1.00
58	Pocket bag width	6 1/2			1.00

Size M (23)

No	Point of measure	Measured	Dev	Note	Conf
59	Waistband height	1 1/4		Value repeated and confirmed	1.00
60	Waistband elastic height	1 3/8			1.00
61	Waist relaxed at top edge	30 3/4	-1/2	Transcribed as 'thirty-three quarter'; interpreted as 30 3/4 from the spoken mixed-number construction and size progression	0.65
62	Waist extended at top edge minimum	43			1.00
63	Low hip placement from top waist	6			1.00
64	3 point low hip	44 1/2	-1/2		1.00
65	Front rise straight to top waist	10 3/4	-1/4		1.00
66	Back rise straight to top waist	16	-1/4		1.00
67	Short leg opening	30	-1/4		1.00
68	Inseam short	2 1/2			1.00
69	Outseam from top waist	11 3/8			1.00
70	Fly J-stitch length below waist seam	5 1/4			1.00
71	Fly J-stitch width	1 1/8			1.00
72	Hem height	1/2			1.00
73	Front leg depth 3 inch from center front top edge relaxed	11 5/8	-1/8		1.00
74	Back leg depth 3 inch from center back top edge relaxed	12 7/8	-1/8		1.00
75	Saddle width 2 inch up from crotch	8 1/2	-1/8		1.00
76	Button space on fly front	2			1.00
77	Button position from waist edge	1 1/4	-1/8		1.00
78	On seam pocket hem height	1/4		Value repeated without an audible pass or deviation	1.00
79	Pocket position from below waist edge	1			1.00
80	Pocket bag length	9	-1/4		1.00
81	Pocket bag width	6 1/2			1.00

Construction

No	Item	Value	Note	Conf
7	Grain line on all patterns		Fine	1.00
8	Side-seam notch		One notch is missing	1.00
9	Graded nest proportion		Fine	1.00

Bill of materials

No	Item	Value	Note	Conf
10	Lining		Single jersey used instead of lining; stated as actual	1.00

Shrinkage

No	Item	Value	Note	Conf
3	Shell length shrinkage	1%	Average shrinkage; inspector said this is good	1.00
4	Shell width shrinkage	0%	Inspector said this is good	1.00
5	Jersey length shrinkage	1.5%		1.00
6	Jersey width shrinkage	0%		1.00

Mini marker

No	Item	Value	Note	Conf
1	Mini marker consumption	52.92 cm	Mini marker stated as needed	1.00
2	YY on jersey	15.7 cm		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
82	Overall press		Press is very hard; use light press and avoid creases	1.00
83	Main label seam		Red thread seam grinning; ensure it is not present	1.00
84	Bottom hem stitching		Broken stitch; maintain seams and prevent stitch breaking	1.00