

TRIBURG ///																					
SIZE SET INSPECTION REPORT																					
STYLE NO:					DIVISION:					DATE :											
DESCRIPTION:										COLOUR:											
ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA		MIS	ALT	ACT	PLA		
MAIN LABEL		X			POLYBAG					BUTTON		X			PRINT						
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT						
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR						
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT						
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS						
WASHCARE					PLACEMENT UPC/P.PACK					THREAD			X		BEADS/SEQUINS LAYOUT						
INTERLINING			X		FOLDING					LINING					AFTER TREATMENT						
					SPARE BUTTON POSITION					ZIPPER					PH						
PATTERN CHECK LIST										MEASUREMENT (SPEC ATTACHED)											
GRAIN LINE					:					RESULT : () PASS () FAIL CONDITIONALLY											
NOTCHES										GRADED NEST : () OK () NOT OK -> OK											
GRADED NEST					:					CORRECTIONS TO BE DONE :-											
CORRECTIONS IMPLEMENTED					:					Maintain approved crinkle effect on placket											
YY/ MINI MARKER					:					add shanking to buttons to prevent gaping											
					Two-way marker; one garment one-way; YY 0.76					print label											
PLANNED SIZE SET SUBMISSION DATE:																					
ACTUAL SUBMISSION DATE					:																
PCD					:																
CUT QUANTITY					:																
SIZE SET INSPECTION RESULT					:					Pass with comment					CUTTING CHECK : () OK () NOT OK -> OK						
										SEAM ALLOWANCE : () OK () NOT OK											
										CORRECTIONS IMPLEMENTED : () OK () NOT OK											
SHRINKAGE					:					L -2.4% to -2.8%, W -0.8%											
DETAILED COMMENTS															ACTION TO BE TAKEN BY VENDOR						
(1) Placket appearance/quality differs from approved sample															Maintain approved crinkle effect and follow FOB quality						
(2) Button area is gaping; no shanking															Add shanking to buttons						
(3) Label needs printing															Print label before production						
I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS																					
VENDOR'S SIGNATURE															SENT VIA MAIL						

Measurement detail (attached spec sheet)

Pass with comment

Source: Recording_20(1) · 97 rows · 10 need review (shown in red)

Size M (30)

No	Point of measure	Measured	Dev	Note	Conf
6	Waist position from HPS	13	+1/8		1.00
7	Shoulder seam	1 3/8	+1/8	Spoken as 1.38	0.98
8	Shoulder seam forward at neck	5/8	+1/8		1.00
9	Shoulder seam forward at armhole	5/8			0.86
10	Across shoulder seam to seam	12 3/4	-1/8		1.00
11	Across front, 5 inches below HPS	11 1/4	-1/4		0.98
12	Armhole	9			1.00
13	Across back, 5 inches below	13 1/4			0.98
14	Chest, 1 inch below armhole	38	-1/2		1.00
15	Waist	35			1.00
16	Bottom opening, straight	39	-1/4		0.98
17	Front shirt length/drop	2 3/4	+1/4	Field wording was partially unclear	0.82
18	Back shirt length/drop	1 3/4		Field wording was partially unclear	0.82
19	Sleeve length	6 3/4			1.00
20	Sleeve opening relaxed	12			1.00
21	Sleeve opening extended	17 1/2			1.00
22	Neck width seam to seam	7 1/4			0.93
23	Front neck drop	3 7/8			0.95
24	Back neck drop	1/2	-1/8		0.98
25	Collar length at neck band seam	15 3/8	-1/8		1.00
26	Collar length at outer edge	16 1/8			0.95
27	Neck band height at center back	3/4			1.00
28	Collar point	2 1/4			0.95
29	Button position from below neck seam	8 1/4			0.94
30	Button position from bottom edge	2			1.00
31	Center front placket width	3/4			1.00
32	Side seam tie position from underarm	4 1/2			0.94
33	Side seam tie length	24 3/4			1.00
34	Tie width	1/4			0.92
35	Bottom fold/hem height	1/4			0.95

Size L (17)

No	Point of measure	Measured	Dev	Note	Conf
36	Front length	22 5/8			1.00
37	Waist position from HPS	14 1/8		Speaker first said body, then corrected to waist position	0.95
38	Across shoulder	13 1/2	-1/8	Announced as shoulder	0.88
39	Pipe	12	+1/8	Point-of-measure name was unclear in the recording	0.58
40	Neck width	7 1/2			1.00
41	Front neck drop	4	-1/8		1.00
42	Chest, 1 inch below armhole	41			1.00
43	Waist	38			1.00
44	Bottom	42	-1/2		1.00
45	Armhole	9 5/8			1.00
46	Sleeve length	7 1/8			1.00
47	Sleeve opening relaxed	13 1/4	+1/2	Value was called between sleeve measurements	0.80
48	Sleeve opening extended	19 1/2		Initially called 18 3/4, then corrected to 19 1/2	0.82
49	Side seam tie position from underarm	4 5/8			0.92
50	Side seam tie length	25 1/2	-1		1.00
51	Tie width	1/4			0.95
52	Bottom fold	1/4			0.95

Size XXS (30)

No	Point of measure	Measured	Dev	Note	Conf
53	Front length	21 1/8	-1/8	Spoken as '21 8'	0.83
54	Bodice/waist position	12 3/8			0.92
55	Shoulder slope	1 3/8			0.95
56	Shoulder seam forward	5/8			0.90
57	Across shoulder	11 1/4			0.98
58	Across front, position 5 inches	9 3/4	+1/4		1.00
59	Across back, position 5 inches	11 3/4			1.00
60	Chest, 1 inch below armhole	32			1.00
61	Waist	29	+1/2		1.00
62	Bottom	33	-1/4		1.00
63	Sleeve length	6			1.00
64	Armhole	7 7/8	+1/8		1.00
65	Sleeve opening relaxed	9 3/4			1.00
66	Sleeve opening extended	15 1/4			0.95
67	Neck width	6 1/2	-1/8		1.00
68	Front neck drop	3 1/2	+1/8		1.00
69	Back neck drop	1/2			0.95
70	Button position from bottom edge	2		Called as bottom 2	0.83
71	Collar length at neck band seam	13 1/2			0.98
72	Collar length at outer edge	14 1/4			0.90
73	Neck band height	3/4			1.00
74	Collar height	2 1/4		Speaker briefly said back neck, then clarified collar height	0.85
75	Collar point	2 1/4			0.95
76	Center front placket width	3/4			1.00
77	Front shirt length/drop	2 3/4		Field wording was partially unclear	0.82
78	Back shirt length/drop	1 3/4		Field wording was partially unclear	0.82
80	Side seam tie placement	4 3/8	+1/8		1.00
81	Side seam tie length	23 1/4	+1	An intermediate reading of 21 3/4 was rejected; final reconfirmed as ■■■■ ■■■■	0.78
82	Tie width	1/4			1.00
83	Bottom fold	1/4			1.00

Construction

No	Item	Value	Note	Conf
1	Front and back graded pattern	OK	Shoulder slope, arm shape, waist grading and alignment reviewed	0.88
2	Collar and patch	OK		0.90
3	Overall construction	OK	Collar, body, front, back, sleeves and five buttons reviewed	0.90

Bill of materials

No	Item	Value	Note	Conf
84	Button	Fox shell button		0.91
85	Thread	Vardhman Co. eco thread	Thread specified for garment and labels	0.95
86	Interlining code	EG9231DR	Compatibility report reconfirmed as 9231DR	0.98
87	Elastic width	1/4	White color	0.96

Shrinkage

No	Item	Value	Note	Conf
88	Test row 1 length	-2.4%		1.00
89	Test row 1 width	-0.8%		1.00
90	Test row 2 length	-2.8%		1.00
91	Test row 2 width	-0.8%		1.00
92	Test row 3 length	-2.4%		1.00
93	Test row 3 width	-0.8%		1.00
94	Shrinkage control	Under 3%	Stated acceptable	1.00

Mini marker

No	Item	Value	Note	Conf
95	Marker direction	Two-way	Each individual garment is maintained one-way	0.96
96	YY consumption	0.76		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
4	Placket appearance		Fit sample carried crinkle onto placket; PP placket was made flat	0.95
5	Fabric quality/color tone		PP appearance differs from approved/FOB quality	0.90
79	Button shanking		No shanking; visible gaping at buttonhole area	0.98
97	Production release		Begin production and cutting	0.95

Machine-generated from an audio recording. Filled values are shown in blue on the form. Every value must be confirmed against the graded spec sheet before this report is sent to a vendor.