

SIZE SET INSPECTION REPORT

STYLE NO# -

DIVISION -

Date: -

DESCRIPTION: -

COLOUR: -

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL		✓			POLYBAG					BUTTON		✓			PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING			✓		FOLDING					LINING					AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER					PH				

* BUTTON: Add shanking; gaping visible

* THREAD: Vardhman Core Eco thread

* MAIN LABEL: Label needs to be printed

* INTERLINING: Code confirmed as EG9231DR

PATTERN CHECK LIST

Grain Line: -

Notches: -

Graded Nest: OK

Corrections Implemnted: -

YY/ Mini Marker: 0.76; two way; one garment one way

Planned Size Set Submission Date: -

Actual Submission Date: -

PCD: -

Cut Quantity: -

Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 2.4%, 2.8%, 2.4% W = 0.8%, 0.8%, 0.8%

Three rows tested; under 3 percent, acceptable

DETAILED COMMENTS

(1) Correct fabric quality is not as per FOB; visual colour tone and seersucker look differ.

(2) Placket is flat compared with the fit sample.

(3) Button gaping and no shanking.

(4) Label needs printing.

(5) Mini marker identification must show garment direction clearly.

MEASUREMENT (SPEC ATTACHED)

Result: -

Graded Nest: OK

Corrections To Be Done: Carry the crinkle effect onto the placket; add shanking to buttons; print label

Bring Back To Specs: -

Cutting Check: -

Seam Allowance: -

Corrections Implemented: -

LINING: -

ACTION TO BE TAKEN BY VENDOR

Do not mark the quality correct unless it matches the FOB approval.

Carry the crinkle effect onto the placket.

Add shanking to the buttons.

Print the label.

Mark as two way, with one garment one way.

OVERALL: Passed size set. Begin production and start cutting.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

Auto-generated from meeting recording transcript - demo pipeline output

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Pass with comment · Source: Recording_20(3) · 116 rows · 8 need review (shown in red)

Size M (32)

No	Point of measure	Measured	Dev	Note	Conf
6	Front length from HPS to center front hem	22			1.00
7	Waist position from HPS	13	+1/8		1.00
8	Shoulder seam	1 3/8	+1/8		0.94
9	Shoulder seam forward at neck	5/8	+1/8		0.98
10	Shoulder seam forward at armhole	5/8		Okay	0.82
11	Across shoulder seam to seam	12 3/4	-1/8		1.00
12	Across front, 5 inches below HPS	11 1/4	-1/4	Position was clarified as 5 inches	0.98
13	Armhole	9		Okay	0.96
14	Across back, 5 inches below	13 1/4		Okay	0.98
15	Chest, 1 inch below armhole	38	-1/2		1.00
16	Waist	35		Okay	1.00
17	Bottom opening straight	39	-1/4		1.00
18	Front shirt tail length	2	+1/4		0.90
19	Back shirt tail length	1 3/4		Okay	0.93
20	Sleeve length	6 3/4		Okay	1.00
21	Sleeve opening relaxed	12		Okay	1.00
22	Sleeve opening extended	17 1/2		Okay	1.00
23	Neck width seam to seam	7 1/4		Okay	0.98
24	Front neck drop	3 7/8		Okay	0.91
25	Back neck drop	1/2	-1/8		0.98
26	Collar length at neckband seam	15 3/8	-1/8		1.00
27	Collar length at outer edge	16 1/8		Okay	1.00
28	Neckband height at center back	3/4		Okay	1.00
29	Collar height	2 1/4		Okay	0.98
30	Collar point	2 1/4		Okay	0.98
31	Button position from below neck seam	8 1/4		Okay	0.96
32	Button position from bottom edge	2		Okay	1.00
33	Center front placket width	3/4		Okay	1.00
34	Side seam tie position from underarm	4 1/2			0.98
35	Side seam tie length	24 3/4		Okay	1.00
36	Side seam tie width	1/4			1.00
37	Bottom hem height	1/4		Okay	0.98

Size L (28)

No	Point of measure	Measured	Dev	Note	Conf
38	Front length	22 5/8		Okay	1.00
39	Bodice position	14 1/8		Initially called 14, then corrected to 14 1/8	0.88
40	Across shoulder	13 1/2	-1/8		0.86
41	Pipe, as spoken	12	+1/8	Point of measure was unclear in the recording	0.55
42	Neck width	7 1/2		Okay	1.00
43	Front neck drop	4	-1/8		1.00
44	First button position	8 1/4			0.96
45	Chest, 1 inch below armhole	41		Confirmed twice	1.00
46	Waist	38		Okay	1.00
47	Bottom	42	-1/2		1.00
48	Armhole	9 5/8		Okay	1.00
49	Sleeve length	7 1/8		Okay	1.00
50	Sleeve opening relaxed	13 1/4	+1/2		0.95
51	Sleeve opening extended	18 3/4		Initially called 19 1/2, then confirmed as 18 3/4; gauze may be opening up	0.68
52	Collar length at neckband seam	16	-1/4		0.96
53	Collar length at outer edge	16 3/4		Okay	1.00
54	Neckband height	3/4		Okay	1.00
55	Collar height	2 1/4		Okay	0.96
56	Collar point	2 1/4		Okay	0.96
57	Across back, 5 inches below	14	+1/4	Position first sounded like 5 1/2 inches, then corrected to 5 inches	0.82
58	Back neck drop	1/2		Okay	0.95
59	Button position from bottom	2		Okay	1.00
60	Center front placket width	3/4		Okay	1.00
61	Front shirt tail length	2 3/4		Speaker expressed uncertainty before confirming	0.69
62	Back shirt tail length	1 3/4		Confirmed	0.94
63	Side seam tie length	25 1/2	-1		1.00
64	Side seam tie width	1/4		Okay	1.00
65	Bottom fold	1/4		Okay	1.00

Size XXS (29)

No	Point of measure	Measured	Dev	Note	Conf
66	Front length	21 1/8	-1/8	Spoken as twenty-one eight	0.83
67	Bodice	12 3/8			0.94
68	Shoulder slope	1 3/8		Okay	0.97
69	Shoulder seam forward	5/8			0.86
70	Across shoulder	11 1/4		Okay	1.00
71	Across front, position 5 inches	9 3/4	+1/4		1.00
72	Across back, position 5 inches	11 3/4		Okay	1.00
73	Chest, 1 inch below armhole	32		Okay	1.00
74	Waist	29	+1/2		1.00
75	Bottom	33	-1/4	Confirmed repeatedly	1.00
76	Sleeve length	6		Okay	1.00
77	Armhole	7 7/8	+1/8		0.98
78	Sleeve opening relaxed	9 3/4		Okay	1.00
79	Sleeve opening extended	15 1/4		Okay	0.97
80	Neck width	6 1/2	-1/8		1.00
81	Front neck drop	3 1/2	+1/8		1.00
82	Back neck drop	1/2		Okay	0.95
83	Collar length at neckband seam	13 1/2		Okay	1.00
84	Collar length at outer edge	14 1/4		Okay	1.00
85	Neckband height	3/4		Okay	1.00
86	Collar height	2 1/4		Okay	0.95
87	Collar point	2 1/4		Okay	0.95
88	Center front placket width	3/4		Okay	1.00
89	Front shirt tail length	2 3/4		Okay	0.96
90	Back shirt tail length	1 3/4		Okay	0.96
92	Side seam tie placement from underarm	4 3/8	+1/8		1.00
93	Side seam tie length	23 1/4		Value was debated and finally reconfirmed as 23 1/4; deviation discussion was contradictory	0.67
94	Side seam tie width	1/4		Okay	1.00
95	Bottom fold	1/4		Okay	1.00

Construction

No	Item	Value	Note	Conf
1	Visual colour tone and seersucker look		Different from fit sample and questioned against FOB-approved quality	0.96
2	Placket appearance		Flat; fit sample carries crinkle effect onto placket	0.98
3	Elastic		Tighter; slight width difference discussed	0.86
4	Front number of buttons	5		1.00
5	Collar, body, back, shirring and sleeve construction		Construction-wise okay	0.96
91	Button shanking		No shanking; gaping visible. Add shanking to buttons	1.00

Bill of materials

No	Item	Value	Note	Conf
96	Shell fabric		Monica seersucker	1.00
97	RMP solid composition		91 percent cotton; remaining composition was unclear	0.66
98	Shell buttons		Fox shell buttons	0.96
99	Thread		Vardhman Core Eco thread	0.91
100	Interlining		EG9231DR; another code was mentioned, then compatibility report confirmed 9231DR	0.86
101	Elastic	1/4	White colour	0.95
102	Label		Needs to be printed	0.97

Shrinkage

No	Item	Value	Note	Conf
103	Test 1 length shrinkage	2.4%		1.00

No	Item	Value	Note	Conf
104	Test 1 width shrinkage	0.8%		1.00
105	Test 2 length shrinkage	2.8%		1.00
106	Test 2 width shrinkage	0.8%		1.00
107	Test 3 length shrinkage	2.4%		1.00
108	Test 3 width shrinkage	0.8%		1.00
109	Shrinkage control	3%	All results under 3 percent; acceptable	1.00

Mini marker

No	Item	Value	Note	Conf
110	Marker direction		Two way; one garment one way	0.96
111	YY	0.76		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
112	Fabric quality approval		Correct quality written on approval, but inspector said it was not as per FOB	0.97
113	Placket crinkle effect		Carry crinkle effect onto placket instead of making it flat	0.98
114	Button shanking		Add shanking because gaping is visible	1.00
115	Label printing		Label needs to be printed	0.98
116	Production release		Passed size set; begin production and start cutting	0.91