

SIZE SET INSPECTION REPORT

STYLE NO# 463

DIVISION 80

Date: twenty sixth eight twenty six

DESCRIPTION: panel, girl

COLOUR: tomato blitz

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL		✓			POLYBAG		✓			BUTTON			✓		PRINT			✓	
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT			✓	
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT			✓	
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE	✓				PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING		✓			LINING			✓		AFTER TREATMENT			✓	
					SPARE BUTTON POSITION					ZIPPER					PH			✓	

- * MAIN LABEL: Red thread seen; placement actual
- * POLYBAG: Alternate
- * BOOK FOLD: Not needed
- * POLY BAG STICKER: Not needed
- * HOOK EYE/BAR: Not needed
- * LAYOUT: Print layout actual
- * LOT STICKER: Not needed
- * EMB THREAD COLOR: Embroidery not needed
- * HANG TAG: Not needed
- * PRE PACK STICKER: Not needed
- * BUCKLE: Not there
- * PLACEMENT: Okay
- * HANGER: Not needed
- * CARTON MARKINGS: Not needed
- * SNAP: Not needed
- * BEADS/SEQUINS: No beads
- * WASHCARE: Missing right now
- * PLACEMENT UPC/P.PACK: Not needed
- * BEADS/SEQUINS LAYOUT: Not needed
- * INTERLINING: No interlining on this style
- * FOLDING: Alternate right now
- * LINING: Actual substitute mentioned
- * SPARE BUTTON POSITION: Not needed
- * ZIPPER: Not there
- * PH: As on report; okay

PATTERN CHECK LIST

Grain Line: OK
Notches: Not OK — one notch missing at side seam
Graded Nest: OK
Corrections Implemnted: OK
YY/ Mini Marker: As needed

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: 29.08.26
Cut Quantity: 7 pieces

Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 1% W = 0%
Average shrinkage stated as good; number of samples not stated

DETAILED COMMENTS

- (1) One notch missing at side seam
- (2) Press is very hard
- (3) Red thread visible at main label
- (4) Broken stitch at bottom hem

MEASUREMENT (SPEC ATTACHED)

Result: PASS
Graded Nest: OK
Corrections To Be Done: Add missing notch at side seam; use light press and avoid creases; remove visible red thread at main label; rectify broken stitch at bottom hem and maintain all seams
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: -

ACTION TO BE TAKEN BY VENDOR

- Add the missing side-seam notch to the pattern.
- Use light press and ensure no creases are made.
- Ensure the red thread is not visible.
- Maintain all seams and ensure there is no stitch breaking.

OVERALL: The size set will be passed with these corrections.


I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

STATUS: FNL

STYLE: 2463

2463 FLANNEL GIRL BOXER

HOLIDAY-B 2026



Company: AMERICAN EAGLE OUTFITTERS
Division / Dept: 07 / 066
Season: HOLIDAY-B 2026
Style Desc: 2463 FLANNEL GIRL BOXER
Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model :	WW BOTTOMS L20 Size Range : ALPHA WW	Size Range :	XXS, XS, S, M
POM Descr :	XXS - M - TRIBURG Base Size : S	Base Size :	S
Block :		Grading Method/UM :	Incremental / IN
Modified By :	BIASIE Modified Date/Time : 2026-06-16 09:34:59	Status :	FNL
Sizes Measured :	XS, S, M	Measurement Result :	FAIL CONDITIONALLY (6 of 56 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS	S	M
*	8/19/25 GD: FOLLOW BROWN RETAIL BOXER FOR FIT						
0.00B	DISCLAIMER (WVN): MEASURE GMTS IN CIRCUMFERENCE	-	-	-	-	-	-
4.05A	WAISTBAND HEIGHT	-1/8	+1/8	1 1/4 spec	1 1/4 ok 100%	1 1/4 ok 100%	1 1/4 ok 100%
4.05A	WAISTBAND ELASTIC HEIGHT	-1/8	+1/8	1 3/8 spec	1 3/8 ok 100%	1 3/8 ok 100%	1 3/8 ok 100%
*	***CATCH ELASTIC W/ WB STITCH						
4.04A	WAIST RELAXED @ TOP EDGE	-3/4	+3/4	24 3/4 spec	26 3/4 ok 100%	28 3/4 ?? 95%	30 3/4 ?? 50%
4.02A	WAIST EXTENDED @ TOP EDGE MINIMUM	-3/4	+3/4	37 spec	39 ok 100%	41 ok 100%	43 ok 100%
4.09B	LOW HIP PLACEMENT FROM TOP WAIST	0	0	4 7/8 spec	5 1/4 ?? 95%	5 5/8 ok 100%	6 ok 100%
4.10B	3 POINT LOW HIP	-3/4	+3/4	38 1/2 spec	40 1/2 +1/4 100%	42 1/2 ok 100%	44 1/2 +1 1/2 90%
4.14A	FRONT RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	9 1/4 spec	9 3/4 -1 58%	10 1/4 -1/4 90%	10 3/4 ?? 100%
4.15A	BACK RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	14 1/2 spec	15 -1 58%	15 1/2 -1/4 100%	16 -1/4 100%
5.08C	SHORT LEG OPENING	-3/8	+3/8	25 1/2 spec	27 ok 100%	28 1/2 ok 100%	30 -1/4 100%

POM	Description	Tol-	Tol+	XXS *	XS	S	M
5.01A	INSEAM SHORT	-1/4	+1/4	2 1/2 spec	2 1/2 ok 100%	2 1/2 -1 56%	2 1/2 ok 100%
5.02A	OUTSEAM FROM TOP WAIST	-1/4	+1/4	10 1/4 spec	10 5/8 +1/8 95%	11 ?? 95%	11 3/8 ?? 100%
7.01A GR	FLY/J-STITCH LENGTH BELOW WAIST SEAM	-1/4	+1/4	3 3/4 spec	4 1/4 ok 100%	4 3/4 ok 100%	5 1/4 ok 95%
7.01B	FLY /J-STITCH WIDTH	-1/8	+1/8	1 1/8 spec	1 1/8 +1/16 95%	1 1/8 ok 100%	1 1/8 ok 100%
4.27A	HEM HEIGHT	-1/8	+1/8	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%
*	FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED	-1/8	+1/8	10 1/2 spec	10 7/8 ok 100%	11 1/4 ?? 72%	11 5/8 -1/8 100%
*	BK LEG DEPTH 3" FRM CB (TOP EDGE) RELAXED	-1/8	+1/8	11 3/4 spec	12 1/8 -1/8 62%	12 1/2 +1 57%	12 7/8 ?? 68%
*	SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH	-1/8	+1/8	7 3/4 spec	8 ok 100%	8 1/4 -1/4 62%	8 1/2 ?? 100%
*	BUTTON SPACE ON FLY FRONT	-1/8	+1/8	1 1/2 spec	1 3/4 ok 100%	2 ok 100%	2 ok 100%
7.04B	BUTTON POSITION FROM WAIST STITCH	-1/8	+1/8	1 1/4 spec	1 1/4 -1/8 100%	1 1/4 ok 100%	1 1/4 ?? 74%
6.05B	ON SEAM POCKET HEM HEIGHT	-1/8	+1/8	1/4 spec	1/4 ok 95%	1/4 ok 100%	1/4 ?? 90%
6.54A	POCKET POSITION FROM BELOW WAIST STITCH	-1/8	+1/8	1 spec	1 ok 100%	1 ok 100%	1 ok 100%
6.14A GR	POCKET OPENING LENGTH	-1/8	+1/8	5 1/4 spec	5 1/2 ok 100%	5 3/4 ?? 80%	5 3/4 spec
6.17A GR	POCKET BAG LENGTH	-1/4	+1/4	8 1/4 spec	8 5/8 -1/4 100%	9 ?? 62%	9 -1/4 100%
6.17B GR	POCKET BAG WIDTH	-1/4	+1/4	5 3/4 spec	6 1/8 ok 100%	6 1/2 ok 62%	6 1/2 ok 100%

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline** = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

4.14A FRONT RISE STRAIGHT TO TOP WAIST — size XS: measured 8 3/4 against 9 3/4, -1

4.15A BACK RISE STRAIGHT TO TOP WAIST — size XS: measured 14 against 15, -1

5.01A INSEAM SHORT — size S: measured 1 1/2 against 2 1/2, -1

* BK LEG DEPTH 3" FRM CB (TOP EDGE) RELAXED — size S: measured 13 1/2 against 12 1/2, +1
* SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH — size S: measured 8 against 8 1/4, -1/4
4.10B 3 POINT LOW HIP — size M: measured 46 against 44 1/2, +1 1/2

13 of 71 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.

?? 4.09B LOW HIP PLACEMENT FROM TOP WAIST — size XS: spec 5 1/4, spoken as "Low hip placement from top", no deviation or okay captured
?? 4.04A WAIST RELAXED @ TOP EDGE — size S: spec 28 3/4, spoken as "Waist relaxed at top", no deviation or okay captured
?? 5.02A OUTSEAM FROM TOP WAIST — size S: spec 11, spoken as "Outseam from top waist", no deviation or okay captured
?? * FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED — size S: spec 11 1/4, spoken as "Front leg depth from center front top edge relaxed", no deviation or okay captured
?? 6.14A GR POCKET OPENING LENGTH — size S: spec 5 3/4, spoken as "Pocket opening length", no deviation or okay captured
?? 6.17A GR POCKET BAG LENGTH — size S: spec 9, spoken as "Pocket bag length", no deviation or okay captured
?? 4.04A WAIST RELAXED @ TOP EDGE — size M: spec 30 3/4, spoken as "Waist relaxed at top", no deviation or okay captured
?? 4.14A FRONT RISE STRAIGHT TO TOP WAIST — size M: spec 10 3/4, spoken as "Front rise straight to top waist", no deviation or okay captured
?? 5.02A OUTSEAM FROM TOP WAIST — size M: spec 11 3/8, spoken as "Outseam from top waist", no deviation or okay captured
?? * BK LEG DEPTH 3" FRM CB (TOP EDGE) RELAXED — size M: spec 12 7/8, spoken as "Back leg depth from center back top edge relaxed", no deviation or okay captured
?? * SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH — size M: spec 8 1/2, spoken as "Saddle width two inches up from crotch", no deviation or okay captured
?? 7.04B BUTTON POSITION FROM WAIST STITCH — size M: spec 1 1/4, spoken as "Button position from waist seam", no deviation or okay captured
?? 6.05B ON SEAM POCKET HEM HEIGHT — size M: spec 1/4, spoken as "On-seam pocket hem height", no deviation or okay captured

Generated from meeting-4918(1) and checked against style_2463.pdf. Every value must be confirmed before this report is sent to a vendor.

VENDOR'S SIGNATURE

SENT VIA MAIL

Auto-generated from meeting recording transcript - demo pipeline output

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 463 · panel, girl · Colour tomato blitz · Pass with comment · Source: meeting-4918(1) · 81 rows · 13 need review (shown in red)

Size XS (24)

No	Point of measure	Measured	Dev	Note	Conf
5	Waistband height	1 1/4			1.00
6	Waistband elastic height	1 3/8			1.00
7	Waist relaxed at top	26 3/4			1.00
8	Waist extended at top edge minimum	39			1.00
9	Low hip placement from top	5 1/4			0.95
10	Three point low hip	40 1/2	+1/4		1.00
11	Front rise straight to top waist	9 3/4	-1	Fraction may have been dropped in transcription	0.58
12	Back rise straight to top waist	15	-1	Fraction may have been dropped in transcription	0.58
13	Short leg opening	27			1.00
14	Inseam short	2 1/2			1.00
15	Outseam from top waist	10 5/8	+1/8	Initially called okay, then corrected to plus 1/8	0.95
16	Fly J-stitch length below waist seam	4 1/4			1.00
17	Fly J-stitch width	1 1/8	+1/16	Inspector started to say minus, then corrected to plus	0.95
18	Hem height	1/2			1.00
19	Front leg depth from center front top edge relaxed	10 7/8			1.00
20	Back leg depth from center back top edge relaxed	12 1/8	-1/8	Deviation sounded like 'down by eight'	0.62
21	Saddle width two inches up from crotch reference point	8			1.00
22	Button space on fly front	1 3/4			1.00
23	Button position from waist seam	1 1/4	-1/8		1.00
24	On-seam pocket hem height	1/4			0.95
25	Pocket position from below waist seam	1			1.00
26	Pocket opening length	5 1/2			1.00
27	Pocket bag length	8 5/8	-1/4		1.00
28	Pocket bag width	6 1/8			1.00

Size S (24)

No	Point of measure	Measured	Dev	Note	Conf
29	Waistband height	1 1/4			1.00
30	Waistband elastic height	1 3/8			1.00
31	Waist relaxed at top	28 3/4			0.95
32	Waist extended at top edge minimum	41			1.00
33	Low hip placement from top	5 5/8			1.00
34	Three point low hip	42 1/2			1.00
35	Front rise straight to top waist	10 1/4	-1/4		0.90
36	Back rise straight to top waist	15 1/2	-1/4		1.00
37	Short leg opening	28 1/2			1.00
38	Inseam short	2 1/2	-1	Fraction may have been dropped in transcription	0.56
39	Outseam from top waist	11 1/4			0.95
40	Fly J-stitch length below waist seam	4 3/4		Transcribed as 4.75	1.00
41	Fly J-stitch width	1 1/8			1.00
42	Hem height	1/2			1.00
43	Front leg depth from center front top edge relaxed	11 1/4		A further 'one fourth' was heard without a clear sign	0.72
44	Back leg depth from center back top edge relaxed	12 1/2	+1	Fraction may have been dropped in transcription	0.57
45	Saddle width two inches up from crotch	8 1/4	-1/4	Deviation was garbled as 'minus one backward'	0.62
46	Button space on fly front	2			1.00
47	Button position from waist seam	1 1/4			1.00
48	On-seam pocket hem height	1/4			1.00
49	Pocket position from below waist seam	1			1.00
50	Pocket opening length	5 3/4		Following words were unclear	0.80
51	Pocket bag length	9		9 was confirmed; 9 1/4 was subsequently queried but not confirmed	0.62
52	Pocket bag width	6		Initially called 6 1/2, then corrected to 6	0.62

Size M (23)

No	Point of measure	Measured	Dev	Note	Conf
53	Waistband height	1 1/4		Value was repeated	1.00
54	Waistband elastic height	1 3/8			1.00
55	Waist relaxed at top	30 3/4		Audio was rendered as '33 quarter; half?'	0.50
56	Waist extended at top edge minimum	43			1.00
57	Low hip placement from top	6			1.00
58	Three point low hip	44 1/2	+1 1/2		0.90
59	Front rise straight to top waist	10 3/4			1.00
60	Back rise straight to top waist	16	-1/4		1.00
61	Short leg opening	30	-1/4		1.00
62	Inseam short	2 1/2			1.00
63	Outseam from top waist	11 3/8			1.00
64	Fly J-stitch length below waist seam	5 1/4			0.95
65	Fly J-stitch width	1 1/8			1.00
66	Hem height	1/2			1.00
67	Front leg depth from center front top edge relaxed	11 5/8	-1/8		1.00
68	Back leg depth from center back top edge relaxed	12 7/8		1/8 was mentioned without a clear sign	0.68
69	Saddle width two inches up from crotch	8 1/2			1.00
70	Button space on fly front	2			1.00
71	Button position from waist seam	1 1/4		Following reference to 1/8 was garbled and had no clear sign	0.74
72	On-seam pocket hem height	1/4			0.90
73	Pocket position from below waist seam	1			1.00
74	Pocket bag length	9	-1/4		1.00
75	Pocket bag width	6 1/2			1.00

Construction

No	Item	Value	Note	Conf
76	Pattern grain line		Grain line on all patterns was fine	1.00
77	Pattern notches		One notch missing at side seam	0.95
78	Graded nest proportion		Proportion stated as fine	1.00

Shrinkage

No	Item	Value	Note	Conf
1	Average shell length shrinkage	1%	Inspector said the shrinkage was good	1.00
2	Average shell width shrinkage	0%	Inspector said the shrinkage was good	1.00
3	Jersey length shrinkage	1 1/2%		0.90
4	Jersey width shrinkage	0%		0.90

Comments and vendor actions

No	Item	Value	Note	Conf
79	Hard pressing		Use light press and avoid creases	1.00
80	Main label red thread		Ensure the red thread is not visible	0.90
81	Broken stitch at bottom hem		Maintain all seams and prevent stitch breaking	1.00