

SIZE SET INSPECTION REPORT

STYLE NO# -

DIVISION -

Date: -

DESCRIPTION: -

COLOUR: -

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL		✓			POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD					BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING					AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER					PH				

* MAIN LABEL: Red thread seam grinning

PATTERN CHECK LIST

Grain Line: -
Notches: -
Graded Nest: -
Corrections Implemnted: -
YY/ Mini Marker: -

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: -
Cut Quantity: -
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: -

DETAILED COMMENTS

- (1) Places/pleats overpressed very hard
- (2) Red thread seam grinning at main label
- (3) Broken stitch at bottom hem

MEASUREMENT (SPEC ATTACHED)

Result: -
Graded Nest: -
Corrections To Be Done: Light press only and ensure no creases; Ensure red thread seam grinning is not visible at main label; Maintain all seams and ensure there is no stitch breaking
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: -

ACTION TO BE TAKEN BY VENDOR

Do light pressing and ensure no creases are made

Ensure red thread seam grinning is not visible

Maintain all seams and ensure there is no stitch breaking

OVERALL: The size set will be passed with these corrections, and just ensure that these are followed up.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE


SENT VIA MAIL

STATUS: FNL

STYLE: 2463

2463 FLANNEL GIRL BOXER

HOLIDAY-B 2026



Company: AMERICAN EAGLE OUTFITTERS
Division / Dept: 07 / 066
Season: HOLIDAY-B 2026
Style Desc: 2463 FLANNEL GIRL BOXER
Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model :	WW BOTTOMS L20 Size Range : ALPHA WW	Size Range :	XXS, XS, S, M
POM Descr :	XXS - M - TRIBURG Base Size : S	Base Size :	S
Block :		Grading Method/UM :	Incremental / IN
Modified By :	BIASIE Modified Date/Time : 2026-06-16 09:34:59	Status :	FNL
Sizes Measured :	S, M	Measurement Result :	FAIL CONDITIONALLY (2 of 44 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS *	S	M
*	8/19/25 GD: FOLLOW BROWN RETAIL BOXER FOR FIT						
0.00B	DISCLAIMER (WVN): MEASURE GMTS IN CIRCUMFERENCE	-	-	-	-	-	-
4.05A	WAISTBAND HEIGHT	-1/8	+1/8	1 1/4 spec	1 1/4 spec	1 1/4 ok 100%	1 1/4 ok 100%
4.05A	WAISTBAND ELASTIC HEIGHT	-1/8	+1/8	1 3/8 spec	1 3/8 spec	1 3/8 ok 100%	1 3/8 ok 100%
*	***CATCH ELASTIC W/ WB STITCH						
4.04A	WAIST RELAXED @ TOP EDGE	-3/4	+3/4	24 3/4 spec	26 3/4 spec	28 3/4 -1/2 100%	30 3/4 -1/2 100%
4.02A	WAIST EXTENDED @ TOP EDGE MINIMUM	-3/4	+3/4	37 spec	39 spec	41 ok 100%	43 ok 100%
4.09B	LOW HIP PLACEMENT FROM TOP WAIST	0	0	4 7/8 spec	5 1/4 spec	5 5/8 ok 100%	6 ok 100%
4.10B	3 POINT LOW HIP	-3/4	+3/4	38 1/2 spec	40 1/2 spec	42 1/2 ok 100%	44 1/2 -1/2 100%
4.14A	FRONT RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	9 1/4 spec	9 3/4 spec	10 1/4 -1/4 95%	10 3/4 -1/4 100%
4.15A	BACK RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	14 1/2 spec	15 spec	15 1/2 -1/4 100%	16 -1/4 100%
5.08C	SHORT LEG OPENING	-3/8	+3/8	25 1/2 spec	27 spec	28 1/2 ok 100%	30 -1/4 100%

POM	Description	Tol-	Tol+	XXS *	XS *	S	M
5.01A	INSEAM SHORT	-1/4	+1/4	2 1/2 spec	2 1/2 spec	2 1/2 -1/8 100%	2 1/2 ok 100%
5.02A	OUTSEAM FROM TOP WAIST	-1/4	+1/4	10 1/4 spec	10 5/8 spec	11 +1/4 100%	11 3/8 ok 100%
7.01A GR	FLY/J-STITCH LENGTH BELOW WAIST SEAM	-1/4	+1/4	3 3/4 spec	4 1/4 spec	4 3/4 ok 100%	5 1/4 ok 100%
7.01B	FLY /J-STITCH WIDTH	-1/8	+1/8	1 1/8 spec	1 1/8 spec	1 1/8 ok 100%	1 1/8 ok 100%
4.27A	HEM HEIGHT	-1/8	+1/8	1/2 spec	1/2 spec	1/2 ok 90%	1/2 ok 90%
*	FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED	-1/8	+1/8	10 1/2 spec	10 7/8 spec	11 1/4 -1/4 100%	11 5/8 -1/8 100%
*	BK LEG DEPTH 3" FRM CB (TOP EDGE) RELAXED	-1/8	+1/8	11 3/4 spec	12 1/8 spec	12 1/2 +1/8 100%	12 7/8 -1/8 100%
*	SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH	-1/8	+1/8	7 3/4 spec	8 spec	8 1/4 -1/4 100%	8 1/2 -1/8 100%
*	BUTTON SPACE ON FLY FRONT	-1/8	+1/8	1 1/2 spec	1 3/4 spec	2 ok 100%	2 ok 100%
7.04B	BUTTON POSITION FROM WAIST STITCH	-1/8	+1/8	1 1/4 spec	1 1/4 spec	1 1/4 ok 100%	1 1/4 -1/8 100%
6.05B	ON SEAM POCKET HEM HEIGHT	-1/8	+1/8	1/4 spec	1/4 spec	1/4 ok 100%	1/4 ?? 100%
6.54A	POCKET POSITION FROM BELOW WAIST STITCH	-1/8	+1/8	1 spec	1 spec	1 ok 100%	1 ok 100%
6.14A GR	POCKET OPENING LENGTH	-1/8	+1/8	5 1/4 spec	5 1/2 spec	5 3/4 +1/8 100%	5 3/4 spec
6.17A GR	POCKET BAG LENGTH	-1/4	+1/4	8 1/4 spec	8 5/8 spec	9 -1/4 100%	9 -1/4 100%
6.17B GR	POCKET BAG WIDTH	-1/4	+1/4	5 3/4 spec	6 1/8 spec	6 1/2 ok 100%	6 1/2 ok 100%

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline** = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

* FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED — size S: measured 11 against 11 1/4, -1/4

* SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH — size S: measured 8 against 8 1/4, -1/4

1 of 47 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.
?? 6.05B ON SEAM POCKET HEM HEIGHT — size M: spec 1/4, spoken as "On-seam pocket hem height", no deviation or okay captured

Generated from inspection-2026-09-10-101500(1) and checked against style_2463.pdf. Every value must be confirmed before this report is sent to a vendor.

APPROVED FOR PRODUCTION

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Pass with comment · Source: inspection-2026-09-10-101500(1) · 50 rows · 1 need review (shown in red)

Size S (24)

No	Point of measure	Measured	Dev	Note	Conf
1	Waistband height	1 1/4			1.00
2	Waistband elastic height	1 3/8			1.00
3	Waist relaxed at top edge	28 3/4	-1/2		1.00
4	Waist extended at top edge minimum	41			1.00
5	Low hip placement from top waist	5 5/8			1.00
6	Three point low hip	42 1/2			1.00
7	Front rise straight to top waist	10 1/4	-1/4		0.95
8	Back rise straight to top waist	15 1/2	-1/4		1.00
9	Short leg opening	28 1/2			1.00
10	Inseam short	2 1/2	-1/8		1.00
11	Outseam from top waist	11	+1/4		1.00
12	Fly J-stitch length below waist seam	4 3/4			1.00
13	Fly J-stitch width	1 1/8			1.00
14	Hem height	1/2		Transcribed once as "M height."	0.90
15	Front leg depth 3 inch from center front top edge relaxed	11 1/4	-1/4		1.00
16	Back leg depth 3 inch from center back top edge relaxed	12 1/2	+1/8		1.00
17	Saddle width 2 inch up from crotch	8 1/4	-1/4		1.00
18	Button space on fly front	2			1.00
19	Button position from waist stitch	1 1/4			1.00
20	On-seam pocket hem height	1/4			1.00
21	Pocket position from below waist stitch	1			1.00
22	Pocket opening length	5 3/4	+1/8		1.00
23	Pocket back length	9	-1/4	Value repeated and confirmed as 9.	1.00
24	Pocket back width	6 1/2			1.00

Size M (23)

No	Point of measure	Measured	Dev	Note	Conf
25	Waistband height	1 1/4		Value repeated and confirmed.	1.00
26	Waistband elastic height	1 3/8			1.00
27	Waist relaxed at top edge	33 1/4	-1/2		1.00
28	Waist extended at top edge minimum	43			1.00
29	Low hip placement from top waist	6			1.00
30	Three point low hip	44 1/2	-1/2		1.00
31	Front rise straight to top waist	10 3/4	-1/4		1.00
32	Back rise straight to top waist	16	-1/4		1.00
33	Short leg opening	30	-1/4		1.00
34	Inseam short	2 1/2			1.00
35	Outseam from top waist	11 3/8			1.00
36	Fly J-stitch length below waist seam	5 1/4			1.00
37	Fly J-stitch width	1 1/8			1.00
38	Hem height	1/2		Transcribed once as "M height."	0.90
39	Front leg depth 3 inch from center front top edge relaxed	11 5/8	-1/8		1.00
40	Back leg depth 3 inch from center back top edge relaxed	12 7/8	-1/8		1.00
41	Saddle width 2 inch up from crotch	8 1/2	-1/8		1.00
42	Button space on fly front	2			1.00
43	Button position from waistline	1 1/4	-1/8		1.00
44	On-seam pocket hem height	1/4		Value repeated, but no spoken pass or deviation.	1.00
45	Pocket position from below waistline	1			1.00
46	Pocket bag length	9	-1/4		1.00
47	Pocket bag width	6 1/2			1.00

Comments and vendor actions

No	Item	Value	Note	Conf
48	Overpressing		Do light pressing and ensure no creases are made. Object was ambiguously transcribed as places/pleats.	0.62
49	Main label red thread seam grinning		Ensure it is not visible.	1.00
50	Broken stitch at bottom hem		Maintain all seams and ensure there is no stitch breaking.	1.00