

SIZE SET INSPECTION REPORT

STYLE NO# -

DIVISION -

Date: -

DESCRIPTION: -

COLOUR: -

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL					POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD					BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING					AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER					PH				

PATTERN CHECK LIST

Grain Line: -
Notches: -
Graded Nest: -
Corrections Implemnted: -
YY/ Mini Marker: -

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: -
Cut Quantity: -
Size Set Inspection Result: -

SHRINKAGE SHELL: -

DETAILED COMMENTS

-

MEASUREMENT (SPEC ATTACHED)

Result: -
Graded Nest: -
Corrections To Be Done: -
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: -

ACTION TO BE TAKEN BY VENDOR

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE


SENT VIA MAIL

STATUS: FNL

STYLE: 2463

2463 FLANNEL GIRL BOXER

HOLIDAY-B 2026



Company: AMERICAN EAGLE OUTFITTERS
Division / Dept: 07 / 066
Season: HOLIDAY-B 2026
Style Desc: 2463 FLANNEL GIRL BOXER
Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model :	WW BOTTOMS L20 Size Range : ALPHA WW	Size Range :	XXS, XS, S, M
POM Descr :	XXS - M - TRIBURG Base Size : S	Base Size :	S
Block :		Grading Method/UM :	Incremental / IN
Modified By :	BIASIE Modified Date/Time : 2026-06-16 09:34:59	Status :	FNL
Sizes Measured :	S	Measurement Result :	FAIL CONDITIONALLY (2 of 19 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS *	S	M *
*	8/19/25 GD: FOLLOW BROWN RETAIL BOXER FOR FIT						
0.00B	DISCLAIMER (WVN): MEASURE GMTS IN CIRCUMFERENCE	-	-	-	-	-	-
4.05A	WAISTBAND HEIGHT	-1/8	+1/8	1 1/4 spec	1 1/4 spec	1 1/4 ok 100%	1 1/4 spec
4.05A	WAISTBAND ELASTIC HEIGHT	-1/8	+1/8	1 3/8 spec	1 3/8 spec	1 3/8 ok 100%	1 3/8 spec
*	***CATCH ELASTIC W/ WB STITCH						
4.04A	WAIST RELAXED @ TOP EDGE	-3/4	+3/4	24 3/4 spec	26 3/4 spec	28 3/4 -1/2 100%	30 3/4 spec
4.02A	WAIST EXTENDED @ TOP EDGE MINIMUM	-3/4	+3/4	37 spec	39 spec	41 ok 100%	43 spec
4.09B	LOW HIP PLACEMENT FROM TOP WAIST	0	0	4 7/8 spec	5 1/4 spec	5 5/8 ok 100%	6 spec
4.10B	3 POINT LOW HIP	-3/4	+3/4	38 1/2 spec	40 1/2 spec	42 1/2 ok 100%	44 1/2 spec
4.14A	FRONT RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	9 1/4 spec	9 3/4 spec	10 1/4 -1/4 100%	10 3/4 spec
4.15A	BACK RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	14 1/2 spec	15 spec	15 1/2 -1/4 100%	16 spec
5.08C	SHORT LEG OPENING	-3/8	+3/8	25 1/2 spec	27 spec	28 1/2 ok 100%	30 spec

POM	Description	Tol-	Tol+	XXS *	XS *	S	M *
5.01A	INSEAM SHORT	-1/4	+1/4	2 1/2 spec	2 1/2 spec	2 1/2 -1/8 100%	2 1/2 spec
5.02A	OUTSEAM FROM TOP WAIST	-1/4	+1/4	10 1/4 spec	10 5/8 spec	11 +1/4 100%	11 3/8 spec
7.01A GR	FLY/J-STITCH LENGTH BELOW WAIST SEAM	-1/4	+1/4	3 3/4 spec	4 1/4 spec	4 3/4 ok 100%	5 1/4 spec
7.01B	FLY /J-STITCH WIDTH	-1/8	+1/8	1 1/8 spec	1 1/8 spec	1 1/8 ok 100%	1 1/8 spec
4.27A	HEM HEIGHT	-1/8	+1/8	1/2 spec	1/2 spec	1/2 ok 100%	1/2 spec
*	FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED	-1/8	+1/8	10 1/2 spec	10 7/8 spec	11 1/4 -1/4 100%	11 5/8 spec
*	BK LEG DEPTH 3" FRM CB (TOP EDGE) RELAXED	-1/8	+1/8	11 3/4 spec	12 1/8 spec	12 1/2 +1/8 100%	12 7/8 spec
*	SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH	-1/8	+1/8	7 3/4 spec	8 spec	8 1/4 -1/4 100%	8 1/2 spec
*	BUTTON SPACE ON FLY FRONT	-1/8	+1/8	1 1/2 spec	1 3/4 spec	2 ok 100%	2 spec
7.04B	BUTTON POSITION FROM WAIST STITCH	-1/8	+1/8	1 1/4 spec	1 1/4 spec	1 1/4 ok 100%	1 1/4 spec
6.05B	ON SEAM POCKET HEM HEIGHT	-1/8	+1/8	1/4 spec	1/4 spec	1/4 ok 100%	1/4 spec
6.54A	POCKET POSITION FROM BELOW WAIST STITCH	-1/8	+1/8	1 spec	1 spec	1 spec	1 spec
6.14A GR	POCKET OPENING LENGTH	-1/8	+1/8	5 1/4 spec	5 1/2 spec	5 3/4 spec	5 3/4 spec
6.17A GR	POCKET BAG LENGTH	-1/4	+1/4	8 1/4 spec	8 5/8 spec	9 spec	9 spec
6.17B GR	POCKET BAG WIDTH	-1/4	+1/4	5 3/4 spec	6 1/8 spec	6 1/2 spec	6 1/2 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline** = no verdict for this point of measure was captured from the recording. It is **NOT** on spec and **NOT** a pass; it is unanswered and must be checked against the audio. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. **Grey** = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

* FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED — size S: measured 11 against 11 1/4, -1/4

* SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH — size S: measured 8 against 8 1/4, -1/4

Generated from inspection-2026-09-10-110713 and checked against style_2463.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Extracted from recording · Source: inspection-2026-09-10-110713 · 20 rows · 0 need review (shown in red)

Size S (20)

No	Point of measure	Measured	Dev	Note	Conf
1	Waistband height	1 1/4			1.00
2	Waistband elastic height	1 3/8			1.00
3	Waist relaxed at top edge	28 3/4	-1/2		1.00
4	Waist extended at top edge minimum	41			1.00
5	Low hip placement from top waist	5 5/8			1.00
6	Three point low hip	42 1/2			1.00
7	Front rise straight to top waist	10 1/4	-1/4		1.00
8	Back rise straight to top waist	15 1/2	-1/4		1.00
9	Short leg opening	28 1/2			1.00
10	Inseam short	2 1/2	-1/8		1.00
11	Outseam from top waist	11	+1/4		1.00
12	Fly J-stitch length below waist seam	4 3/4			1.00
13	Fly J-stitch width	1 1/8			1.00
14	M height	1/2			1.00
15	Front leg depth 3 inch from center front top edge relaxed	11 1/4	-1/4		1.00
16	Back leg depth 3 inch from center back top edge relaxed	12 1/2	+1/8		1.00
17	Saddle width 2 inch up from crotch	8 1/4	-1/4		1.00
18	Button space on fly front	2			1.00
19	Button position from waist stitch	1 1/4			1.00
20	On-seam pocket hem height	1/4			1.00