

SIZE SET INSPECTION REPORT

STYLE NO# 2463

DIVISION airy

Date: 26/08/26

DESCRIPTION: flannel girl boxer

COLOUR: tomato glaze

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL		✓			POLYBAG		✓			BUTTON			✓		PRINT			✓	
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT			✓	
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT			✓	
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE	✓				PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING		✓			LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER					PH			✓	

* MAIN LABEL: red thread seam grinning
* POLYBAG: alternate
* POLY BAG STICKER: not needed
* HOOK EYE/BAR: not needed
* LAYOUT: print layout actual
* LOT STICKER: not needed
* LACE: not there
* EMB THREAD COLOR: embroidery not needed
* HANG TAG: not needed
* PRE PACK STICKER: not needed
* BUCKLE: not there
* CARTON MARKINGS: not needed
* SNAP: not needed
* BEADS/SEQUINS: not needed
* WASHCARE: missing
* PLACEMENT UPC/P.PACK: not needed
* BEADS/SEQUINS LAYOUT: not needed
* INTERLINING: no interlining on this style
* FOLDING: alternate right now
* LINING: single jersey instead of lining
* SPARE BUTTON POSITION: not needed
* ZIPPER: not there
* PH: okay as on report

PATTERN CHECK LIST

Grain Line: OK
Notches: Not OK - one notch missing at side seam
Graded Nest: OK
Corrections Implemnted: OK
YY/ Mini Marker: OK

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: 29/08/26
Cut Quantity: 7 pieces
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 1% W = 0%
Sample count not stated; shrinkage is good

DETAILED COMMENTS

- (1) Wash care missing
- (2) One notch missing at side seam
- (3) Overall press is very hard
- (4) Red thread seam grinning at main label
- (5) Broken stitch at bottom hem

MEASUREMENT (SPEC ATTACHED)

Result: PASS
Graded Nest: OK
Corrections To Be Done: Add missing side seam notch; use light press and avoid creases; remove red thread seam grinning at main label; ensure no broken stitches at bottom hem
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: L = 1 1/2% W = 0%

ACTION TO BE TAKEN BY VENDOR

- Provide wash care.
- Add the missing side seam notch.
- Use light press and ensure no creases are made.
- Ensure seam grinning is not present.
- Maintain all seams and ensure there is no stitch breaking.

OVERALL: The size set is passed with these corrections; ensure these are followed up.


I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

STATUS: FNL

STYLE: 2463

2463 FLANNEL GIRL BOXER

HOLIDAY-B 2026



Company: AMERICAN EAGLE OUTFITTERS
Division / Dept: 07 / 066
Season: HOLIDAY-B 2026
Style Desc: 2463 FLANNEL GIRL BOXER
Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model :	WW BOTTOMS L20 Size Range : ALPHA WW	Size Range :	XXS, XS, S, M
POM Descr :	XXS - M - TRIBURG Base Size : S	Base Size :	S
Block :		Grading Method/UM :	Incremental / IN
Modified By :	BIASIE Modified Date/Time : 2026-06-16 09:34:59	Status :	FNL
Sizes Measured :	XS, S, M	Measurement Result :	FAIL CONDITIONALLY (2 of 17 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS	S	M
*	8/19/25 GD: FOLLOW BROWN RETAIL BOXER FOR FIT						
0.00B	DISCLAIMER (WVN): MEASURE GMTS IN CIRCUMFERENCE	0	0	-	-	-	-
4.05A	WAISTBAND HEIGHT	-1/8	+1/8	1 1/4 spec	1 1/4 ?? 100%	1 1/4 ?? 100%	1 1/4 ?? 100%
4.05A	WAISTBAND ELASTIC HEIGHT	-1/8	+1/8	1 3/8 spec	1 3/8 ?? 100%	1 3/8 ?? 100%	1 3/8 ?? 100%
*	***CATCH ELASTIC W/ WB STITCH						
4.04A	WAIST RELAXED @ TOP EDGE	-3/4	+3/4	24 3/4 spec	26 3/4 ?? 100%	28 3/4 -1/2 100%	30 3/4 ?? 62%
4.02A	WAIST EXTENDED @ TOP EDGE MINIMUM	-3/4	+3/4	37 spec	39 ?? 100%	41 ?? 100%	43 ?? 100%
4.09B	LOW HIP PLACEMENT FROM TOP WAIST	0	0	4 7/8 spec	5 1/4 ?? 100%	5 5/8 ?? 100%	6 ?? 100%
4.10B	3 POINT LOW HIP	-3/4	+3/4	38 1/2 spec	40 1/2 +1/4 100%	42 1/2 ?? 100%	44 1/2 ?? 100%
4.14A	FRONT RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	9 1/4 spec	9 3/4 -1/4 100%	10 1/4 -1/4 90%	10 3/4 ?? 100%
4.15A	BACK RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	14 1/2 spec	15 -1/4 100%	15 1/2 -1/4 100%	16 ?? 100%
5.08C	SHORT LEG OPENING	-3/8	+3/8	25 1/2 spec	27 ?? 100%	28 1/2 ?? 100%	30 ?? 100%

POM	Description	Tol-	Tol+	XXS *	XS	S	M
5.01A	INSEAM SHORT	-1/4	+1/4	2 1/2 spec	2 1/2 ?? 100%	2 1/2 -1/8 100%	2 1/2 ?? 100%
5.02A	OUTSEAM FROM TOP WAIST	-1/4	+1/4	10 1/4 spec	10 5/8 +1/8 90%	11 +1/4 100%	11 3/8 ?? 100%
7.01A GR	FLY/J-STITCH LENGTH BELOW WAIST SEAM	-1/4	+1/4	3 3/4 spec	4 1/4 ?? 100%	4 3/4 ?? 100%	5 1/4 ?? 100%
7.01B	FLY /J-STITCH WIDTH	-1/8	+1/8	1 1/8 spec	1 1/8 +1/16 90%	1 1/8 ?? 100%	1 1/8 ?? 100%
4.27A	HEM HEIGHT	-1/8	+1/8	1/2 spec	1/2 ?? 100%	1/2 ?? 95%	1/2 ?? 100%
*	FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED	-1/8	+1/8	10 1/2 spec	10 7/8 ?? 100%	11 1/4 -1/4 100%	11 5/8 ?? 100%
*	BK LEG DEPTH 3" FRM CB (TOP EDGE) RELAXED	-1/8	+1/8	11 3/4 spec	12 1/8 -1/8 100%	12 1/2 +1/8 100%	12 7/8 ?? 100%
*	SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH	-1/8	+1/8	7 3/4 spec	8 ?? 100%	8 1/4 -1/4 100%	8 1/2 ?? 100%
*	BUTTON SPACE ON FLY FRONT	-1/8	+1/8	1 1/2 spec	1 3/4 ?? 100%	2 ?? 100%	2 ?? 100%
7.04B	BUTTON POSITION FROM WAIST STITCH	-1/8	+1/8	1 1/4 spec	1 1/4 -1/8 100%	1 1/4 ?? 100%	1 1/4 ?? 100%
6.05B	ON SEAM POCKET HEM HEIGHT	-1/8	+1/8	1/4 spec	1/4 ?? 100%	1/4 ?? 100%	1/4 ?? 100%
6.54A	POCKET POSITION FROM BELOW WAIST STITCH	-1/8	+1/8	1 spec	1 ?? 100%	1 ?? 100%	1 ?? 100%
6.14A GR	POCKET OPENING LENGTH	-1/8	+1/8	5 1/4 spec	5 1/2 ?? 100%	5 3/4 ?? 100%	5 3/4 spec
6.17A GR	POCKET BAG LENGTH	-1/4	+1/4	8 1/4 spec	8 5/8 -1/4 100%	9 -1/4 90%	9 ?? 100%
6.17B GR	POCKET BAG WIDTH	-1/4	+1/4	5 3/4 spec	6 1/8 ?? 100%	6 1/2 ?? 90%	6 1/2 ?? 100%

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline** = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

* FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED — size S: measured 11 against 11 1/4, -1/4

* SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH — size S: measured 8 against 8 1/4, -1/4

54 of 71 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.

?? 4.05A WAISTBAND HEIGHT — size XS: spec 1 1/4, spoken as "Waistband height", no deviation or okay captured
?? 4.05A WAISTBAND ELASTIC HEIGHT — size XS: spec 1 3/8, spoken as "Waistband elastic height", no deviation or okay captured
?? 4.04A WAIST RELAXED @ TOP EDGE — size XS: spec 26 3/4, spoken as "Waist relaxed at top edge", no deviation or okay captured
?? 4.02A WAIST EXTENDED @ TOP EDGE MINIMUM — size XS: spec 39, spoken as "Waist extended at top edge minimum", no deviation or okay captured
?? 4.09B LOW HIP PLACEMENT FROM TOP WAIST — size XS: spec 5 1/4, spoken as "Low hip placement from top waist", no deviation or okay captured
?? 5.08C SHORT LEG OPENING — size XS: spec 27, spoken as "Short leg opening", no deviation or okay captured
?? 5.01A INSEAM SHORT — size XS: spec 2 1/2, spoken as "Inseam short", no deviation or okay captured
?? 7.01A GR FLY/J-STITCH LENGTH BELOW WAIST SEAM — size XS: spec 4 1/4, spoken as "Fly gusset length below waist seam", no deviation or okay captured
?? 4.27A HEM HEIGHT — size XS: spec 1/2, spoken as "Hem height", no deviation or okay captured
?? * FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED — size XS: spec 10 7/8, spoken as "Front leg depth 3 inch from center front top edge relaxed", no deviation or okay captured
?? * SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH — size XS: spec 8, spoken as "Saddle width 2 inch up from crotch reference point", no deviation or okay captured
?? * BUTTON SPACE ON FLY FRONT — size XS: spec 1 3/4, spoken as "Button space on fly front", no deviation or okay captured
?? 6.05B ON SEAM POCKET HEM HEIGHT — size XS: spec 1/4, spoken as "On-seam pocket hem height", no deviation or okay captured
?? 6.54A POCKET POSITION FROM BELOW WAIST STITCH — size XS: spec 1, spoken as "Pocket position from below waist stitch", no deviation or okay captured
?? 6.14A GR POCKET OPENING LENGTH — size XS: spec 5 1/2, spoken as "Pocket opening length", no deviation or okay captured
?? 6.17B GR POCKET BAG WIDTH — size XS: spec 6 1/8, spoken as "Pocket bag width", no deviation or okay captured
?? 4.05A WAISTBAND HEIGHT — size S: spec 1 1/4, spoken as "Waistband height", no deviation or okay captured
?? 4.05A WAISTBAND ELASTIC HEIGHT — size S: spec 1 3/8, spoken as "Waistband elastic height", no deviation or okay captured
?? 4.02A WAIST EXTENDED @ TOP EDGE MINIMUM — size S: spec 41, spoken as "Waist extended at top edge minimum", no deviation or okay captured
?? 4.09B LOW HIP PLACEMENT FROM TOP WAIST — size S: spec 5 5/8, spoken as "Low hip placement from top waist", no deviation or okay captured
?? 4.10B 3 POINT LOW HIP — size S: spec 42 1/2, spoken as "3 point low hip", no deviation or okay captured
?? 5.08C SHORT LEG OPENING — size S: spec 28 1/2, spoken as "Short leg opening", no deviation or okay captured
?? 7.01A GR FLY/J-STITCH LENGTH BELOW WAIST SEAM — size S: spec 4 3/4, spoken as "Fly J-stitch length below waist seam", no deviation or okay captured
?? 7.01B FLY /J-STITCH WIDTH — size S: spec 1 1/8, spoken as "Fly J-stitch width", no deviation or okay captured
?? 4.27A HEM HEIGHT — size S: spec 1/2, spoken as "Hem height", no deviation or okay captured
?? * BUTTON SPACE ON FLY FRONT — size S: spec 2, spoken as "Button space on fly front", no deviation or okay captured
?? 7.04B BUTTON POSITION FROM WAIST STITCH — size S: spec 1 1/4, spoken as "Button position from waist stitch", no deviation or okay captured
?? 6.05B ON SEAM POCKET HEM HEIGHT — size S: spec 1/4, spoken as "On-seam pocket hem height", no deviation or okay captured
?? 6.54A POCKET POSITION FROM BELOW WAIST STITCH — size S: spec 1, spoken as "Pocket position from below waist stitch", no deviation or okay captured
?? 6.14A GR POCKET OPENING LENGTH — size S: spec 5 3/4, spoken as "Pocket opening length", no deviation or okay captured
?? 6.17B GR POCKET BAG WIDTH — size S: spec 6 1/2, spoken as "Pocket bag width", no deviation or okay captured
?? 4.05A WAISTBAND HEIGHT — size M: spec 1 1/4, spoken as "Waistband height", no deviation or okay captured
?? 4.05A WAISTBAND ELASTIC HEIGHT — size M: spec 1 3/8, spoken as "Waistband elastic height", no deviation or okay captured
?? 4.04A WAIST RELAXED @ TOP EDGE — size M: spec 30 3/4, spoken as "Waist relaxed at top edge", no deviation or okay captured
?? 4.02A WAIST EXTENDED @ TOP EDGE MINIMUM — size M: spec 43, spoken as "Waist extended at top edge minimum", no deviation or okay captured
?? 4.09B LOW HIP PLACEMENT FROM TOP WAIST — size M: spec 6, spoken as "Low hip placement from top waist", no deviation or okay captured
?? 4.10B 3 POINT LOW HIP — size M: spec 44 1/2, spoken as "3 point low hip", no deviation or okay captured
?? 4.14A FRONT RISE STRAIGHT TO TOP WAIST — size M: spec 10 3/4, spoken as "Front rise straight to top waist", no deviation or okay captured
?? 4.15A BACK RISE STRAIGHT TO TOP WAIST — size M: spec 16, spoken as "Back rise straight to top waist", no deviation or okay captured
?? 5.08C SHORT LEG OPENING — size M: spec 30, spoken as "Short leg opening", no deviation or okay captured
?? 5.01A INSEAM SHORT — size M: spec 2 1/2, spoken as "Inseam short", no deviation or okay captured
?? 5.02A OUTSEAM FROM TOP WAIST — size M: spec 11 3/8, spoken as "Outseam from top waist", no deviation or okay captured
?? 7.01A GR FLY/J-STITCH LENGTH BELOW WAIST SEAM — size M: spec 5 1/4, spoken as "Fly stitch length below waist seam", no deviation or okay captured
?? 7.01B FLY /J-STITCH WIDTH — size M: spec 1 1/8, spoken as "Fly stitch width", no deviation or okay captured
?? 4.27A HEM HEIGHT — size M: spec 1/2, spoken as "Hem height", no deviation or okay captured
?? * FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED — size M: spec 11 5/8, spoken as "Front leg depth 3 inch from center front top edge relaxed", no deviation or okay captured
?? * BK LEG DEPTH 3" FRM CB (TOP EDGE) RELAXED — size M: spec 12 7/8, spoken as "Back leg depth 3 inch from center back top edge relaxed", no deviation or okay captured
?? * SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH — size M: spec 8 1/2, spoken as "Saddle width 2 inch up from crotch", no deviation or okay captured
?? * BUTTON SPACE ON FLY FRONT — size M: spec 2, spoken as "Button space on fly front", no deviation or okay captured
?? 7.04B BUTTON POSITION FROM WAIST STITCH — size M: spec 1 1/4, spoken as "Button position from waist edge", no deviation or okay captured
?? 6.05B ON SEAM POCKET HEM HEIGHT — size M: spec 1/4, spoken as "On-seam pocket hem height", no deviation or okay captured
?? 6.54A POCKET POSITION FROM BELOW WAIST STITCH — size M: spec 1, spoken as "Pocket position from below waist edge", no deviation or okay captured
?? 6.17A GR POCKET BAG LENGTH — size M: spec 9, spoken as "Pocket bag length", no deviation or okay captured
?? 6.17B GR POCKET BAG WIDTH — size M: spec 6 1/2, spoken as "Pocket bag width", no deviation or okay captured

APPROVED FOR PRODUCTION

VENDOR'S SIGNATURE

SENT VIA MAIL

Auto-generated from meeting recording transcript - demo pipeline output

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 2463 · flannel girl boxer · Colour tomato glaze · Pass with comment · Source: 280f-fbd7-4c11-8317-91975e6898d0 · 82 rows · 1 need review (shown in red)

Size XS (24)

No	Point of measure	Measured	Dev	Note	Conf
9	Waistband height	1 1/4			1.00
10	Waistband elastic height	1 3/8			1.00
11	Waist relaxed at top edge	26 3/4			1.00
12	Waist extended at top edge minimum	39			1.00
13	Low hip placement from top waist	5 1/4			1.00
14	3 point low hip	40 1/2	+1/4		1.00
15	Front rise straight to top waist	9 3/4	-1/4		1.00
16	Back rise straight to top waist	15	-1/4		1.00
17	Short leg opening	27			1.00
18	Inseam short	2 1/2			1.00
19	Outseam from top waist	10 5/8	+1/8	Initially called okay, then corrected to plus 1/8	0.90
20	Fly gusset length below waist seam	4 1/4			1.00
21	Fly gusset width	1 1/8	+1/16	Initially started to say minus, then corrected to plus	0.90
22	Hem height	1/2			1.00
23	Front leg depth 3 inch from center front top edge relaxed	10 7/8			1.00
24	Back leg depth 3 inch from center back top edge relaxed	12 1/8	-1/8		1.00
25	Saddle width 2 inch up from crotch reference point	8			1.00
26	Button space on fly front	1 3/4			1.00
27	Button position from waist stitch	1 1/4	-1/8		1.00
28	On-seam pocket hem height	1/4			1.00
29	Pocket position from below waist stitch	1			1.00
30	Pocket opening length	5 1/2			1.00
31	Pocket bag length	8 5/8	-1/4		1.00
32	Pocket bag width	6 1/8			1.00

Size S (24)

No	Point of measure	Measured	Dev	Note	Conf
33	Waistband height	1 1/4			1.00
34	Waistband elastic height	1 3/8			1.00
35	Waist relaxed at top edge	28 3/4	-1/2		1.00
36	Waist extended at top edge minimum	41			1.00
37	Low hip placement from top waist	5 5/8			1.00
38	3 point low hip	42 1/2			1.00
39	Front rise straight to top waist	10 1/4	-1/4	Deviation added after a self-correction	0.90
40	Back rise straight to top waist	15 1/2	-1/4		1.00
41	Short leg opening	28 1/2			1.00
42	Inseam short	2 1/2	-1/8		1.00
43	Outseam from top waist	11	+1/4		1.00
44	Fly J-stitch length below waist seam	4 3/4			1.00
45	Fly J-stitch width	1 1/8			1.00
46	Hem height	1/2			0.95
47	Front leg depth 3 inch from center front top edge relaxed	11 1/4	-1/4		1.00
48	Back leg depth 3 inch from center back top edge relaxed	12 1/2	+1/8		1.00
49	Saddle width 2 inch up from crotch	8 1/4	-1/4		1.00
50	Button space on fly front	2			1.00
51	Button position from waist stitch	1 1/4			1.00
52	On-seam pocket hem height	1/4			1.00
53	Pocket position from below waist stitch	1			1.00
54	Pocket opening length	5 3/4			1.00
55	Pocket bag length	9	-1/4	Called pocket back length and reconfirmed as nine	0.90
56	Pocket bag width	6 1/2		Called pocket back width	0.90

Size M (23)

No	Point of measure	Measured	Dev	Note	Conf
57	Waistband height	1 1/4			1.00
58	Waistband elastic height	1 3/8			1.00
59	Waist relaxed at top edge	30 3/4		Spoken ambiguously as 'thirty-three quarter'; reconstructed from the graded sequence	0.62
60	Waist extended at top edge minimum	43			1.00
61	Low hip placement from top waist	6			1.00
62	3 point low hip	44 1/2			1.00
63	Front rise straight to top waist	10 3/4			1.00
64	Back rise straight to top waist	16			1.00
65	Short leg opening	30			1.00
66	Inseam short	2 1/2			1.00
67	Outseam from top waist	11 3/8			1.00
68	Fly stitch length below waist seam	5 1/4			1.00
69	Fly stitch width	1 1/8			1.00
70	Hem height	1/2			1.00
71	Front leg depth 3 inch from center front top edge relaxed	11 5/8			1.00
72	Back leg depth 3 inch from center back top edge relaxed	12 7/8			1.00
73	Saddle width 2 inch up from crotch	8 1/2			1.00
74	Button space on fly front	2			1.00
75	Button position from waist edge	1 1/4			1.00
76	On-seam pocket hem height	1/4			1.00
77	Pocket position from below waist edge	1			1.00
78	Pocket bag length	9			1.00
79	Pocket bag width	6 1/2			1.00

Construction

No	Item	Value	Note	Conf
7	Side seam notch		One notch missing	1.00
8	Lining		Single jersey used instead of lining; actual	1.00

Shrinkage

No	Item	Value	Note	Conf
1	Shell average shrinkage length	1%		1.00
2	Shell average shrinkage width	0%		1.00
3	Jersey shrinkage length	1 1/2%		1.00
4	Jersey shrinkage width	0%		1.00

Mini marker

No	Item	Value	Note	Conf
5	Mini marker consumption	52.92 cm	mini marker based on three	0.95
6	YY on jersey	15.7 cm		0.95

Comments and vendor actions

No	Item	Value	Note	Conf
80	Overall press		Press is very hard; use light press and avoid creases	1.00
81	Main label		Red thread seam grinning; ensure it is not present	1.00
82	Bottom hem		Broken stitch; maintain seams and prevent stitch breaking	1.00