

SIZE SET INSPECTION REPORT

STYLE NO# -

DIVISION -

Date: -

DESCRIPTION: -

COLOUR: -

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL		✓			POLYBAG					BUTTON		✓			PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING			✓		FOLDING					LINING					AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER					PH				

PATTERN CHECK LIST

Grain Line: Aligned
Notches: -
Graded Nest: OK
Corrections Implemnted: -
YY/ Mini Marker: 0.76, two-way; one garment one-way

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: -
Cut Quantity: -
Size Set Inspection Result: -

SHRINKAGE SHELL: L 2.4% to 2.8%, W 0.8%

DETAILED COMMENTS

- (1) Fabric colour tone/quality differs from approved FOB
- (2) PP placket is flat; fit sample has crinkle effect
- (3) Elastic appears tighter and width differs slightly
- (4) Buttons have no shanking and garment is gaping
- (5) Label needs printing

MEASUREMENT (SPEC ATTACHED)

Result: -
Graded Nest: OK
Corrections To Be Done: Use correct fabric quality as per FOB; retain crinkle effect on placket; add shanking to buttons to prevent gaping
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: -

ACTION TO BE TAKEN BY VENDOR

- Use correct approved fabric quality
- Carry crinkle effect onto placket
- Maintain approved elastic width and appearance
- Add shanking to buttons
- Print label as approved

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Extracted from recording · Source: Recording_20 · 101 rows · 7 need review (shown in red)

Size M (30)

No	Point of measure	Measured	Dev	Note	Conf
6	Waist position from HPS	13	+1/8		1.00
7	Shoulder seam	1 3/8	+1/8	Spoken as 1.38	0.98
8	Shoulder seam forward at neck	5/8	+1/8		1.00
9	Shoulder seam forward at armhole	5/8		Called armhole immediately after forward-at-neck measurement	0.76
10	Across shoulder seam to seam	12 3/4	-1/8		1.00
11	Across front, 5 inches from HPS	11 1/4	-1/4		1.00
12	Armhole	9			1.00
13	Across back, 5 inches below	13 1/4			1.00
14	Chest, 1 inch below armhole	38	-1/2		1.00
15	Waist	35			1.00
16	Bottom opening straight	39	-1/4	Position stated as 5 1/2	0.94
17	Front shirt length	2 3/4	+1/4		0.88
18	Back shirt length	1 3/4			0.88
19	Sleeve length	6 3/4			1.00
20	Sleeve opening relaxed	12			1.00
21	Sleeve opening extended	17 1/2			1.00
22	Neck width seam to seam	7 1/4		Spoken as seven quarter	0.90
23	Front neck drop	3 7/8			0.90
24	Back neck drop	1/2	-1/8		0.92
25	Collar length at neck band seam	15 3/8	-1/8		1.00
26	Collar length at outer edge	16 1/8			0.96
27	Neck band height at center back	3/4			1.00
28	Collar point	2 1/4			0.95
29	Button position from below neck seam	8 1/4			0.94
30	Button position from bottom edge	2			1.00
31	Center front placket width	3/4			1.00
32	Side seam tie position from underarm	4 1/2			0.96
33	Side seam tie length	24 3/4			1.00
34	Tie width	1/4			0.90
35	Hem height	1/4			0.90

Size L (17)

No	Point of measure	Measured	Dev	Note	Conf
36	Front length	22 5/8			1.00
37	Waist position from HPS	14 1/8			1.00
38	Across shoulder	13 1/2	-1/8		0.94
39	Across front	12	+1/8	Field was indistinctly spoken as pipe	0.62
40	Neck width	7 1/2			1.00
41	Front neck drop	4	-1/8		1.00
42	Chest, 1 inch below armhole	41			1.00
43	Waist	38			1.00
44	Bottom	42	-1/2		1.00
45	Armhole	9 5/8			1.00
46	Sleeve length	7 1/8			1.00
47	Sleeve opening relaxed	13 1/4	+1/2	Field inferred from sequence before extended opening	0.72
48	Sleeve opening extended	19 1/2		Initially called 18 3/4, then corrected to 19 1/2	0.78
49	Side seam tie position from underarm	4 5/8			0.94
50	Side seam tie length	25 1/2	-1		1.00
51	Tie width	1/4			0.90
52	Bottom fold	1/4			0.90

Size XXS (29)

No	Point of measure	Measured	Dev	Note	Conf
53	Front length	21 1/8	-1/8	Spoken as 21 8; reconstructed as 21 1/8	0.64
54	Bodice	12 3/8			1.00
55	Shoulder slope	1 3/8			0.95
56	Shoulder seam forward	5/8			0.92
57	Across shoulder	11 1/4			1.00
58	Across front, position 5	9 3/4	+1/4		1.00
59	Across back, position 5	11 3/4			1.00
60	Chest, 1 inch below armhole	32			1.00
61	Waist	29	+1/2		1.00
62	Bottom	33	-1/4		1.00
63	Sleeve length	6			1.00
64	Armhole	7 7/8	+1/8		1.00
65	Sleeve opening relaxed	9 3/4			1.00
66	Sleeve opening extended	15 1/4			0.96
67	Neck width	6 1/2	-1/8		1.00
68	Front neck drop	3 1/2	+1/8		1.00
69	Back neck drop	1/2			0.95
70	Collar length at neck band seam	13 1/2			0.96
71	Collar length at outer edge	14 1/4			0.92
72	Neck band height	3/4			1.00
73	Collar height	2 1/4			0.96
74	Collar point	2 1/4			0.96
75	Center front placket width	3/4			1.00
76	Front shirt length	2 3/4			0.88
77	Back shirt length	1 3/4			0.88
79	Side seam tie placement	4 3/8	+1/8		1.00
80	Side seam tie length	23 1/4	+1	A reading of 21 3/4 was raised, then final value reconfirmed as 23 1/4	0.72
81	Tie width	1/4			1.00
82	Bottom fold	1/4			1.00

Construction

No	Item	Value	Note	Conf
1	Front and back grading		Shoulder slope, arm grading, waist grading and bottom reviewed as OK; panels aligned	0.85
2	Visual appearance		Colour tone differs between samples	0.95
3	Placket appearance		PP placket is flat while fit sample carries crinkle effect	0.98
4	Elastic		Tighter and slight width difference observed	0.90
5	Construction overall		Collar, body, front, back and five buttons reviewed; construction stated OK	0.95
78	Button shanking		No shanking; gaping visible at buttonhole	1.00

Bill of materials

No	Item	Value	Note	Conf
83	Main fabric RMP solid	91%	Remaining 9% fibre content was not clearly identified	0.70
84	Buttons		Fox shell buttons	0.90
85	Thread		Vardhman Co. eco thread	0.96
86	Main label and side label thread		Eco thread	0.86
87	Interlining		Code EG9231DR; compatibility report cited 9231DR	0.92
88	Elastic	1/4	White colour	0.95

Shrinkage

No	Item	Value	Note	Conf
89	Test row 1 length	2.4%		1.00
90	Test row 1 width	0.8%		1.00
91	Test row 2 length	2.8%		1.00
92	Test row 2 width	0.8%		1.00
93	Test row 3 length	2.4%		1.00
94	Test row 3 width	0.8%		1.00
95	Shrinkage control	3%	All results stated acceptable and under control limit	1.00

Mini marker

No	Item	Value	Note	Conf
96	Marker direction		Two-way marker; each individual garment maintained one-way orientation	0.96
97	YY consumption	0.76		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
98	Fabric quality		Not as per approved FOB; use correct quality	0.98
99	Placket crinkle		Retain crinkle effect instead of making placket flat	0.98
100	Button shanking		Add shanking to prevent gaping	1.00
101	Production		Inspector instructed factory to begin cutting	1.00