

SIZE SET INSPECTION REPORT

STYLE NO# 9662

DESCRIPTION: -

DIVISION -

Date: -

COLOUR: -

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR			✓		LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE			✓		PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER		✓			PH				

* HOOK EYE/BAR: Above zipper
* WASHCARE: As per destination
* ZIPPER: Gaping and puckering; improve workmanship

PATTERN CHECK LIST

Grain Line: OK
Notches: OK
Graded Nest: OK
Corrections Implemnted: OK
YY/ Mini Marker: Shirring average = 0.98 meter; belt = 0.12 meter; lining = 0.83 meter

Planned Size Set Submission Date: 8 July
Actual Submission Date: 9 July
PCD: 5-8-2026
Cut Quantity: 66
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 0% W = 0%

DETAILED COMMENTS

- (1) Zipper gaping more at left underarm side
- (2) Roping at hem
- (3) Lot matching with FOB
- (4) Pilling and abrasion inside shell
- (5) Streak mark fabric defect closure awaited
- (6) Fraying yarn at belt
- (7) Tight stitch at side seam/princess seam
- (8) Puckering at zipper

MEASUREMENT (SPEC ATTACHED)

Result: FAIL CONDITIONALLY
Graded Nest: OK
Corrections To Be Done: Correct roping at hem; use approved fabric lot only; obtain NY closure for streak mark; prevent fraying yarn at belt; correct tight stitching at side seam/princess seam; correct zipper puckering and gaping
Bring Back To Specs: Front bodice length

Cutting Check: Not OK
Seam Allowance: OK
Corrections Implemented: Not OK

LINING: L = 0% W = 0%

ACTION TO BE TAKEN BY VENDOR

- Improve zipper workmanship and control stitching at armhole.
- Correct feeding of top and bottom layers while stitching bias area.
- Use only the approved lot for bulk.
- Closure received from NY through mail and physical sample.
- Do not cut bulk until approved by NY.
- Use air pipe for belt operation.
- Loosen machine tension.
- Mark and distribute zipper and body evenly; loosen machine tension.

OVERALL: Size set is passed with correction. Do not cut bulk till streak mark closure approved from NY.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STATUS: FNL

STYLE: 9662

9662 OCCASION SHORT SLV MINI

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS
 Division / Dept: 02 / 039
 Season: HOLIDAY-B 2026
 Style Desc: 9662 OCCASION SHORT SLV MINI
 Fit / Other:

GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW DRESS/JUMPER/IOV
 POM Descr : GRADE SPECIFICATIONS
 Block :
 Modified By : JEANCHARV
 Sizes Measured : M, L, XL, XXS, S

Size Range : XXS, XS, S, M, L, XL, XXL
 Base Size : M
 Grading Method/UM : Incremental / IN
 Status : FNL
 Measurement Result : FAIL CONDITIONALLY (5 of 49 out of tolerance)

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
0.00B	DISCLAIMER (Wvn): Measure Gmts in Circumference	0	0	-	-	-	-	-	-	-
0.00Z	DRESS LENGTH FROM HPS (ON FORM) - REF ONLY	0	0	-	-	-	34 1/2 spec	-	-	-
1.01C	DRESS LENGTH FROM HPS	-1/2	+1/2	32 1/4 ?? 100%	33 spec	33 3/4 -1/4 100%	34 1/2 -1/8 100%	35 3/4 -1/4 100%	37 ?? 100%	38 1/4 spec
1.01C	LINING - DRESS LENGTH FROM HPS	-1/2	+1/2	31 1/4 ?? 100%	32 spec	32 3/4 -1/4 100%	33 1/2 -3/8 80%	34 3/4 -1/4 100%	36 -1/4 100%	37 1/4 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 ?? 100%	3/4 spec	3/4 ?? 100%	3/4 spec	3/4 ?? 100%	3/4 ?? 100%	3/4 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	5/8 ?? 100%	5/8 spec	5/8 ?? 100%	5/8 ?? 100%	5/8 ?? 100%	5/8 ?? 100%	5/8 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 -1/4 100%	12 1/2 spec	13 -1/4 100%	13 1/2 -1/4 100%	14 1/4 -1/8 100%	15 -1/4 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 ?? 100%	5 spec	5 ?? 55%	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 1/8 -1/8 100%	10 5/8 spec	11 1/8 -1/8 100%	11 5/8 -1/8 75%	12 3/8 -1/8 100%	13 1/8 -1/8 100%	13 7/8 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 ?? 100%	5 spec	5 ?? 100%	5 ?? 100%	5 ?? 65%	5 ?? 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 1/2 -1/8 100%	12 spec	12 1/2 -1/8 100%	13 ?? 100%	13 3/4 ?? 100%	14 1/2 ?? 100%	15 1/4 spec
1.29F	FRONT BODICE LENGTH FROM HPS	-1/4	+1/4	12 3/4 -3/8 100%	13 1/8 spec	13 1/2 -1/2 100%	13 7/8 -1/2 75%	14 1/2 -1/2 100%	15 1/4 -1/2 100%	16 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 1/4 ?? 100%	1 3/8 spec	1 1/2 ?? 100%	1 5/8 ?? 75%	2 ?? 100%	2 1/2 +1/8 100%	3 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 1/8 -1/8 100%	4 1/8 spec	4 1/8 -1/8 100%	4 1/8 -1/8 75%	4 1/4 ?? 100%	4 1/2 ?? 100%	4 3/4 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	30 1/2 -3/8 100%	32 1/2 spec	34 1/2 -1/2 100%	36 1/2 -1/2 100%	39 1/2 -1/2 100%	42 1/2 -1/2 100%	46 1/2 spec
1.28B	FRONT CHEST SS TO CF - EACH SIDE	-1/4	+1/4	7 7/8 ?? 100%	8 3/8 spec	8 7/8 +1/8 100%	9 3/8 -1/8 75%	10 1/8 -1/4 100%	10 7/8 -1/8 100%	11 7/8 spec
1.30A	WAIST AT EMPIRE - STRAIGHT	-3/4	+3/4	26 -1/4 100%	28 spec	30 -1/4 100%	32 -1/4 100%	35 -1/4 100%	38 ?? 100%	42 spec
4.22A	BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ?? 100%	54 spec	56 ?? 100%	58 +1 100%	61 ?? 100%	64 ?? 100%	68 spec
4.22A	LINING - BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ?? 100%	54 spec	56 ?? 100%	58 ?? 100%	61 ?? 100%	64 ?? 100%	68 spec
4.27A	BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ?? 100%	3/16 spec	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 spec
4.27A	LINING - BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ?? 100%	3/16 spec	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	8 1/8 -1/8 100%	8 1/2 spec	8 7/8 ?? 100%	9 1/4 -1/4 100%	9 7/8 ?? 100%	10 1/2 ?? 100%	11 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE	-1/4	+1/4	4 7/8 ?? 100%	5 1/8 spec	5 3/8 +1/8 100%	5 5/8 ?? 75%	6 ?? 100%	6 3/8 ?? 85%	6 7/8 spec
3.19B	SLEEVE OPENING ALONG EDGE (S/S)	-1/4	+1/4	10 3/4 -1/4 100%	11 1/2 spec	12 1/4 -1/4 100%	13 ?? 65%	14 1/4 -1/4 100%	15 1/2 ?? 100%	17 spec
3.23A	SLEEVE HEM LACE TRIM HEIGHT	-1/8	+1/8	1 ?? 100%	1 spec	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 spec
2.05C	NECK WIDTH EDGE TO EDGE	-1/4	+1/4	8 ?? 100%	8 1/4 spec	8 1/2 ?? 100%	8 3/4 spec	9 ?? 100%	9 1/4 ?? 100%	9 1/2 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 3/4 ?? 100%	9 7/8 spec	10 ?? 100%	10 1/8 spec	10 1/4 -1/8 100%	10 3/8 ?? 100%	10 1/2 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1 ?? 100%	1 spec	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 spec
7.09B GR	BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT	-1/2	+1/2	28 1/2 ?? 100%	29 spec	29 1/2 ?? 100%	30 spec	30 3/4 spec	31 1/2 ?? 100%	32 1/2 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
7.10A	SIDE SEAM BELT/TIE WIDTH	-1/8	+1/8	1 1/4 ?? 100%	1 1/4 spec	1 1/4 ?? 100%	1 1/4 ?? spec	1 1/4 ?? 100%	1 1/4 ?? 100%	1 1/4 spec
7.02C GR	SIDE SEAM ZIPPER LENGTH	-1/4	+1/4	10 ?? 100%	10 1/2 spec	11 ?? 100%	11 1/2 ?? 100%	12 ?? 100%	12 1/2 ?? 100%	13 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. An orange outline = outside tolerance. Blue figures = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking.** Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

1.29F FRONT BODICE LENGTH FROM HPS — size M: measured 13 3/8 against 13 7/8, -1/2

1.29F FRONT BODICE LENGTH FROM HPS — size L: measured 14 against 14 1/2, -1/2

1.29F FRONT BODICE LENGTH FROM HPS — size XL: measured 14 3/4 against 15 1/4, -1/2

1.29F FRONT BODICE LENGTH FROM HPS — size XXS: measured 12 3/8 against 12 3/4, -3/8

1.29F FRONT BODICE LENGTH FROM HPS — size S: measured 13 against 13 1/2, -1/2

90 of 139 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.

?? 2.02A SHOULDER SLOPE FROM HPS — size M: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured

?? 1.22A ACROSS FRONT POSITION FROM HPS — size M: spec 5, spoken as "Across front position from HPS", no deviation or okay captured

?? 1.24A ACROSS BACK POSITION FROM HPS — size M: spec 5, spoken as "Across back position", no deviation or okay captured

?? 1.25A ACROSS BACK SEAM TO SEAM — size M: spec 13, spoken as "Across back seam to seam", no deviation or okay captured

?? 1.08C CF BODICE LENGTH TO EMPIRE — size M: spec 1 5/8, spoken as "Center front length to empire", no deviation or okay captured

?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size M: spec 58, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured

?? 4.27A BOTTOM HEM HEIGHT — size M: spec 3/16, spoken as "Bottom hemline", no deviation or okay captured

?? 4.27A LINING - BOTTOM HEM HEIGHT — size M: spec 3/16, spoken as "Lining bottom hemline", no deviation or okay captured

?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size M: spec 5 5/8, spoken as "Sleeve length from armhole including lace", no deviation or okay captured

?? 3.19B SLEEVE OPENING ALONG EDGE (S/S) — size M: spec 13, spoken as "Sleeve opening along edge", no deviation or okay captured

?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size M: spec 1, spoken as "Sleeve hem trim height", no deviation or okay captured

?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size M: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured

?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size M: spec 11 1/2, spoken as "Side seam zipper length", no deviation or okay captured

?? 2.01A SHOULDER SEAM FORWARD — size L: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured

?? 2.02A SHOULDER SLOPE FROM HPS — size L: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured

?? 1.22A ACROSS FRONT POSITION FROM HPS — size L: spec 5, spoken as "Across front position from HPS", no deviation or okay captured

?? 1.24A ACROSS BACK POSITION FROM HPS — size L: spec 5, spoken as "Across back position from HPS", no deviation or okay captured

?? 1.25A ACROSS BACK SEAM TO SEAM — size L: spec 13 3/4, spoken as "Across back seam to seam", no deviation or okay captured

?? 1.08C CF BODICE LENGTH TO EMPIRE — size L: spec 2, spoken as "Center front bodice length to empire", no deviation or okay captured

?? 1.09C BODICE LENGTH AT SIDE SEAM — size L: spec 4 1/4, spoken as "Bodice length at side seam", no deviation or okay captured

?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size L: spec 61, spoken as "Bottom sweep curve along edge", no deviation or okay captured

?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size L: spec 61, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured

?? 4.27A BOTTOM HEM HEIGHT — size L: spec 3/16, spoken as "Bottom hemline", no deviation or okay captured

?? 4.27A LINING - BOTTOM HEM HEIGHT — size L: spec 3/16, spoken as "Lining bottom hemline", no deviation or okay captured

?? 3.06B ARMHOLE STRAIGHT — size L: spec 9 7/8, spoken as "Armhole straight", no deviation or okay captured

?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size L: spec 6, spoken as "Sleeve length from armhole including lace", no deviation or okay captured

?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size L: spec 1, spoken as "Sleeve hem trim height", no deviation or okay captured

?? 2.05C NECK WIDTH EDGE TO EDGE — size L: spec 9, spoken as "Neck width edge to edge", no deviation or okay captured

?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size L: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured

?? 7.10A SIDE SEAM BELT/TIE WIDTH — size L: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured

?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size L: spec 12, spoken as "Side seam zipper length", no deviation or okay captured

?? 1.01C DRESS LENGTH FROM HPS — size XL: spec 37, spoken as "Dress length from HPS", no deviation or okay captured

?? 2.01A SHOULDER SEAM FORWARD — size XL: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured

?? 2.02A SHOULDER SLOPE FROM HPS — size XL: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured

?? 1.22A ACROSS FRONT POSITION FROM HPS — size XL: spec 5, spoken as "Across front position from HPS", no deviation or okay captured

?? 1.24A ACROSS BACK POSITION FROM HPS — size XL: spec 5, spoken as "Across back position from HPS", no deviation or okay captured

?? 1.25A ACROSS BACK SEAM TO SEAM — size XL: spec 14 1/2, spoken as "Across back seam to seam", no deviation or okay captured

?? 1.09C BODICE LENGTH AT SIDE SEAM — size XL: spec 4 1/2, spoken as "Bodice length at side seam", no deviation or okay captured
?? 1.30A WAIST AT EMPIRE - STRAIGHT — size XL: spec 38, spoken as "Waist at empire straight", no deviation or okay captured
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size XL: spec 64, spoken as "Bottom sweep curve along edge", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size XL: spec 64, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size XL: spec 3/16, spoken as "Bottom hemline shell", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size XL: spec 3/16, spoken as "Lining bottom hemline", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size XL: spec 10 1/2, spoken as "Armhole straight", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size XL: spec 6 3/8, spoken as "Sleeve length from armhole including lace", no deviation or okay captured
?? 3.19B SLEEVE OPENING ALONG EDGE (S/S) — size XL: spec 15 1/2, spoken as "Sleeve opening along edge", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size XL: spec 1, spoken as "Sleeve hem trim height", no deviation or okay captured
?? 2.05C NECK WIDTH EDGE TO EDGE — size XL: spec 9 1/4, spoken as "Neck width edge to edge", no deviation or okay captured
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size XL: spec 10 3/8, spoken as "Front neck drop from HPS to edge", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XL: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size XL: spec 31 1/2, spoken as "Belt tie from side seam to longest point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size XL: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size XL: spec 12 1/2, spoken as "Side seam zipper length", no deviation or okay captured
?? 1.01C DRESS LENGTH FROM HPS — size XXS: spec 32 1/4, spoken as "Dress length from HPS", no deviation or okay captured
?? 1.01C LINING - DRESS LENGTH FROM HPS — size XXS: spec 31 1/4, spoken as "Lining dress length from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size XXS: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size XXS: spec 5/8, spoken as "Shoulder slope", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size XXS: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size XXS: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size XXS: spec 1 1/4, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 1.28B FRONT CHEST SS TO CF - EACH SIDE — size XXS: spec 7 7/8, spoken as "Front chest side seam to center front each side", no deviation or okay captured
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size XXS: spec 52, spoken as "Bottom sweep curve along edge", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size XXS: spec 52, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size XXS: spec 3/16, spoken as "Bottom hem height", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size XXS: spec 3/16, spoken as "Lining bottom hem height", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size XXS: spec 4 7/8, spoken as "Sleeve length from armhole including lace", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size XXS: spec 1, spoken as "Sleeve hem trim height", no deviation or okay captured
?? 2.05C NECK WIDTH EDGE TO EDGE — size XXS: spec 8, spoken as "Neck width edge to edge", no deviation or okay captured
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size XXS: spec 9 3/4, spoken as "Front neck drop from HPS to edge", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XXS: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size XXS: spec 28 1/2, spoken as "Back tie from side seam to longest point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size XXS: spec 1 1/4, spoken as "Side seam back tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size XXS: spec 10, spoken as "Side seam zipper length", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size S: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size S: spec 5/8, spoken as "Shoulder slope", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size S: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size S: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size S: spec 1 1/2, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size S: spec 56, spoken as "Bottom sweep curve along edge", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size S: spec 56, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size S: spec 3/16, spoken as "Bottom hemline", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size S: spec 3/16, spoken as "Lining bottom hemline", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size S: spec 8 7/8, spoken as "Armhole straight", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size S: spec 1, spoken as "Sleeve hem trim height", no deviation or okay captured
?? 2.05C NECK WIDTH EDGE TO EDGE — size S: spec 8 1/2, spoken as "Neck width edge to edge", no deviation or okay captured
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size S: spec 10, spoken as "Front neck drop from HPS to edge", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size S: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size S: spec 29 1/2, spoken as "Belt tie from side seam to longest point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size S: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size S: spec 11, spoken as "Side seam zipper length", no deviation or okay captured

Generated from Recording_9662(1)(1) and checked against style_9662_clean.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 9662 · Pass with comment · Source: Recording_9662(1)(1) · 166 rows · 12 need review (shown in red)

Size M (24)

No	Point of measure	Measured	Dev	Note	Conf
23	Dress length from HPS	34	-1/8		1.00
24	Lining length from HPS	36	-3/8		0.80
25	Shoulder slope from HPS	1/2			1.00
26	Across shoulder seam to seam	13	-1/4		1.00
27	Across front position from HPS	5			1.00
28	Across front seam to seam	11 5/8	-1/8	Fraction spoken in abbreviated form	0.75
29	Across back position	5			1.00
30	Across back seam to seam	13			1.00
31	Front bodice length from HPS	13 7/8	-1/2	Fraction spoken in abbreviated form	0.75
32	Center front length to empire	1 5/8		Fraction spoken in abbreviated form	0.75
33	Bodice length at side seam	4 1/8	-1/8	Fraction spoken in abbreviated form	0.75
34	Chest 1 inch below armhole, side seam to side seam	36 1/2	-1/2		1.00
35	Front chest side seam to center front each side	9 3/8	-1/8	Fraction spoken in abbreviated form	0.75
36	Waist at empire straight	32	-1/4		1.00
37	Bottom sweep curve along edge	58	+1		1.00
38	Lining bottom sweep curve along edge	58			1.00
39	Bottom hemline	3/16			1.00
40	Lining bottom hemline	3/16			1.00
41	Armhole straight	9 1/4	-1/4		1.00
42	Sleeve length from armhole including lace	5 5/8		Fraction spoken in abbreviated form	0.75
43	Sleeve opening along edge	13		Field inferred from measurement sequence	0.65
44	Sleeve hem trim height	1			1.00
45	Back neck drop from HPS to edge	1			1.00
46	Side seam zipper length	11 1/2			1.00

Size L (28)

No	Point of measure	Measured	Dev	Note	Conf
47	Dress length from HPS	35 3/4	-1/4		1.00
48	Lining dress length from HPS	34 3/4	-1/4		1.00
49	Shoulder seam forward	3/4			1.00
50	Shoulder slope from HPS	5/8			1.00
51	Across shoulder seam to seam	14 1/4	-1/8		1.00
52	Across front position from HPS	5			1.00
53	Across front seam to seam	12 3/8	-1/8		1.00
54	Across back position from HPS	5/8		Value sounds unusual but was stated this way	0.65
55	Across back seam to seam	13 3/4			1.00
56	Front bodice length from HPS	14 1/2	-1/2		1.00
57	Center front bodice length to empire	2			1.00
58	Bodice length at side seam	4 1/4			1.00
59	Chest 1 inch below armhole, side seam to side seam	39 1/2	-1/2		1.00
60	Front chest side seam to center front each side	10 1/8	-1/4		1.00
61	Waist at empire straight	35	-1/4		1.00
62	Bottom sweep curve along edge	61			1.00
63	Lining bottom sweep curve along edge	61			1.00
64	Bottom hemline	3/16			1.00
65	Lining bottom hemline	3/16			1.00
66	Armhole straight	9 7/8			1.00
67	Sleeve length from armhole including lace	6			1.00
68	Sleeve opening along edge side seam to side seam	14 1/4	-1/4		1.00
69	Sleeve hem trim height	1			1.00
70	Neck width edge to edge	9			1.00
71	Front neck drop from HPS to edge	10 1/4	-1/8		1.00
72	Back neck drop from HPS to edge	1			1.00
73	Side seam belt tie width	1/4			1.00
74	Side seam zipper length	12			1.00

Size XL (29)

No	Point of measure	Measured	Dev	Note	Conf
75	Dress length from HPS	37			1.00
76	Lining dress length from HPS	36	-1/4		1.00
77	Shoulder seam forward	3/4			1.00
78	Shoulder slope from HPS	5/8			1.00
79	Across shoulder seam to seam	15	-1/4		1.00
80	Across front position from HPS	5			1.00
81	Across front seam to seam	13 1/8	-1/8		1.00
82	Across back position from HPS	5			1.00
83	Across back seam to seam	14 1/2			1.00
84	Front bodice length from HPS	15 1/4	-1/2		1.00
85	Center front bodice length to empire	2 1/2	+1/8		1.00
86	Bodice length at side seam	4 1/2			1.00
87	Chest 1 inch below armhole, side seam to side seam	42 1/2	-1/2		1.00
88	Front chest side seam to center front each side	10 7/8	-1/8		1.00
89	Waist at empire straight	38			1.00
90	Bottom sweep curve along edge	64			1.00
91	Lining bottom sweep curve along edge	64			1.00
92	Bottom hemline shell	3/16			1.00
93	Lining bottom hemline	3/16			1.00
94	Armhole straight	10 1/2			1.00
95	Sleeve length from armhole including lace	6 3/8		Recognized as 638	0.85
96	Sleeve opening along edge	15 1/2			1.00
97	Sleeve hem trim height	1			1.00
98	Neck width edge to edge	9 1/4			1.00
99	Front neck drop from HPS to edge	10 3/8			1.00
100	Back neck drop from HPS to edge	1			1.00
101	Belt tie from side seam to longest point	31 1/2			1.00
102	Side seam belt tie width	1/4			1.00
103	Side seam zipper length	12 1/2			1.00

Size XXS (29)

No	Point of measure	Measured	Dev	Note	Conf
104	Dress length from HPS	32 1/4			1.00
105	Lining dress length from HPS	31 1/4			1.00
106	Shoulder seam forward	3/4			1.00
107	Shoulder slope	5/8			1.00
108	Across shoulder seam to seam	12	-1/4		1.00
109	Across front position from HPS	5			1.00
110	Across front seam to seam	10 1/8	-1/8		1.00
111	Across back position from HPS	5			1.00
112	Across back seam to seam	11 1/2	-1/8		1.00
113	Front bodice length from HPS	12 3/4	-3/8		1.00
114	Center front bodice length to empire	1 1/4			1.00
115	Bodice length at side seam	4 1/8	-1/8		1.00
116	Chest 1 inch below armhole, side seam to side seam	30 1/2	-3/8		1.00
117	Front chest side seam to center front each side	7 7/8			1.00
118	Waist at empire straight	26	-1/4		1.00
119	Bottom sweep curve along edge	52			1.00
120	Lining bottom sweep curve along edge	52			1.00
121	Bottom hem height	3/16			1.00
122	Lining bottom hem height	3/16			1.00
123	Armhole straight	8 1/8	-1/8		1.00
124	Sleeve length from armhole including lace	4 7/8			1.00
125	Sleeve opening along edge	10 3/4	-1/4		1.00
126	Sleeve hem trim height	1			1.00
127	Neck width edge to edge	8			1.00
128	Front neck drop from HPS to edge	9 3/4			1.00
129	Back neck drop from HPS to edge	1			1.00
130	Back tie from side seam to longest point	28 1/2			1.00
131	Side seam back tie width	1/4			1.00
132	Side seam zipper length	10			1.00

Size S (29)

No	Point of measure	Measured	Dev	Note	Conf
133	Dress length from HPS	33 3/4	-1/4		1.00
134	Lining dress length from HPS	32 3/4	-1/4		1.00
135	Shoulder seam forward	3/4			1.00
136	Shoulder slope	5/8			1.00
137	Across shoulder seam to seam	13	-1/4		1.00
138	Across front position from HPS	5 1/8		Audio said 'five eight'; interpretation uncertain	0.55
139	Across front seam to seam	11 1/8	-1/8		1.00
140	Across back position from HPS	5			1.00
141	Across back seam to seam	12 1/2	-1/8		1.00
142	Front bodice length from HPS	13 1/2	-1/2		1.00
143	Center front bodice length to empire	1 1/2			1.00
144	Bodice length at side seam	4 1/8	-1/8		1.00
145	Chest 1 inch below armhole, side seam to side seam	34 1/2	-1/2		1.00
146	Front chest side seam to center front each side	8 7/8	+1/8		1.00
147	Waist at empire straight	30	-1/4		1.00
148	Bottom sweep curve along edge	56			1.00
149	Lining bottom sweep curve along edge	56			1.00
150	Bottom hemline	3/16			1.00
151	Lining bottom hemline	3/16			1.00
152	Armhole straight	8 7/8			1.00
153	Sleeve length from armhole including lace	5 3/8	+1/8		1.00
154	Sleeve opening along edge	12 1/4	-1/4		1.00
155	Sleeve hem trim height	1			1.00
156	Neck width edge to edge	8 1/2			1.00
157	Front neck drop from HPS to edge	10			1.00
158	Back neck drop from HPS to edge	1			1.00
159	Belt tie from side seam to longest point	29 1/2			1.00
160	Side seam belt tie width	1/4			1.00
161	Side seam zipper length	11			1.00

Construction

No	Item	Value	Note	Conf
11	Sleeve opening construction	OK		1.00
12	Lining waist seam construction	OK		1.00
13	Armhole construction	OK		1.00
14	Side seam construction	OK		1.00
15	Bottom hem and appearance	OK		1.00
16	Inside neck-shape construction	OK		1.00
17	Neck pleat finished with lining	OK		1.00
18	Cap sleeve with light shirring at cap	OK		1.00
19	Shirring centered with upper chest bust	OK		1.00
20	Two-ply tie with tacking	1/4	Construction OK	1.00
21	Back waist dart	OK		1.00
22	Baby hem	OK		1.00

Bill of materials

No	Item	Value	Note	Conf
8	Shell	Gum drop velvet		1.00
9	Lining	American crepe		1.00
10	Tie	Satin		1.00

Shrinkage

No	Item	Value	Note	Conf
4	Shell length shrinkage	0%	No shrinkage added to pattern	0.90
5	Shell width shrinkage	0%	Stated as 0-0	0.80

No	Item	Value	Note	Conf
6	Lining length shrinkage	0%	Stated as 0-0	0.90
7	Lining width shrinkage	0%	Stated as 0-0	0.80

Mini marker

No	Item	Value	Note	Conf
1	Shirring average consumption	0.98 meter		1.00
2	Belt consumption	0.12 meter		1.00
3	Lining consumption	0.83 meter		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
162	Roping at hem	Defect	Improper feeding of top and bottom layers at bias area	1.00
163	Fabric streak mark	Closure awaited	Do not cut bulk until NY approval	1.00
164	Fraying yarn at belt	Defect	Use air pipe for belt operation	1.00
165	Tight stitch at side seam/princess seam	Defect	Loose machine tension	1.00
166	Zipper puckering	Defect	Distribute zipper and body evenly by marking; loosen machine tension	1.00