

# SIZE SET INSPECTION REPORT

STYLE NO# 662

DIVISION -

Date: -

DESCRIPTION: -

COLOUR: -

## ACCESSORIES CHECKLIST

| ACCESSORIES | MIS | ALT | ACT | PLA | ACCESSORIES              | MIS | ALT | ACT | PLA | ACCESSORIES  | MIS | ALT | ACT | PLA | ACCESSORIES             | MIS | ALT | ACT | PLA |
|-------------|-----|-----|-----|-----|--------------------------|-----|-----|-----|-----|--------------|-----|-----|-----|-----|-------------------------|-----|-----|-----|-----|
| MAIN LABEL  |     |     | ✓   |     | POLYBAG                  |     |     |     |     | BUTTON       |     |     |     |     | PRINT                   |     |     |     |     |
| BOOK FOLD   |     |     |     |     | POLY BAG STICKER         |     |     |     |     | HOOK EYE/BAR |     |     | ✓   |     | LAYOUT                  |     |     |     |     |
| FCTY CODE   |     |     |     |     | LOT STICKER              |     |     |     |     | LACE         |     |     | ✓   |     | EMB THREAD COLOR        |     |     |     |     |
| HANG TAG    |     |     |     |     | PRE PACK STICKER         |     |     |     |     | BUCKLE       |     |     |     |     | PLACEMENT               |     |     |     |     |
| HANGER      |     |     |     |     | CARTON MARKINGS          |     |     |     |     | SNAP         |     |     |     |     | BEADS/SEQUINS           |     |     |     |     |
| WASHCARE    |     |     | ✓   |     | PLACEMENT<br>UPC/P.PACK  |     |     |     |     | THREAD       |     |     | ✓   |     | BEADS/SEQUINS<br>LAYOUT |     |     |     |     |
| INTERLINING |     |     |     |     | FOLDING                  |     |     |     |     | LINING       |     |     | ✓   |     | AFTER TREATMENT         |     |     |     |     |
|             |     |     |     |     | SPARE BUTTON<br>POSITION |     |     |     |     | ZIPPER       |     | ✓   |     |     | PH                      |     |     |     |     |

\* HOOK EYE/BAR: Above zipper  
\* WASHCARE: As per destination  
\* ZIPPER: Gaping and puckering; improve workmanship

## PATTERN CHECK LIST

Grain Line: OK  
Notches: OK  
Graded Nest: OK  
Corrections Implemnted: OK  
YY/ Mini Marker: Shirring average 0.98 meter; belt 0.12 meter; lining 0.83 meter

Planned Size Set Submission Date: 8 July  
Actual Submission Date: 9 July  
PCD: 5-8-2026  
Cut Quantity: 66  
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 0 W = 0

## DETAILED COMMENTS

- (1) Zipper gaping more on left underarm side
- (2) Roping at hem
- (3) Lot matching with FOB
- (4) Pilling abrasion inside shell
- (5) Streak mark closure awaited from NY
- (6) Fraying yarn at belt
- (7) Tight stitch at side seam/princess seam
- (8) Puckering at zipper

## MEASUREMENT (SPEC ATTACHED)

Result: -  
Graded Nest: OK  
Corrections To Be Done: Improve zipper workmanship to avoid gaping and puckering; prevent roping at hem; use only approved bulk fabric lot; obtain NY closure for streak mark; use air pipe for belt operation; correct tight stitching at side/princess seam  
Bring Back To Specs: Front bodice measurement  
  
Cutting Check: OK  
Seam Allowance: OK  
Corrections Implemented: OK

LINING: L = 0 W = 0

## ACTION TO BE TAKEN BY VENDOR

- Improve zipper workmanship and secure stitching
- Correct feeding of top and bottom layers while stitching bias area
- Ensure only approved lot is used for bulk
- Closure received from NY through mail and physical sample
- Do not cut bulk until closure is approved
- Use air pipe for belt operation
- Loosen machine tension
- Distribute zipper and body evenly by marking and loosen machine tension

OVERALL: Size set is passed with correction. Do not cut bulk till streak mark closure approved from NY.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STATUS: FNL

STYLE: 9662

9662 OCCASION SHORT SLV MINI

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS  
 Division / Dept: 02 / 039  
 Season: HOLIDAY-B 2026  
 Style Desc: 9662 OCCASION SHORT SLV MINI  
 Fit / Other:

## GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW DRESS/JUMPER/IOV  
 POM Descr : GRADE SPECIFICATIONS  
 Block :  
 Modified By : JEANCHARV  
 Sizes Measured : M, L, XL, XXS, S

Size Range : XXS, XS, S, M, L, XL, XXL  
 Base Size : M  
 Grading Method/UM : Incremental / IN  
 Status : FNL  
 Measurement Result : FAIL CONDITIONALLY (5 of 51 out of tolerance)

| POM   | Description                                     | Tol- | Tol+ | XXS                    | XS *           | S                      | M                      | L                      | XL                     | XXL *          |
|-------|-------------------------------------------------|------|------|------------------------|----------------|------------------------|------------------------|------------------------|------------------------|----------------|
| 0.00B | DISCLAIMER (Wvn): Measure Gmts in Circumference | 0    | 0    | -                      | -              | -                      | -                      | -                      | -                      | -              |
| 0.00Z | DRESS LENGTH FROM HPS (ON FORM) - REF ONLY      | 0    | 0    | -                      | -              | -                      | 34 1/2<br>spec         | -                      | -                      | -              |
| 1.01C | DRESS LENGTH FROM HPS                           | -1/2 | +1/2 | 32 1/4<br>-3/8<br>100% | 33<br>spec     | 33 3/4<br>-1/4<br>100% | 34 1/2<br>-1/8<br>80%  | 35 3/4<br>-1/4<br>100% | 37<br>??<br>100%       | 38 1/4<br>spec |
| 1.01C | LINING - DRESS LENGTH FROM HPS                  | -1/2 | +1/2 | 31 1/4<br>-1/2<br>100% | 32<br>spec     | 32 3/4<br>-1/4<br>100% | 33 1/2<br>-3/8<br>75%  | 34 3/4<br>-1/4<br>100% | 36<br>-1/4<br>100%     | 37 1/4<br>spec |
| 2.01A | SHOULDER SEAM FORWARD                           | -1/8 | +1/8 | 3/4<br>??<br>100%      | 3/4<br>spec    | 3/4<br>??<br>100%      | 3/4<br>spec            | 3/4<br>??<br>100%      | 3/4<br>??<br>100%      | 3/4<br>spec    |
| 2.02A | SHOULDER SLOPE FROM HPS                         | -1/4 | +1/4 | 5/8<br>??<br>100%      | 5/8<br>spec    | 5/8<br>??<br>100%      | 5/8<br>??<br>100%      | 5/8<br>??<br>100%      | 5/8<br>??<br>100%      | 5/8<br>spec    |
| 1.20A | ACROSS SHOULDER SEAM TO SEAM                    | -1/4 | +1/4 | 12<br>-1/4<br>100%     | 12 1/2<br>spec | 13<br>-1/4<br>100%     | 13 1/2<br>-1/4<br>100% | 14 1/4<br>-1/8<br>100% | 15<br>-1/4<br>100%     | 15 3/4<br>spec |
| 1.22A | ACROSS FRONT POSITION FROM HPS                  | 0    | 0    | 5<br>??<br>100%        | 5<br>spec      | 5<br>??<br>100%        | 5<br>??<br>95%         | 5<br>??<br>100%        | 5<br>??<br>100%        | 5<br>spec      |
| 1.23A | ACROSS FRONT SEAM TO SEAM                       | -1/4 | +1/4 | 10 1/8<br>-1/8<br>100% | 10 5/8<br>spec | 11 1/8<br>-1/8<br>100% | 11 5/8<br>-1/8<br>58%  | 12 3/8<br>-1/8<br>100% | 13 1/8<br>-1/8<br>100% | 13 7/8<br>spec |
| 1.24A | ACROSS BACK POSITION FROM HPS                   | 0    | 0    | 5<br>??<br>100%        | 5<br>spec      | 5<br>??<br>100%        | 5<br>??<br>100%        | 5<br>??<br>65%         | 5<br>??<br>100%        | 5<br>spec      |
| 1.25A | ACROSS BACK SEAM TO SEAM                        | -1/4 | +1/4 | 11 1/2<br>-1/8<br>100% | 12<br>spec     | 12 1/2<br>-1/8<br>100% | 13<br>??<br>100%       | 13 3/4<br>??<br>100%   | 14 1/2<br>??<br>100%   | 15 1/4<br>spec |
| 1.29F | FRONT BODICE LENGTH FROM HPS                    | -1/4 | +1/4 | 12 3/4<br>-3/8<br>100% | 13 1/8<br>spec | 13 1/2<br>-1/2<br>100% | 13 7/8<br>-1/2<br>58%  | 14 1/2<br>-1/2<br>100% | 15 1/4<br>-1/2<br>100% | 16<br>spec     |

| POM      | Description                                           | Tol-  | Tol+  | XXS                    | XS *           | S                      | M                      | L                      | XL                     | XXL *          |
|----------|-------------------------------------------------------|-------|-------|------------------------|----------------|------------------------|------------------------|------------------------|------------------------|----------------|
| 1.08C    | CF BODICE LENGTH TO EMPIRE                            | -1/8  | +1/8  | 1 1/4<br>??<br>100%    | 1 3/8<br>spec  | 1 1/2<br>??<br>100%    | 1 5/8<br>??<br>100%    | 2<br>??<br>100%        | 2 1/2<br>+1/8<br>100%  | 3<br>spec      |
| 1.09C    | BODICE LENGTH AT SIDE SEAM                            | -1/8  | +1/8  | 4 1/8<br>-1/8<br>100%  | 4 1/8<br>spec  | 4 1/8<br>-1/8<br>100%  | 4 1/8<br>-1/8<br>65%   | 4 1/4<br>??<br>90%     | 4 1/2<br>??<br>100%    | 4 3/4<br>spec  |
| 1.28E    | CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)     | -3/4  | +3/4  | 30 1/2<br>-3/8<br>100% | 32 1/2<br>spec | 34 1/2<br>-1/2<br>100% | 36 1/2<br>-1/2<br>100% | 39 1/2<br>-1/2<br>100% | 42 1/2<br>-1/2<br>100% | 46 1/2<br>spec |
| 1.28B    | FRONT CHEST SS TO CF - EACH SIDE                      | -1/4  | +1/4  | 7 7/8<br>??<br>100%    | 8 3/8<br>spec  | 8 7/8<br>+1/8<br>100%  | 9 3/8<br>-1/8<br>62%   | 10 1/8<br>-1/4<br>100% | 10 7/8<br>-1/8<br>100% | 11 7/8<br>spec |
| 1.30A    | WAIST AT EMPIRE - STRAIGHT                            | -3/4  | +3/4  | 26<br>-1/4<br>100%     | 28<br>spec     | 30<br>-1/4<br>100%     | 32<br>-1/4<br>100%     | 35<br>-1/4<br>100%     | 38<br>??<br>100%       | 42<br>spec     |
| 4.22A    | BOTTOM SWEEP CURVED ALONG EDGE                        | -1    | +1    | 52<br>??<br>100%       | 54<br>spec     | 56<br>??<br>100%       | 58<br>+1<br>100%       | 61<br>??<br>100%       | 64<br>??<br>100%       | 68<br>spec     |
| 4.22A    | LINING - BOTTOM SWEEP CURVED ALONG EDGE               | -1    | +1    | 52<br>??<br>100%       | 54<br>spec     | 56<br>??<br>100%       | 58<br>??<br>100%       | 61<br>??<br>100%       | 64<br>??<br>100%       | 68<br>spec     |
| 4.27A    | BOTTOM HEM HEIGHT                                     | -1/16 | +1/16 | 3/16<br>??<br>100%     | 3/16<br>spec   | 3/16<br>??<br>100%     | 3/16<br>??<br>100%     | 3/16<br>??<br>100%     | 3/16<br>??<br>100%     | 3/16<br>spec   |
| 4.27A    | LINING - BOTTOM HEM HEIGHT                            | -1/16 | +1/16 | 3/16<br>??<br>100%     | 3/16<br>spec   | 3/16<br>??<br>100%     | 3/16<br>??<br>100%     | 3/16<br>??<br>100%     | 3/16<br>??<br>100%     | 3/16<br>spec   |
| 3.06B    | ARMHOLE STRAIGHT                                      | -1/4  | +1/4  | 8 1/8<br>-1/8<br>100%  | 8 1/2<br>spec  | 8 7/8<br>??<br>100%    | 9 1/4<br>-1/4<br>100%  | 9 7/8<br>??<br>100%    | 10 1/2<br>??<br>100%   | 11 1/4<br>spec |
| 3.02B    | SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE          | -1/4  | +1/4  | 4 7/8<br>??<br>100%    | 5 1/8<br>spec  | 5 3/8<br>+1/8<br>100%  | 5 5/8<br>??<br>58%     | 6<br>??<br>100%        | 6 3/8<br>??<br>78%     | 6 7/8<br>spec  |
| 3.19B    | SLEEVE OPENING ALONG EDGE (S/S)                       | -1/4  | +1/4  | 10 3/4<br>-1/4<br>100% | 11 1/2<br>spec | 12 1/4<br>-1/4<br>100% | 13<br>??<br>58%        | 14 1/4<br>-1/4<br>100% | 15 1/2<br>??<br>100%   | 17<br>spec     |
| 3.23A    | SLEEVE HEM LACE TRIM HEIGHT                           | -1/8  | +1/8  | 1<br>??<br>100%        | 1<br>spec      | 1<br>??<br>100%        | 1<br>??<br>100%        | 1<br>??<br>100%        | 1<br>??<br>100%        | 1<br>spec      |
| 2.05C    | NECK WIDTH EDGE TO EDGE                               | -1/4  | +1/4  | 8<br>??<br>100%        | 8 1/4<br>spec  | 8 1/2<br>??<br>100%    | 8 3/4<br>spec          | 9<br>??<br>100%        | 9 1/4<br>??<br>100%    | 9 1/2<br>spec  |
| 2.03A    | FRONT NECK DROP FROM HPS TO EDGE                      | -1/4  | +1/4  | 9 3/4<br>??<br>100%    | 9 7/8<br>spec  | 10<br>??<br>100%       | 10 1/8<br>spec         | 10 1/4<br>-1/8<br>100% | 10 3/8<br>??<br>100%   | 10 1/2<br>spec |
| 2.04A    | BACK NECK DROP FROM HPS TO EDGE                       | -1/8  | +1/8  | 1<br>??<br>100%        | 1<br>spec      | 1<br>??<br>100%        | 1<br>??<br>100%        | 1<br>??<br>100%        | 1<br>??<br>100%        | 1<br>spec      |
| 7.09B GR | BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT | -1/2  | +1/2  | 28 1/2<br>??<br>100%   | 29<br>spec     | 29 1/2<br>??<br>100%   | 30<br>spec             | 30 3/4<br>spec         | 31 1/2<br>??<br>100%   | 32 1/2<br>spec |

| POM      | Description              | Tol- | Tol+ | XXS                 | XS *           | S                   | M                    | L                   | XL                   | XXL *         |
|----------|--------------------------|------|------|---------------------|----------------|---------------------|----------------------|---------------------|----------------------|---------------|
| 7.10A    | SIDE SEAM BELT/TIE WIDTH | -1/8 | +1/8 | 1 1/4<br>??<br>100% | 1 1/4<br>spec  | 1 1/4<br>??<br>100% | 1 1/4<br>??<br>spec  | 1 1/4<br>??<br>100% | 1 1/4<br>??<br>100%  | 1 1/4<br>spec |
| 7.02C GR | SIDE SEAM ZIPPER LENGTH  | -1/4 | +1/4 | 10<br>??<br>100%    | 10 1/2<br>spec | 11<br>??<br>82%     | 11 1/2<br>??<br>100% | 12<br>??<br>100%    | 12 1/2<br>??<br>100% | 13<br>spec    |

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. An orange outline = outside tolerance. Blue figures = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking.** Grey = a size marked \* that this inspection did not measure, so the specification is shown alone. Those carry no reading.

#### OUT OF TOLERANCE

1.29F FRONT BODICE LENGTH FROM HPS — size M: measured 13 3/8 against 13 7/8, -1/2  
1.29F FRONT BODICE LENGTH FROM HPS — size L: measured 14 against 14 1/2, -1/2  
1.29F FRONT BODICE LENGTH FROM HPS — size XL: measured 14 3/4 against 15 1/4, -1/2  
1.29F FRONT BODICE LENGTH FROM HPS — size XXS: measured 12 3/8 against 12 3/4, -3/8  
1.29F FRONT BODICE LENGTH FROM HPS — size S: measured 13 against 13 1/2, -1/2

**88 of 139 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.**

?? 2.02A SHOULDER SLOPE FROM HPS — size M: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured  
?? 1.22A ACROSS FRONT POSITION FROM HPS — size M: spec 5, spoken as "Across front position from HPS", no deviation or okay captured  
?? 1.24A ACROSS BACK POSITION FROM HPS — size M: spec 5, spoken as "Across back position from HPS", no deviation or okay captured  
?? 1.25A ACROSS BACK SEAM TO SEAM — size M: spec 13, spoken as "Across back seam to seam", no deviation or okay captured  
?? 1.08C CF BODICE LENGTH TO EMPIRE — size M: spec 1 5/8, spoken as "Center front length to empire", no deviation or okay captured  
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size M: spec 58, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured  
?? 4.27A BOTTOM HEM HEIGHT — size M: spec 3/16, spoken as "Bottom hemline", no deviation or okay captured  
?? 4.27A LINING - BOTTOM HEM HEIGHT — size M: spec 3/16, spoken as "Lining bottom hemline", no deviation or okay captured  
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size M: spec 5 5/8, spoken as "Sleeve length from armhole short including lace", no deviation or okay captured  
?? 3.19B SLEEVE OPENING ALONG EDGE (S/S) — size M: spec 13, spoken as "Sleeve opening along edge", no deviation or okay captured  
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size M: spec 1, spoken as "Sleeve hem trim height", no deviation or okay captured  
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size M: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured  
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size M: spec 11 1/2, spoken as "Side seam zipper length", no deviation or okay captured  
?? 2.01A SHOULDER SEAM FORWARD — size L: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured  
?? 2.02A SHOULDER SLOPE FROM HPS — size L: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured  
?? 1.22A ACROSS FRONT POSITION FROM HPS — size L: spec 5, spoken as "Across front position from HPS", no deviation or okay captured  
?? 1.24A ACROSS BACK POSITION FROM HPS — size L: spec 5, spoken as "Across back position", no deviation or okay captured  
?? 1.25A ACROSS BACK SEAM TO SEAM — size L: spec 13 3/4, spoken as "Across back seam to seam", no deviation or okay captured  
?? 1.08C CF BODICE LENGTH TO EMPIRE — size L: spec 2, spoken as "Center front body length to empire", no deviation or okay captured  
?? 1.09C BODICE LENGTH AT SIDE SEAM — size L: spec 4 1/4, spoken as "Body length at side seam", no deviation or okay captured  
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size L: spec 61, spoken as "Bottom sweep curve along edge", no deviation or okay captured  
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size L: spec 61, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured  
?? 4.27A BOTTOM HEM HEIGHT — size L: spec 3/16, spoken as "Bottom hem height", no deviation or okay captured  
?? 4.27A LINING - BOTTOM HEM HEIGHT — size L: spec 3/16, spoken as "Lining bottom hem height", no deviation or okay captured  
?? 3.06B ARMHOLE STRAIGHT — size L: spec 9 7/8, spoken as "Armhole straight", no deviation or okay captured  
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size L: spec 6, spoken as "Sleeve length from armhole short including lace", no deviation or okay captured  
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size L: spec 1, spoken as "Sleeve hem trim height", no deviation or okay captured  
?? 2.05C NECK WIDTH EDGE TO EDGE — size L: spec 9, spoken as "Neck width edge to edge", no deviation or okay captured  
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size L: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured  
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size L: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured  
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size L: spec 12, spoken as "Side seam zipper length", no deviation or okay captured  
?? 1.01C DRESS LENGTH FROM HPS — size XL: spec 37, spoken as "Dress length from HPS", no deviation or okay captured  
?? 2.01A SHOULDER SEAM FORWARD — size XL: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured  
?? 2.02A SHOULDER SLOPE FROM HPS — size XL: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured  
?? 1.22A ACROSS FRONT POSITION FROM HPS — size XL: spec 5, spoken as "Across front position from HPS", no deviation or okay captured  
?? 1.24A ACROSS BACK POSITION FROM HPS — size XL: spec 5, spoken as "Across back position from HPS", no deviation or okay captured  
?? 1.25A ACROSS BACK SEAM TO SEAM — size XL: spec 14 1/2, spoken as "Across back seam to seam", no deviation or okay captured

?? 1.09C BODICE LENGTH AT SIDE SEAM — size XL: spec 4 1/2, spoken as "Body length at side seam", no deviation or okay captured  
?? 1.30A WAIST AT EMPIRE - STRAIGHT — size XL: spec 38, spoken as "Waist at empire straight", no deviation or okay captured  
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size XL: spec 64, spoken as "Bottom sweep curve along edge", no deviation or okay captured  
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size XL: spec 64, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured  
?? 4.27A BOTTOM HEM HEIGHT — size XL: spec 3/16, spoken as "Bottom hem height shell", no deviation or okay captured  
?? 4.27A LINING - BOTTOM HEM HEIGHT — size XL: spec 3/16, spoken as "Lining bottom hem height", no deviation or okay captured  
?? 3.06B ARMHOLE STRAIGHT — size XL: spec 10 1/2, spoken as "Armhole straight", no deviation or okay captured  
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size XL: spec 6 3/8, spoken as "Sleeve length from armhole short including lace", no deviation or okay captured  
?? 3.19B SLEEVE OPENING ALONG EDGE (S/S) — size XL: spec 15 1/2, spoken as "Sleeve opening along edge", no deviation or okay captured  
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size XL: spec 1, spoken as "Sleeve hem trim height", no deviation or okay captured  
?? 2.05C NECK WIDTH EDGE TO EDGE — size XL: spec 9 1/4, spoken as "Neck width edge to edge", no deviation or okay captured  
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size XL: spec 10 3/8, spoken as "Front neck drop from HPS to edge", no deviation or okay captured  
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XL: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured  
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size XL: spec 31 1/2, spoken as "Belt tie from side seam at each side to longest point", no deviation or okay captured  
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size XL: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured  
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size XL: spec 12 1/2, spoken as "Side seam zipper length", no deviation or okay captured  
?? 2.01A SHOULDER SEAM FORWARD — size XXS: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured  
?? 2.02A SHOULDER SLOPE FROM HPS — size XXS: spec 5/8, spoken as "Shoulder slope", no deviation or okay captured  
?? 1.22A ACROSS FRONT POSITION FROM HPS — size XXS: spec 5, spoken as "Across front position from HPS", no deviation or okay captured  
?? 1.24A ACROSS BACK POSITION FROM HPS — size XXS: spec 5, spoken as "Across back position from HPS", no deviation or okay captured  
?? 1.08C CF BODICE LENGTH TO EMPIRE — size XXS: spec 1 1/4, spoken as "Center front bodice length to empire", no deviation or okay captured  
?? 1.28B FRONT CHEST SS TO CF - EACH SIDE — size XXS: spec 7 7/8, spoken as "Front chest side seam to center front each side", no deviation or okay captured  
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size XXS: spec 52, spoken as "Bottom sweep curve along edge", no deviation or okay captured  
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size XXS: spec 52, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured  
?? 4.27A BOTTOM HEM HEIGHT — size XXS: spec 3/16, spoken as "Bottom hem height", no deviation or okay captured  
?? 4.27A LINING - BOTTOM HEM HEIGHT — size XXS: spec 3/16, spoken as "Lining bottom hem height", no deviation or okay captured  
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size XXS: spec 4 7/8, spoken as "Sleeve length from armhole short including lace", no deviation or okay captured  
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size XXS: spec 1, spoken as "Sleeve hem trim height", no deviation or okay captured  
?? 2.05C NECK WIDTH EDGE TO EDGE — size XXS: spec 8, spoken as "Neck width edge to edge", no deviation or okay captured  
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size XXS: spec 9 3/4, spoken as "Front neck drop from HPS to edge", no deviation or okay captured  
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XXS: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured  
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size XXS: spec 28 1/2, spoken as "Back tie from side seam at each side to longest point", no deviation or okay captured  
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size XXS: spec 1 1/4, spoken as "Side seam back tie width", no deviation or okay captured  
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size XXS: spec 10, spoken as "Side seam zipper length", no deviation or okay captured  
?? 2.01A SHOULDER SEAM FORWARD — size S: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured  
?? 2.02A SHOULDER SLOPE FROM HPS — size S: spec 5/8, spoken as "Shoulder slope", no deviation or okay captured  
?? 1.22A ACROSS FRONT POSITION FROM HPS — size S: spec 5, spoken as "Across front position from HPS", no deviation or okay captured  
?? 1.24A ACROSS BACK POSITION FROM HPS — size S: spec 5, spoken as "Across back position from HPS", no deviation or okay captured  
?? 1.08C CF BODICE LENGTH TO EMPIRE — size S: spec 1 1/2, spoken as "Center front body length to empire", no deviation or okay captured  
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size S: spec 56, spoken as "Bottom sweep curve along edge", no deviation or okay captured  
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size S: spec 56, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured  
?? 4.27A BOTTOM HEM HEIGHT — size S: spec 3/16, spoken as "Bottom hemline", no deviation or okay captured  
?? 4.27A LINING - BOTTOM HEM HEIGHT — size S: spec 3/16, spoken as "Lining bottom hemline", no deviation or okay captured  
?? 3.06B ARMHOLE STRAIGHT — size S: spec 8 7/8, spoken as "Armhole straight", no deviation or okay captured  
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size S: spec 1, spoken as "Sleeve hem trim height", no deviation or okay captured  
?? 2.05C NECK WIDTH EDGE TO EDGE — size S: spec 8 1/2, spoken as "Neck width edge to edge", no deviation or okay captured  
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size S: spec 10, spoken as "Front neck drop from HPS to edge", no deviation or okay captured  
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size S: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured  
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size S: spec 29 1/2, spoken as "Belt tie from side seam at each side to longest point", no deviation or okay captured  
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size S: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured  
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size S: spec 11, spoken as "Side seam zipper length", no deviation or okay captured

Generated from Recording\_9662(4) and checked against style\_9662\_clean.pdf. Every value must be confirmed before this report is sent to a vendor.

## MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 662 · Pass with comment · Source: Recording\_9662(4) · 170 rows · 11 need review (shown in red)

### Size M (24)

| No | Point of measure                                   | Measured | Dev  | Note                                        | Conf |
|----|----------------------------------------------------|----------|------|---------------------------------------------|------|
| 25 | Chest length from HPS                              | 34       | -1/8 | Spoken as chest length                      | 0.80 |
| 26 | Line length from HPS                               | 36       | -3/8 | Spoken as line length                       | 0.75 |
| 27 | Shoulder slope from HPS                            | 1/2      |      |                                             | 1.00 |
| 28 | Across shoulder seam to seam                       | 13       | -1/4 |                                             | 1.00 |
| 29 | Across front position from HPS                     | 5        |      |                                             | 0.95 |
| 30 | Across front seam to seam                          | 11 5/8   | -1/8 | Value spoken unclearly as eleven five       | 0.58 |
| 31 | Across back position from HPS                      | 5        |      |                                             | 1.00 |
| 32 | Across back seam to seam                           | 13       |      |                                             | 1.00 |
| 33 | Front bodice length from HPS                       | 13 7/8   | -1/2 | Fraction spoken unclearly as thirteen seven | 0.58 |
| 34 | Center front length to empire                      | 1 5/8    |      |                                             | 1.00 |
| 35 | Bodice length at side seam                         | 4 1/8    | -1/8 | Value spoken unclearly as four one          | 0.65 |
| 36 | Chest 1 inch below armhole, side seam to side seam | 36 1/2   | -1/2 |                                             | 1.00 |
| 37 | Front chest side seam to center front each side    | 9 3/8    | -1/8 | Fraction spoken unclearly as nine three     | 0.62 |
| 38 | Waist at empire straight                           | 32       | -1/4 |                                             | 1.00 |
| 39 | Bottom sweep curve along edge                      | 58       | +1   |                                             | 1.00 |
| 40 | Lining bottom sweep curve along edge               | 58       |      |                                             | 1.00 |
| 41 | Bottom hemline                                     | 3/16     |      |                                             | 1.00 |
| 42 | Lining bottom hemline                              | 3/16     |      |                                             | 1.00 |
| 43 | Armhole straight                                   | 9 1/4    | -1/4 |                                             | 1.00 |
| 44 | Sleeve length from armhole short including lace    | 5 5/8    |      | Fraction spoken unclearly as five five      | 0.58 |
| 45 | Sleeve opening along edge                          | 13       |      | Field partly inaudible before value         | 0.58 |
| 46 | Sleeve hem trim height                             | 1        |      |                                             | 1.00 |
| 47 | Back neck drop from HPS to edge                    | 1        |      |                                             | 1.00 |
| 48 | Side seam zipper length                            | 11 1/2   |      |                                             | 1.00 |

**Size L (28)**

| No | Point of measure                                   | Measured | Dev  | Note                                       | Conf |
|----|----------------------------------------------------|----------|------|--------------------------------------------|------|
| 49 | Dress length from HPS                              | 35 3/4   | -1/4 |                                            | 1.00 |
| 50 | Lining dress length from HPS                       | 34 3/4   | -1/4 |                                            | 1.00 |
| 51 | Shoulder seam forward                              | 3/4      |      |                                            | 1.00 |
| 52 | Shoulder slope from HPS                            | 5/8      |      |                                            | 1.00 |
| 53 | Across shoulder seam to seam                       | 14 1/4   | -1/8 |                                            | 1.00 |
| 54 | Across front position from HPS                     | 5        |      |                                            | 1.00 |
| 55 | Across front seam to seam                          | 12 3/8   | -1/8 |                                            | 1.00 |
| 56 | Across back position                               | 5/8      |      | Spoken without HPS value; may be ambiguous | 0.65 |
| 57 | Across back seam to seam                           | 13 3/4   |      |                                            | 1.00 |
| 58 | Front body length from HPS                         | 14 1/2   | -1/2 |                                            | 1.00 |
| 59 | Center front body length to empire                 | 2        |      |                                            | 1.00 |
| 60 | Body length at side seam                           | 4 1/4    |      |                                            | 0.90 |
| 61 | Chest 1 inch below armhole, side seam to side seam | 39 1/2   | -1/2 |                                            | 1.00 |
| 62 | Front chest side seam to center front each side    | 10 1/8   | -1/4 |                                            | 1.00 |
| 63 | Waist at empire straight                           | 35       | -1/4 |                                            | 1.00 |
| 64 | Bottom sweep curve along edge                      | 61       |      |                                            | 1.00 |
| 65 | Lining bottom sweep curve along edge               | 61       |      |                                            | 1.00 |
| 66 | Bottom hem height                                  | 3/16     |      |                                            | 1.00 |
| 67 | Lining bottom hem height                           | 3/16     |      |                                            | 1.00 |
| 68 | Armhole straight                                   | 9 7/8    |      |                                            | 1.00 |
| 69 | Sleeve length from armhole short including lace    | 6        |      |                                            | 1.00 |
| 70 | Sleeve opening along edge, side seam to side seam  | 14 1/4   | -1/4 |                                            | 1.00 |
| 71 | Sleeve hem trim height                             | 1        |      |                                            | 1.00 |
| 72 | Neck width edge to edge                            | 9        |      |                                            | 1.00 |
| 73 | Front neck drop from HPS to edge                   | 10 1/4   | -1/8 |                                            | 1.00 |
| 74 | Back neck drop from HPS to edge                    | 1        |      |                                            | 1.00 |
| 75 | Side seam belt tie width                           | 1/4      |      |                                            | 1.00 |
| 76 | Side seam zipper length                            | 12       |      |                                            | 1.00 |

**Size XL (29)**

| No  | Point of measure                                      | Measured | Dev  | Note              | Conf |
|-----|-------------------------------------------------------|----------|------|-------------------|------|
| 77  | Dress length from HPS                                 | 37       |      |                   | 1.00 |
| 78  | Lining dress length from HPS                          | 36       | -1/4 |                   | 1.00 |
| 79  | Shoulder seam forward                                 | 3/4      |      |                   | 1.00 |
| 80  | Shoulder slope from HPS                               | 5/8      |      |                   | 1.00 |
| 81  | Across shoulder seam to seam                          | 15       | -1/4 |                   | 1.00 |
| 82  | Across front position from HPS                        | 5        |      |                   | 1.00 |
| 83  | Across front seam to seam                             | 13 1/8   | -1/8 |                   | 1.00 |
| 84  | Across back position from HPS                         | 5        |      |                   | 1.00 |
| 85  | Across back seam to seam                              | 14 1/2   |      |                   | 1.00 |
| 86  | Front body length from HPS                            | 15 1/4   | -1/2 |                   | 1.00 |
| 87  | Center front body length to empire                    | 2 1/2    | +1/8 |                   | 1.00 |
| 88  | Body length at side seam                              | 4 1/2    |      |                   | 1.00 |
| 89  | Chest 1 inch below armhole, side seam to side seam    | 42 1/2   | -1/2 |                   | 1.00 |
| 90  | Front chest side seam to center front each side       | 10 7/8   | -1/8 |                   | 1.00 |
| 91  | Waist at empire straight                              | 38       |      |                   | 1.00 |
| 92  | Bottom sweep curve along edge                         | 64       |      |                   | 1.00 |
| 93  | Lining bottom sweep curve along edge                  | 64       |      |                   | 1.00 |
| 94  | Bottom hem height shell                               | 3/16     |      |                   | 1.00 |
| 95  | Lining bottom hem height                              | 3/16     |      |                   | 1.00 |
| 96  | Armhole straight                                      | 10 1/2   |      |                   | 1.00 |
| 97  | Sleeve length from armhole short including lace       | 6 3/8    |      | Recognized as 638 | 0.78 |
| 98  | Sleeve opening along edge                             | 15 1/2   |      |                   | 1.00 |
| 99  | Sleeve hem trim height                                | 1        |      |                   | 1.00 |
| 100 | Neck width edge to edge                               | 9 1/4    |      |                   | 1.00 |
| 101 | Front neck drop from HPS to edge                      | 10 3/8   |      |                   | 1.00 |
| 102 | Back neck drop from HPS to edge                       | 1        |      |                   | 1.00 |
| 103 | Belt tie from side seam at each side to longest point | 31 1/2   |      |                   | 1.00 |
| 104 | Side seam belt tie width                              | 1/4      |      |                   | 1.00 |
| 105 | Side seam zipper length                               | 12 1/2   |      |                   | 1.00 |

**Size XXS (29)**

| No  | Point of measure                                      | Measured | Dev  | Note | Conf |
|-----|-------------------------------------------------------|----------|------|------|------|
| 106 | Dress length from HPS                                 | 32 1/4   | -3/8 |      | 1.00 |
| 107 | Lining dress length from HPS                          | 31 1/4   | -1/2 |      | 1.00 |
| 108 | Shoulder seam forward                                 | 3/4      |      |      | 1.00 |
| 109 | Shoulder slope                                        | 5/8      |      |      | 1.00 |
| 110 | Across shoulder seam to seam                          | 12       | -1/4 |      | 1.00 |
| 111 | Across front position from HPS                        | 5        |      |      | 1.00 |
| 112 | Across front seam to seam                             | 10 1/8   | -1/8 |      | 1.00 |
| 113 | Across back position from HPS                         | 5        |      |      | 1.00 |
| 114 | Across back seam to seam                              | 11 1/2   | -1/8 |      | 1.00 |
| 115 | Front bodice length from HPS                          | 12 3/4   | -3/8 |      | 1.00 |
| 116 | Center front bodice length to empire                  | 1 1/4    |      |      | 1.00 |
| 117 | Bodice length at side seam                            | 4 1/8    | -1/8 |      | 1.00 |
| 118 | Chest 1 inch below armhole, side seam to side seam    | 30 1/2   | -3/8 |      | 1.00 |
| 119 | Front chest side seam to center front each side       | 7 7/8    |      |      | 1.00 |
| 120 | Waist at empire straight                              | 26       | -1/4 |      | 1.00 |
| 121 | Bottom sweep curve along edge                         | 52       |      |      | 1.00 |
| 122 | Lining bottom sweep curve along edge                  | 52       |      |      | 1.00 |
| 123 | Bottom hem height                                     | 3/16     |      |      | 1.00 |
| 124 | Lining bottom hem height                              | 3/16     |      |      | 1.00 |
| 125 | Armhole straight                                      | 8 1/8    | -1/8 |      | 1.00 |
| 126 | Sleeve length from armhole short including lace       | 4 7/8    |      |      | 1.00 |
| 127 | Sleeve opening along edge                             | 10 3/4   | -1/4 |      | 1.00 |
| 128 | Sleeve hem trim height                                | 1        |      |      | 1.00 |
| 129 | Neck width edge to edge                               | 8        |      |      | 1.00 |
| 130 | Front neck drop from HPS to edge                      | 9 3/4    |      |      | 1.00 |
| 131 | Back neck drop from HPS to edge                       | 1        |      |      | 1.00 |
| 132 | Back tie from side seam at each side to longest point | 28 1/2   |      |      | 1.00 |
| 133 | Side seam back tie width                              | 1/4      |      |      | 1.00 |
| 134 | Side seam zipper length                               | 10       |      |      | 1.00 |

## Size S (29)

| No  | Point of measure                                      | Measured | Dev  | Note                   | Conf |
|-----|-------------------------------------------------------|----------|------|------------------------|------|
| 135 | Dress length from HPS                                 | 33 3/4   | -1/4 |                        | 1.00 |
| 136 | Lining dress length from HPS                          | 32 3/4   | -1/4 |                        | 1.00 |
| 137 | Shoulder seam forward                                 | 3/4      |      |                        | 1.00 |
| 138 | Shoulder slope                                        | 5/8      |      |                        | 1.00 |
| 139 | Across shoulder seam to seam                          | 13       | -1/4 |                        | 1.00 |
| 140 | Across front position from HPS                        | 5        |      |                        | 1.00 |
| 141 | Across front seam to seam                             | 11 1/8   | -1/8 |                        | 1.00 |
| 142 | Across back position from HPS                         | 5        |      |                        | 1.00 |
| 143 | Across back seam to seam                              | 12 1/2   | -1/8 |                        | 1.00 |
| 144 | Front body length from HPS                            | 13 1/2   | -1/2 |                        | 1.00 |
| 145 | Center front body length to empire                    | 1 1/2    |      |                        | 1.00 |
| 146 | Body length at side seam                              | 4 1/8    | -1/8 |                        | 1.00 |
| 147 | Chest 1 inch below armhole, side seam to side seam    | 34 1/2   | -1/2 |                        | 1.00 |
| 148 | Front chest side seam to center front each side       | 8 7/8    | +1/8 |                        | 1.00 |
| 149 | Waist at empire straight                              | 30       | -1/4 |                        | 1.00 |
| 150 | Bottom sweep curve along edge                         | 56       |      |                        | 1.00 |
| 151 | Lining bottom sweep curve along edge                  | 56       |      |                        | 1.00 |
| 152 | Bottom hemline                                        | 3/16     |      |                        | 1.00 |
| 153 | Lining bottom hemline                                 | 3/16     |      |                        | 1.00 |
| 154 | Armhole straight                                      | 8 7/8    |      |                        | 1.00 |
| 155 | Sleeve length from armhole short including lace       | 5 3/8    | +1/8 |                        | 1.00 |
| 156 | Sleeve opening along edge                             | 12 1/4   | -1/4 |                        | 1.00 |
| 157 | Sleeve hem trim height                                | 1        |      |                        | 1.00 |
| 158 | Neck width edge to edge                               | 8 1/2    |      |                        | 1.00 |
| 159 | Front neck drop from HPS to edge                      | 10       |      |                        | 1.00 |
| 160 | Back neck drop from HPS to edge                       | 1        |      |                        | 1.00 |
| 161 | Belt tie from side seam at each side to longest point | 29 1/2   |      |                        | 1.00 |
| 162 | Side seam belt tie width                              | 1/4      |      |                        | 1.00 |
| 163 | Side seam zipper length                               | 11       |      | Spoken as G per length | 0.82 |

## Construction

| No | Item                                    | Value | Note                     | Conf |
|----|-----------------------------------------|-------|--------------------------|------|
| 2  | PP approval                             |       | Approved with correction | 1.00 |
| 3  | Sleeve opening construction             |       | OK                       | 1.00 |
| 4  | Lining waist seam construction          |       | OK                       | 1.00 |
| 5  | Armhole construction                    |       | OK                       | 1.00 |
| 6  | Side seam construction                  |       | OK                       | 1.00 |
| 7  | Bottom hem and bottom look              |       | OK                       | 1.00 |
| 8  | Inside neck shape construction          |       | OK                       | 1.00 |
| 9  | Neck pleat finished with lining         |       | OK                       | 1.00 |
| 10 | Cap sleeve with light shirring at cap   |       | OK                       | 1.00 |
| 11 | Shirring centered with upper chest bust |       | OK                       | 1.00 |
| 12 | Two-ply tie with tacking                | 1/4   | OK                       | 0.95 |
| 13 | Back waist dart                         |       | OK                       | 1.00 |
| 14 | Baby hem                                |       | OK                       | 1.00 |

## Bill of materials

| No | Item   | Value | Note            | Conf |
|----|--------|-------|-----------------|------|
| 15 | Shell  |       | Gum drop velvet | 1.00 |
| 16 | Lining |       | American crepe  | 1.00 |
| 17 | Tie    |       | Satin           | 1.00 |

## Shrinkage

| No | Item                   | Value | Note | Conf |
|----|------------------------|-------|------|------|
| 18 | Shell length shrinkage | 0     |      | 1.00 |

| No | Item                    | Value | Note | Conf |
|----|-------------------------|-------|------|------|
| 19 | Shell width shrinkage   | 0     |      | 0.90 |
| 20 | Lining length shrinkage | 0     |      | 1.00 |
| 21 | Lining width shrinkage  | 0     |      | 0.90 |

#### Mini marker

| No | Item                         | Value      | Note | Conf |
|----|------------------------------|------------|------|------|
| 22 | Shirring average consumption | 0.98 meter |      | 1.00 |
| 23 | Belt consumption             | 0.12 meter |      | 1.00 |
| 24 | Lining consumption           | 0.83 meter |      | 1.00 |

#### Comments and vendor actions

| No  | Item                                    | Value | Note                                                               | Conf |
|-----|-----------------------------------------|-------|--------------------------------------------------------------------|------|
| 1   | Order quantity                          | 7420  |                                                                    | 1.00 |
| 164 | Zipper gaping on left underarm side     |       | Improve workmanship and secure stitching                           | 1.00 |
| 165 | Roping at hem                           |       | Correct feeding of top and bottom layers at bias area              | 1.00 |
| 166 | Lot matching with FOB                   |       | Use only approved lot for bulk                                     | 1.00 |
| 167 | Streak mark closure                     |       | Await NY approval; do not cut bulk                                 | 1.00 |
| 168 | Fraying yarn at belt                    |       | Use air pipe for belt operation                                    | 1.00 |
| 169 | Tight stitch at side seam/princess seam |       | Loosen machine tension                                             | 1.00 |
| 170 | Puckering at zipper                     |       | Mark and distribute zipper and body evenly; loosen machine tension | 1.00 |