

SIZE SET INSPECTION REPORT

STYLE NO# 9662

DIVISION -

Date: -

DESCRIPTION: -

COLOUR: -

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR			✓		LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE			✓		PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER		✓			PH				

* HOOK EYE/BAR: Above zipper

* WASHCARE: As per destination

* ZIPPER: Gaping and puckering; improve workmanship

PATTERN CHECK LIST

Grain Line: OK

Notches: OK

Graded Nest: OK

Corrections Implemnted: OK

YY/ Mini Marker: Seersucker 0.98 m; width 0.12 m; lining 0.83 m

MEASUREMENT (SPEC ATTACHED)

Result: PASS

Graded Nest: OK

Corrections To Be Done: Improve zipper workmanship to avoid gaping and puckering; correct roping at hem; use only approved bulk lot; obtain NY closure for streak mark; use air pipe for belt operation; loosen machine tension at side seam and princess seam; distribute zipper and body evenly by marking

Bring Back To Specs: Front bodice measurement slightly out of tolerance

Cutting Check: Not OK

Seam Allowance: -

Corrections Implemented: OK

Planned Size Set Submission Date: 8 July

Actual Submission Date: 9 July

PCD: -

Cut Quantity: 66

Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 0% W = 0%

LINING: L = 0% W = 0%

DETAILED COMMENTS

(1) Reduce back armhole at underarm by 1/8, blending to zero at empire

(2) Reduce chest by 1/2 and front chest by 1/8

(3) Reduce bottom sweep by 2 inches

(4) Zipper gaping more than wearer's side

(5) Roping at hem

(6) Lot matching with FOB

(7) Pilling abrasion inside seam

(8) Streak mark fabric defect

(9) Fraying yarn at belt

(10) Tight stitch at side seam/princess seam

(11) Puckering at zipper

(12) Bulk cutting on hold

ACTION TO BE TAKEN BY VENDOR

Implemented

Implemented

Implemented

Improve zipper workmanship and secure with stitching

Correct feeding of top and bottom layers at bias area

Use only approved lot for bulk

Obtain closure from NY through mail and physical sample

Await NY closure

Use air pipe for belt operation

Loosen machine tension

Mark and distribute zipper and body evenly; loosen machine tension

Do not cut bulk until streak mark closure is approved by NY

OVERALL: Size set is passed with correction. Do not cut bulk till streak mark closure approved from NY.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STATUS: FNL

STYLE: 9662

9662 OCCASION SHORT SLV MINI

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS
 Division / Dept: 02 / 039
 Season: HOLIDAY-B 2026
 Style Desc: 9662 OCCASION SHORT SLV MINI
 Fit / Other:

GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW DRESS/JUMPER/IOV
 POM Descr : GRADE SPECIFICATIONS
 Block :
 Modified By : JEANCHARV
 Sizes Measured : M, L, XL, XXS, S

Size Range : XXS, XS, S, M, L, XL, XXL
 Base Size : M
 Grading Method/UM : Incremental / IN
 Status : FNL
 Measurement Result : FAIL CONDITIONALLY (5 of 51 out of tolerance)

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
0.00B	DISCLAIMER (Wvn): Measure Gmts in Circumference	0	0	-	-	-	-	-	-	-
0.00Z	DRESS LENGTH FROM HPS (ON FORM) - REF ONLY	0	0	-	-	-	34 1/2 spec	-	-	-
1.01C	DRESS LENGTH FROM HPS	-1/2	+1/2	32 1/4 ?? 100%	33 spec	33 3/4 -1/4 100%	34 1/2 -1/8 90%	35 3/4 -1/4 100%	37 ?? 100%	38 1/4 spec
1.01C	LINING - DRESS LENGTH FROM HPS	-1/2	+1/2	31 1/4 ?? 100%	32 spec	32 3/4 -1/4 100%	33 1/2 -1/8 90%	34 3/4 -1/4 100%	36 -1/4 100%	37 1/4 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 ?? 100%	3/4 spec	3/4 ?? 100%	3/4 spec	3/4 ?? 100%	3/4 ?? 100%	3/4 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	5/8 ?? 100%	5/8 spec	5/8 ?? 100%	5/8 ?? 100%	5/8 ?? 100%	5/8 ?? 100%	5/8 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 -1/4 100%	12 1/2 spec	13 -1/4 100%	13 1/2 -1/4 100%	14 1/4 -1/8 100%	15 -1/4 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 ?? 100%	5 spec	5 ?? 65%	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 1/8 -1/8 100%	10 5/8 spec	11 1/8 -1/8 100%	11 5/8 -1/8 78%	12 3/8 -1/8 100%	13 1/8 -1/8 100%	13 7/8 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 ?? 100%	5 spec	5 ?? 65%	5 ?? 100%	5 ?? 65%	5 ?? 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 1/2 -1/8 100%	12 spec	12 1/2 -1/8 100%	13 ?? 100%	13 3/4 ?? 100%	14 1/2 ?? 100%	15 1/4 spec
1.29F	FRONT BODICE LENGTH FROM HPS	-1/4	+1/4	12 3/4 -3/8 100%	13 1/8 spec	13 1/2 -1/2 100%	13 7/8 -1/2 78%	14 1/2 -1/2 100%	15 1/4 -1/2 100%	16 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 1/4 ?? 85%	1 3/8 spec	1 1/2 ?? 100%	1 5/8 ?? 70%	2 ?? 100%	2 1/2 +1/8 100%	3 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 1/8 -1/8 100%	4 1/8 spec	4 1/8 -1/8 100%	4 1/8 -1/8 90%	4 1/4 ?? 100%	4 1/2 ?? 100%	4 3/4 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	30 1/2 -3/8 100%	32 1/2 spec	34 1/2 -1/2 100%	36 1/2 -1/2 100%	39 1/2 -1/2 100%	42 1/2 -1/2 100%	46 1/2 spec
1.28B	FRONT CHEST SS TO CF - EACH SIDE	-1/4	+1/4	7 7/8 ?? 100%	8 3/8 spec	8 7/8 +1/8 100%	9 3/8 -1/8 80%	10 1/8 -1/4 100%	10 7/8 -1/8 100%	11 7/8 spec
1.30A	WAIST AT EMPIRE - STRAIGHT	-3/4	+3/4	26 -1/4 100%	28 spec	30 -1/4 100%	32 -1/4 100%	35 -1/4 100%	38 ?? 100%	42 spec
4.22A	BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ?? 100%	54 spec	56 ?? 100%	58 +1 100%	61 ?? 100%	64 ?? 100%	68 spec
4.22A	LINING - BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ?? 100%	54 spec	56 ?? 80%	58 ?? 100%	61 ?? 100%	64 ?? 100%	68 spec
4.27A	BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ?? 100%	3/16 spec	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 spec
4.27A	LINING - BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ?? 100%	3/16 spec	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	8 1/8 -1/8 100%	8 1/2 spec	8 7/8 ?? 100%	9 1/4 -1/4 100%	9 7/8 ?? 100%	10 1/2 ?? 100%	11 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE	-1/4	+1/4	4 7/8 ?? 100%	5 1/8 spec	5 3/8 +1/8 100%	5 5/8 ?? 80%	6 ?? 100%	6 3/8 ?? 85%	6 7/8 spec
3.19B	SLEEVE OPENING ALONG EDGE (S/S)	-1/4	+1/4	10 3/4 -1/4 100%	11 1/2 spec	12 1/4 -1/4 100%	13 ?? 70%	14 1/4 -1/4 100%	15 1/2 ?? 100%	17 spec
3.23A	SLEEVE HEM LACE TRIM HEIGHT	-1/8	+1/8	1 ?? 100%	1 spec	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 spec
2.05C	NECK WIDTH EDGE TO EDGE	-1/4	+1/4	8 ?? 100%	8 1/4 spec	8 1/2 ?? 100%	8 3/4 -1/8 100%	9 ?? 100%	9 1/4 ?? 100%	9 1/2 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 3/4 ?? 100%	9 7/8 spec	10 ?? 100%	10 1/8 -1/8 90%	10 1/4 -1/8 100%	10 3/8 ?? 100%	10 1/2 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1 ?? 100%	1 spec	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 spec
7.09B GR	BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT	-1/2	+1/2	28 1/2 ?? 100%	29 spec	29 1/2 ?? 100%	30 ?? 100%	30 3/4 ?? 100%	31 1/2 ?? 100%	32 1/2 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
7.10A	SIDE SEAM BELT/TIE WIDTH	-1/8	+1/8	1 1/4 ?? 100%	1 1/4 spec	1 1/4 ?? 100%	1 1/4 ?? 100%	1 1/4 ?? 100%	1 1/4 ?? 100%	1 1/4 spec
7.02C GR	SIDE SEAM ZIPPER LENGTH	-1/4	+1/4	10 ?? 90%	10 1/2 spec	11 ?? 90%	11 1/2 ?? 100%	12 ?? 100%	12 1/2 ?? 100%	13 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. An orange outline = outside tolerance. Blue figures = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking.** Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

1.29F FRONT BODICE LENGTH FROM HPS — size M: measured 13 3/8 against 13 7/8, -1/2
1.29F FRONT BODICE LENGTH FROM HPS — size L: measured 14 against 14 1/2, -1/2
1.29F FRONT BODICE LENGTH FROM HPS — size XL: measured 14 3/4 against 15 1/4, -1/2
1.29F FRONT BODICE LENGTH FROM HPS — size XXS: measured 12 3/8 against 12 3/4, -3/8
1.29F FRONT BODICE LENGTH FROM HPS — size S: measured 13 against 13 1/2, -1/2

93 of 144 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.

?? 2.02A SHOULDER SLOPE FROM HPS — size M: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size M: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size M: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.25A ACROSS BACK SEAM TO SEAM — size M: spec 13, spoken as "Across back seam to seam", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size M: spec 1 5/8, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size M: spec 58, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size M: spec 3/16, spoken as "Bottom hem height", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size M: spec 3/16, spoken as "Lining bottom hem height", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size M: spec 5 5/8, spoken as "Sleeve length from armhole, including lace", no deviation or okay captured
?? 3.19B SLEEVE OPENING ALONG EDGE (S/S) — size M: spec 13, spoken as "Sleeve opening along edge", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size M: spec 1, spoken as "Sleeve hem lace trim height", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size M: spec 1, spoken as "Back neck drop from HPS to H", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size M: spec 30, spoken as "Back tie from side seam to low neck point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size M: spec 1 1/4, spoken as "Side seam back tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size M: spec 11 1/2, spoken as "Side seam zipper length", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size L: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size L: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size L: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size L: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.25A ACROSS BACK SEAM TO SEAM — size L: spec 13 3/4, spoken as "Across back seam to seam", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size L: spec 2, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 1.09C BODICE LENGTH AT SIDE SEAM — size L: spec 4 1/4, spoken as "Bodice length at side seam", no deviation or okay captured
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size L: spec 61, spoken as "Bottom sweep curve along edge", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size L: spec 61, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size L: spec 3/16, spoken as "Bottom hem height", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size L: spec 3/16, spoken as "Lining bottom hem height", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size L: spec 9 7/8, spoken as "Armhole straight", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size L: spec 6, spoken as "Sleeve length from armhole, including lace", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size L: spec 1, spoken as "Sleeve hem lace trim height", no deviation or okay captured
?? 2.05C NECK WIDTH EDGE TO EDGE — size L: spec 9, spoken as "Neck width H to H", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size L: spec 1, spoken as "Back neck drop from HPS to H", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size L: spec 30 3/4, spoken as "Belt tie from side seam to longest point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size L: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size L: spec 12, spoken as "Side seam zipper length", no deviation or okay captured
?? 1.01C DRESS LENGTH FROM HPS — size XL: spec 37, spoken as "Dress length from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size XL: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size XL: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured

?? 1.22A ACROSS FRONT POSITION FROM HPS — size XL: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size XL: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.25A ACROSS BACK SEAM TO SEAM — size XL: spec 14 1/2, spoken as "Across back seam to seam", no deviation or okay captured
?? 1.09C BODICE LENGTH AT SIDE SEAM — size XL: spec 4 1/2, spoken as "Bodice length at side seam", no deviation or okay captured
?? 1.30A WAIST AT EMPIRE - STRAIGHT — size XL: spec 38, spoken as "Waist at empire straight", no deviation or okay captured
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size XL: spec 64, spoken as "Bottom sweep curve along edge", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size XL: spec 64, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size XL: spec 3/16, spoken as "Bottom hem height", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size XL: spec 3/16, spoken as "Lining bottom hem height", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size XL: spec 10 1/2, spoken as "Armhole straight", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size XL: spec 6 3/8, spoken as "Sleeve length from armhole, including lace", no deviation or okay captured
?? 3.19B SLEEVE OPENING ALONG EDGE (S/S) — size XL: spec 15 1/2, spoken as "Sleeve opening along edge", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size XL: spec 1, spoken as "Sleeve hem lace trim height", no deviation or okay captured
?? 2.05C NECK WIDTH EDGE TO EDGE — size XL: spec 9 1/4, spoken as "Neck width H to H", no deviation or okay captured
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size XL: spec 10 3/8, spoken as "Front neck drop from HPS to H", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XL: spec 1, spoken as "Back neck drop from HPS to H", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size XL: spec 31 1/2, spoken as "Belt tie from side seam to longest point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size XL: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size XL: spec 12 1/2, spoken as "Side seam zipper length", no deviation or okay captured
?? 1.01C DRESS LENGTH FROM HPS — size XXS: spec 32 1/4, spoken as "Dress length from HPS", no deviation or okay captured
?? 1.01C LINING - DRESS LENGTH FROM HPS — size XXS: spec 31 1/4, spoken as "Lining dress length from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size XXS: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size XXS: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size XXS: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size XXS: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size XXS: spec 1 1/4, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 1.28B FRONT CHEST SS TO CF - EACH SIDE — size XXS: spec 7 7/8, spoken as "Front chest, side seam to center front each side", no deviation or okay captured
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size XXS: spec 52, spoken as "Bottom sweep curve along edge", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size XXS: spec 52, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size XXS: spec 3/16, spoken as "Bottom hem height", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size XXS: spec 3/16, spoken as "Lining bottom hem height", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size XXS: spec 4 7/8, spoken as "Sleeve length from armhole, including lace", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size XXS: spec 1, spoken as "Sleeve hem lace trim height", no deviation or okay captured
?? 2.05C NECK WIDTH EDGE TO EDGE — size XXS: spec 8, spoken as "Neck width H to H", no deviation or okay captured
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size XXS: spec 9 3/4, spoken as "Front neck drop from HPS to H", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XXS: spec 1, spoken as "Back neck drop from HPS to H", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size XXS: spec 28 1/2, spoken as "Back tie from side seam to longest point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size XXS: spec 1 1/4, spoken as "Side seam back tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size XXS: spec 10, spoken as "Side seam zipper length", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size S: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size S: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size S: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size S: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size S: spec 1 1/2, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size S: spec 56, spoken as "Bottom sweep curve along edge", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size S: spec 56, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size S: spec 3/16, spoken as "Bottom hem height", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size S: spec 3/16, spoken as "Lining bottom hem height", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size S: spec 8 7/8, spoken as "Armhole straight", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size S: spec 1, spoken as "Sleeve hem lace trim height", no deviation or okay captured
?? 2.05C NECK WIDTH EDGE TO EDGE — size S: spec 8 1/2, spoken as "Neck width H to H", no deviation or okay captured
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size S: spec 10, spoken as "Front neck drop from HPS to H", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size S: spec 1, spoken as "Back neck drop from HPS to H", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size S: spec 29 1/2, spoken as "Belt tie from side seam to longest point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size S: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size S: spec 11, spoken as "Side seam zipper length", no deviation or okay captured

APPROVED FOR PRODUCTION

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 9662 · Pass with comment · Source: Recording_9662(5) · 175 rows · 11 need review (shown in red)

Size M (28)

No	Point of measure	Measured	Dev	Note	Conf
24	Dress length from HPS	24 1/2	-1/8		0.90
25	Lining dress length from HPS	23 1/2	-1/8		0.90
26	Shoulder slope from HPS	5			1.00
27	Across shoulder seam to seam	13 1/2	-1/4		1.00
28	Across front position from HPS	5			1.00
29	Across front seam to seam	11 5/8	-1/8	Spoken in abbreviated form as '■■■■■ ■■■■'	0.78
30	Across back position from HPS	5			1.00
31	Across back seam to seam	13			1.00
32	Front bodice length from HPS	13 7/8	-1/2	Spoken in abbreviated form as '■■■■ ■■■'	0.78
33	Center front bodice length to empire	1 5/8		Speaker clarified after an unclear first callout	0.70
34	Bodice length at side seam	4 1/8	-1/8		0.90
35	Chest 1 inch below armhole, side seam to side seam	36 1/2	-1/2		1.00
36	Front chest, side seam to center front each side	9 3/8	-1/8	Spoken in abbreviated form as '■■ ■■■'	0.80
37	Waist at empire straight	32	-1/4		1.00
38	Bottom sweep curve along edge	58	+1		1.00
39	Lining bottom sweep curve along edge	58			1.00
40	Bottom hem height	3/16			1.00
41	Lining bottom hem height	3/16			1.00
42	Armhole straight	9 1/4	-1/4		1.00
43	Sleeve length from armhole, including lace	5 5/8		Spoken in abbreviated form as '■■■■ ■■■■'	0.80
44	Sleeve opening along edge	13		Field wording was partially unclear	0.70
45	Sleeve hem lace trim height	1			1.00
46	Neck width H to H	8 3/4	-1/8		1.00
47	Front neck drop from HPS to H	10 1/8	-1/8		0.90
48	Back neck drop from HPS to H	1			1.00
49	Back tie from side seam to low neck point	30			1.00
50	Side seam back tie width	1 1/4			1.00
51	Side seam zipper length	11 1/2			1.00

Size L (29)

No	Point of measure	Measured	Dev	Note	Conf
52	Dress length from HPS	35 3/4	-1/4		1.00
53	Lining dress length from HPS	34 3/4	-1/4		1.00
54	Shoulder seam forward	3/4			1.00
55	Shoulder slope from HPS	5/8			1.00
56	Across shoulder seam to seam	14 1/4	-1/8		1.00
57	Across front position from HPS	5			1.00
58	Across front seam to seam	12 3/8	-1/8		1.00
59	Across back position from HPS	5/8		Value as spoken; unusually small for this field	0.65
60	Across back seam to seam	13 3/4			1.00
61	Front bodice length from HPS	14 1/2	-1/2		1.00
62	Center front bodice length to empire	2			1.00
63	Bodice length at side seam	4 1/4			1.00
64	Chest 1 inch below armhole, side seam to side seam	39 1/2	-1/2		1.00
65	Front chest, side seam to center front each side	10 1/8	-1/4		1.00
66	Waist at empire straight	35	-1/4		1.00
67	Bottom sweep curve along edge	61			1.00
68	Lining bottom sweep curve along edge	61			1.00
69	Bottom hem height	3/16			1.00
70	Lining bottom hem height	3/16			1.00
71	Armhole straight	9 7/8			1.00
72	Sleeve length from armhole, including lace	6			1.00
73	Sleeve opening along edge	14 1/4	-1/4		1.00
74	Sleeve hem lace trim height	1			1.00
75	Neck width H to H	9			1.00
76	Front neck drop from HPS to H	10 1/4	-1/8		1.00
77	Back neck drop from HPS to H	1			1.00
78	Belt tie from side seam to longest point	30 3/4			1.00
79	Side seam belt tie width	1/4			1.00
80	Side seam zipper length	12			1.00

Size XL (29)

No	Point of measure	Measured	Dev	Note	Conf
81	Dress length from HPS	37			1.00
82	Lining dress length from HPS	36	-1/4		1.00
83	Shoulder seam forward	3/4			1.00
84	Shoulder slope from HPS	5/8			1.00
85	Across shoulder seam to seam	15	-1/4		1.00
86	Across front position from HPS	5			1.00
87	Across front seam to seam	13 1/8	-1/8		1.00
88	Across back position from HPS	5			1.00
89	Across back seam to seam	14 1/2			1.00
90	Front bodice length from HPS	15 1/4	-1/2		1.00
91	Center front bodice length to empire	2 1/2	+1/8		1.00
92	Bodice length at side seam	4 1/2			1.00
93	Chest 1 inch below armhole, side seam to side seam	42 1/2	-1/2		1.00
94	Front chest, side seam to center front each side	10 7/8	-1/8		1.00
95	Waist at empire straight	38			1.00
96	Bottom sweep curve along edge	64			1.00
97	Lining bottom sweep curve along edge	64			1.00
98	Bottom hem height	3/16			1.00
99	Lining bottom hem height	3/16			1.00
100	Armhole straight	10 1/2			1.00
101	Sleeve length from armhole, including lace	6 3/8		Recognized as '638'	0.85
102	Sleeve opening along edge	15 1/2			1.00
103	Sleeve hem lace trim height	1			1.00
104	Neck width H to H	9 1/4			1.00
105	Front neck drop from HPS to H	10 3/8			1.00
106	Back neck drop from HPS to H	1			1.00
107	Belt tie from side seam to longest point	31 1/2			1.00
108	Side seam belt tie width	1/4			1.00
109	Side seam zipper length	12 1/2			1.00

Size XXS (29)

No	Point of measure	Measured	Dev	Note	Conf
110	Dress length from HPS	32 1/4			1.00
111	Lining dress length from HPS	31 1/4			1.00
112	Shoulder seam forward	3/4			1.00
113	Shoulder slope from HPS	5/8			1.00
114	Across shoulder seam to seam	12	-1/4		1.00
115	Across front position from HPS	5			1.00
116	Across front seam to seam	10 1/8	-1/8		1.00
117	Across back position from HPS	5			1.00
118	Across back seam to seam	11 1/2	-1/8		1.00
119	Front bodice length from HPS	12 3/4	-3/8		1.00
120	Center front bodice length to empire	1 1/4			0.85
121	Bodice length at side seam	4 1/8	-1/8		1.00
122	Chest 1 inch below armhole, side seam to side seam	30 1/2	-3/8		1.00
123	Front chest, side seam to center front each side	7 7/8			1.00
124	Waist at empire straight	26	-1/4		1.00
125	Bottom sweep curve along edge	52			1.00
126	Lining bottom sweep curve along edge	52			1.00
127	Bottom hem height	3/16			1.00
128	Lining bottom hem height	3/16			1.00
129	Armhole straight	8 1/8	-1/8		1.00
130	Sleeve length from armhole, including lace	4 7/8			1.00
131	Sleeve opening along edge	10 3/4	-1/4		1.00
132	Sleeve hem lace trim height	1			1.00
133	Neck width H to H	8			1.00
134	Front neck drop from HPS to H	9 3/4			1.00
135	Back neck drop from HPS to H	1			1.00
136	Back tie from side seam to longest point	28 1/2			1.00
137	Side seam back tie width	1/4			1.00
138	Side seam zipper length	10			0.90

Size S (29)

No	Point of measure	Measured	Dev	Note	Conf
139	Dress length from HPS	33 3/4	-1/4		1.00
140	Lining dress length from HPS	32 3/4	-1/4		1.00
141	Shoulder seam forward	3/4			1.00
142	Shoulder slope from HPS	5/8			1.00
143	Across shoulder seam to seam	13	-1/4		1.00
144	Across front position from HPS	5/8		Value as spoken; unusually small for this field	0.65
145	Across front seam to seam	11 1/8	-1/8		1.00
146	Across back position from HPS	5/8		Value as spoken; unusually small for this field	0.65
147	Across back seam to seam	12 1/2	-1/8		1.00
148	Front bodice length from HPS	13 1/2	-1/2		1.00
149	Center front bodice length to empire	1 1/2			1.00
150	Bodice length at side seam	4 1/8	-1/8		1.00
151	Chest 1 inch below armhole, side seam to side seam	34 1/2	-1/2		1.00
152	Front chest, side seam to center front each side	8 7/8	+1/8		1.00
153	Waist at empire straight	30	-1/4		1.00
154	Bottom sweep curve along edge	56			1.00
155	Lining bottom sweep curve along edge	56		Called 'placket bottom sweep' in recording	0.80
156	Bottom hem height	3/16			1.00
157	Lining bottom hem height	3/16			1.00
158	Armhole straight	8 7/8			1.00
159	Sleeve length from armhole, including lace	5 3/8	+1/8		1.00
160	Sleeve opening along edge	12 1/4	-1/4		1.00
161	Sleeve hem lace trim height	1			1.00
162	Neck width H to H	8 1/2			1.00
163	Front neck drop from HPS to H	10			1.00
164	Back neck drop from HPS to H	1			1.00
165	Belt tie from side seam to longest point	29 1/2			1.00
166	Side seam belt tie width	1/4			1.00
167	Side seam zipper length	11			0.90

Construction

No	Item	Value	Note	Conf
10	Neck pleats with lining		OK	1.00
11	Cap sleeve with light shirring at cap		OK	1.00
12	Shirring centered with upper chest bust		OK	1.00
13	Two-ply tie with tucking	1/4	OK	0.90
14	Back waist dart		OK	1.00
15	Sleeve opening construction		OK	1.00
16	Lining waist seam construction		OK	1.00
17	Armhole construction		OK	1.00
18	Side seam construction		OK	1.00
19	Waterfall pocket appearance		OK	1.00
20	Back yoke inside construction		OK	1.00

Bill of materials

No	Item	Value	Note	Conf
21	Shell		Gum drop velvet	1.00
22	Lining		American crepe	1.00
23	Tie		Satin	1.00

Shrinkage

No	Item	Value	Note	Conf
4	Shell length shrinkage	0		1.00
5	Shell width shrinkage	0		1.00
6	Lining length shrinkage	0		1.00

No	Item	Value	Note	Conf
7	Lining width shrinkage	0		1.00
8	Pattern shrinkage allowance added, length	0		1.00
9	Pattern shrinkage allowance added, width	0		1.00

Mini marker

No	Item	Value	Note	Conf
1	Seersucker average consumption	49/50	metre; spoken as 0.98	1.00
2	Width consumption	3/25	metre; spoken as 0.12	0.80
3	Lining consumption	83/100	metre; spoken as 0.83	1.00

Comments and vendor actions

No	Item	Value	Note	Conf
168	Zipper gaping		Improve workmanship and secure with stitching	1.00
169	Roping at hem		Correct improper feeding of top and bottom layers at bias area	1.00
170	Lot matching with FOB		Use only approved lot for bulk	1.00
171	Pilling abrasion inside seam		Closure required from NY through mail and physical sample	1.00
172	Streak mark fabric defect		NY closure awaited; do not cut bulk	1.00
173	Fraying yarn at belt		Use air pipe for belt operation	1.00
174	Tight stitch at side seam/princess seam		Loosen machine tension	1.00
175	Puckering at zipper		Distribute zipper and body evenly by marking; loosen machine tension	1.00