

SIZE SET INSPECTION REPORT

STYLE NO# 9662

DIVISION -

Date: -

DESCRIPTION: -

COLOUR: -

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT			✓	
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR			✓		LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE			✓		PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER		✓			PH				

* PRINT: Print card available
* HOOK EYE/BAR: Above zipper
* WASHCARE: Stitching okay
* ZIPPER: Gaping and puckering; improve workmanship

PATTERN CHECK LIST

Grain Line: OK
Notches: OK
Graded Nest: OK
Corrections Implemnted: OK
YY/ Mini Marker: OK

Planned Size Set Submission Date: 8 July
Actual Submission Date: 9 July
PCD: 10 July
Cut Quantity: 66
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 0 W = 0

DETAILED COMMENTS

- (1) Zipper gaping more than Venus side
- (2) Roping at hem
- (3) Lot not matching with FOB
- (4) Pilling/abrasion inside seam
- (5) Fabric stitch marks
- (6) Fraying yarn at belt
- (7) Tight stitch at side seam/princess seam
- (8) Puckering at zipper
- (9) Bulk cutting on hold

MEASUREMENT (SPEC ATTACHED)

Result: FAIL CONDITIONALLY
Graded Nest: OK
Corrections To Be Done: Improve zipper workmanship to avoid gaping and stitching; correct roping at hem; use approved bulk lot only; use air pipe for belt operation; correct tight stitching at side seam/princess seam; distribute zipper and body evenly and loosen machine tension; obtain NY closure for stitch marks
Bring Back To Specs: Front bodice measurement

Cutting Check: OK
Seam Allowance: OK
Corrections Implemented: OK

LINING: L = 0 W = 0

ACTION TO BE TAKEN BY VENDOR

- Improve zipper workmanship and stitching
- Control feeding of top and bottom layers at bias area
- Use only approved lot for bulk
- Follow NY mail and physical sample closure
- Obtain closure from NY before bulk cutting
- Use air pipe for belt operation
- Loosen machine tension
- Mark and distribute zipper and body evenly; loosen machine tension
- Do not cut bulk until stitch mark closure is approved by NY

OVERALL: Size set is passed with correction. Do not cut bulk till stitch mark closure approved from NY.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STATUS: FNL

STYLE: 9662

9662 OCCASION SHORT SLV MINI

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS
 Division / Dept: 02 / 039
 Season: HOLIDAY-B 2026
 Style Desc: 9662 OCCASION SHORT SLV MINI
 Fit / Other:

GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW DRESS/JUMPER/IOV
 POM Descr : GRADE SPECIFICATIONS
 Block :
 Modified By : JEANCHARV
 Sizes Measured : M, L, XL, XXS, S

Size Range : XXS, XS, S, M, L, XL, XXL
 Base Size : M
 Grading Method/UM : Incremental / IN
 Status : FNL
 Measurement Result : FAIL CONDITIONALLY (5 of 51 out of tolerance)

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
0.00B	DISCLAIMER (Wvn): Measure Gmts in Circumference	0	0	-	-	-	-	-	-	-
0.00Z	DRESS LENGTH FROM HPS (ON FORM) - REF ONLY	0	0	-	-	-	34 1/2 spec	-	-	-
1.01C	DRESS LENGTH FROM HPS	-1/2	+1/2	32 1/4 ?? 100%	33 spec	33 3/4 -1/4 90%	34 1/2 -1/8 65%	35 3/4 -1/4 100%	37 ?? 100%	38 1/4 spec
1.01C	LINING - DRESS LENGTH FROM HPS	-1/2	+1/2	31 1/4 ?? 100%	32 spec	32 3/4 -1/4 100%	33 1/2 -1/8 65%	34 3/4 -1/4 80%	36 -1/4 100%	37 1/4 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 ?? 100%	3/4 spec	3/4 ?? 100%	3/4 spec	3/4 ?? 100%	3/4 ?? 100%	3/4 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	5/8 ?? 100%	5/8 spec	5/8 ?? 100%	5/8 ?? 85%	5/8 ?? 100%	5/8 ?? 100%	5/8 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 -1/4 100%	12 1/2 spec	13 -1/4 100%	13 1/2 -1/4 100%	14 1/4 -1/8 100%	15 -1/4 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 ?? 100%	5 spec	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 1/8 -1/8 100%	10 5/8 spec	11 1/8 -1/8 100%	11 5/8 -1/8 65%	12 3/8 -1/8 100%	13 1/8 -1/8 100%	13 7/8 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 ?? 100%	5 spec	5 ?? 100%	5 ?? 100%	5 ?? 70%	5 ?? 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 1/2 -1/8 100%	12 spec	12 1/2 -1/8 100%	13 ?? 100%	13 3/4 ?? 100%	14 1/2 ?? 100%	15 1/4 spec
1.29F	FRONT BODICE LENGTH FROM HPS	-1/4	+1/4	12 3/4 -3/8 100%	13 1/8 spec	13 1/2 -1/2 100%	13 7/8 -1/2 60%	14 1/2 -1/2 100%	15 1/4 -1/2 100%	16 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 1/4 ?? 100%	1 3/8 spec	1 1/2 ?? 100%	1 5/8 ?? 100%	2 ?? 100%	2 1/2 +1/8 100%	3 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 1/8 -1/8 100%	4 1/8 spec	4 1/8 -1/8 100%	4 1/8 -1/8 100%	4 1/4 ?? 100%	4 1/2 ?? 100%	4 3/4 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	30 1/2 -3/8 100%	32 1/2 spec	34 1/2 -1/2 100%	36 1/2 -1/2 100%	39 1/2 -1/2 100%	42 1/2 -1/2 100%	46 1/2 spec
1.28B	FRONT CHEST SS TO CF - EACH SIDE	-1/4	+1/4	7 7/8 ?? 100%	8 3/8 spec	8 7/8 +1/8 100%	9 3/8 -1/8 65%	10 1/8 -1/4 100%	10 7/8 -1/8 100%	11 7/8 spec
1.30A	WAIST AT EMPIRE - STRAIGHT	-3/4	+3/4	26 -1/4 100%	28 spec	30 -1/4 100%	32 -1/4 100%	35 -1/4 100%	38 ?? 100%	42 spec
4.22A	BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ?? 100%	54 spec	56 ?? 100%	58 +1 100%	61 ?? 100%	64 ?? 100%	68 spec
4.22A	LINING - BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ?? 100%	54 spec	56 ?? 100%	58 ?? 100%	61 ?? 100%	64 ?? 100%	68 spec
4.27A	BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ?? 100%	3/16 spec	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 spec
4.27A	LINING - BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ?? 100%	3/16 spec	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 ?? 100%	3/16 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	8 1/8 -1/8 100%	8 1/2 spec	8 7/8 ?? 100%	9 1/4 -1/4 100%	9 7/8 ?? 100%	10 1/2 ?? 100%	11 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE	-1/4	+1/4	4 7/8 ?? 100%	5 1/8 spec	5 3/8 +1/8 100%	5 5/8 ?? 70%	6 ?? 100%	6 3/8 ?? 75%	6 7/8 spec
3.19B	SLEEVE OPENING ALONG EDGE (S/S)	-1/4	+1/4	10 3/4 -1/4 100%	11 1/2 spec	12 1/4 -1/4 100%	13 ?? 55%	14 1/4 -1/4 100%	15 1/2 ?? 100%	17 spec
3.23A	SLEEVE HEM LACE TRIM HEIGHT	-1/8	+1/8	1 ?? 100%	1 spec	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 spec
2.05C	NECK WIDTH EDGE TO EDGE	-1/4	+1/4	8 ?? 100%	8 1/4 spec	8 1/2 ?? 100%	8 3/4 -1/8 100%	9 ?? 100%	9 1/4 ?? 100%	9 1/2 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 3/4 ?? 100%	9 7/8 spec	10 ?? 100%	10 1/8 -1/8 70%	10 1/4 -1/8 100%	10 3/8 ?? 100%	10 1/2 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1 ?? 100%	1 spec	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 spec
7.09B GR	BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT	-1/2	+1/2	28 1/2 ?? 100%	29 spec	29 1/2 ?? 100%	30 ?? 100%	30 3/4 ?? 70%	31 1/2 ?? 60%	32 1/2 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
7.10A	SIDE SEAM BELT/TIE WIDTH	-1/8	+1/8	1 1/4 ?? 80%	1 1/4 spec	1 1/4 ?? 80%	1 1/4 ?? 100%	1 1/4 ?? 80%	1 1/4 ?? 80%	1 1/4 spec
7.02C GR	SIDE SEAM ZIPPER LENGTH	-1/4	+1/4	10 ?? 100%	10 1/2 spec	11 ?? 80%	11 1/2 ?? 100%	12 ?? 100%	12 1/2 ?? 100%	13 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. An orange outline = outside tolerance. Blue figures = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking.** Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

1.29F FRONT BODICE LENGTH FROM HPS — size M: measured 13 3/8 against 13 7/8, -1/2
1.29F FRONT BODICE LENGTH FROM HPS — size L: measured 14 against 14 1/2, -1/2
1.29F FRONT BODICE LENGTH FROM HPS — size XL: measured 14 3/4 against 15 1/4, -1/2
1.29F FRONT BODICE LENGTH FROM HPS — size XXS: measured 12 3/8 against 12 3/4, -3/8
1.29F FRONT BODICE LENGTH FROM HPS — size S: measured 13 against 13 1/2, -1/2

93 of 144 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.

?? 2.02A SHOULDER SLOPE FROM HPS — size M: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size M: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size M: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.25A ACROSS BACK SEAM TO SEAM — size M: spec 13, spoken as "Across back seam to seam", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size M: spec 1 5/8, spoken as "Center front length to empire", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size M: spec 58, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size M: spec 3/16, spoken as "Bottom hemline", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size M: spec 3/16, spoken as "Lining bottom hemline", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size M: spec 5 5/8, spoken as "Sleeve length from armhole short including lace", no deviation or okay captured
?? 3.19B SLEEVE OPENING ALONG EDGE (S/S) — size M: spec 13, spoken as "Sleeve opening along edge", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size M: spec 1, spoken as "Lace trim height", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size M: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size M: spec 30, spoken as "Back tie from side seam each side to low neck point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size M: spec 1 1/4, spoken as "Side seam back tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size M: spec 11 1/2, spoken as "Side seam zipper length", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size L: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size L: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size L: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size L: spec 5, spoken as "Across back position", no deviation or okay captured
?? 1.25A ACROSS BACK SEAM TO SEAM — size L: spec 13 3/4, spoken as "Across back seam to seam", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size L: spec 2, spoken as "Center front body length to empire", no deviation or okay captured
?? 1.09C BODICE LENGTH AT SIDE SEAM — size L: spec 4 1/4, spoken as "Body length at side seam", no deviation or okay captured
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size L: spec 61, spoken as "Bottom sweep curve along edge", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size L: spec 61, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size L: spec 3/16, spoken as "Bottom hemline", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size L: spec 3/16, spoken as "Lining bottom hemline", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size L: spec 9 7/8, spoken as "Armhole straight", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size L: spec 6, spoken as "Sleeve length from armhole short including lace", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size L: spec 1, spoken as "Sleeve hem lace trim height", no deviation or okay captured
?? 2.05C NECK WIDTH EDGE TO EDGE — size L: spec 9, spoken as "Neck width edge to edge", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size L: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size L: spec 30 3/4, spoken as "Belt tie from side seam each side to longest point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size L: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size L: spec 12, spoken as "Side seam zipper length", no deviation or okay captured
?? 1.01C DRESS LENGTH FROM HPS — size XL: spec 37, spoken as "Dress length from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size XL: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size XL: spec 5/8, spoken as "Shoulder slope from HPS", no deviation or okay captured

?? 1.22A ACROSS FRONT POSITION FROM HPS — size XL: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size XL: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.25A ACROSS BACK SEAM TO SEAM — size XL: spec 14 1/2, spoken as "Across back seam to seam", no deviation or okay captured
?? 1.09C BODICE LENGTH AT SIDE SEAM — size XL: spec 4 1/2, spoken as "Body length at side seam", no deviation or okay captured
?? 1.30A WAIST AT EMPIRE - STRAIGHT — size XL: spec 38, spoken as "Waist at empire straight", no deviation or okay captured
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size XL: spec 64, spoken as "Bottom sweep curve along edge", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size XL: spec 64, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size XL: spec 3/16, spoken as "Bottom hemline shell", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size XL: spec 3/16, spoken as "Lining bottom hemline", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size XL: spec 10 1/2, spoken as "Armhole straight", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size XL: spec 6 3/8, spoken as "Sleeve length from armhole short including lace", no deviation or okay captured
?? 3.19B SLEEVE OPENING ALONG EDGE (S/S) — size XL: spec 15 1/2, spoken as "Sleeve opening along edge", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size XL: spec 1, spoken as "Sleeve hem lace trim height", no deviation or okay captured
?? 2.05C NECK WIDTH EDGE TO EDGE — size XL: spec 9 1/4, spoken as "Neck width edge to edge", no deviation or okay captured
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size XL: spec 10 3/8, spoken as "Front neck drop from HPS to edge", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XL: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size XL: spec 31 1/2, spoken as "Belt tie from side seam each side to longest point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size XL: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size XL: spec 12 1/2, spoken as "Side seam zipper length", no deviation or okay captured
?? 1.01C DRESS LENGTH FROM HPS — size XXS: spec 32 1/4, spoken as "Dress length from HPS", no deviation or okay captured
?? 1.01C LINING - DRESS LENGTH FROM HPS — size XXS: spec 31 1/4, spoken as "Lining dress length from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size XXS: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size XXS: spec 5/8, spoken as "Shoulder slope", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size XXS: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size XXS: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size XXS: spec 1 1/4, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 1.28B FRONT CHEST SS TO CF - EACH SIDE — size XXS: spec 7 7/8, spoken as "Front chest side seam to center front each side", no deviation or okay captured
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size XXS: spec 52, spoken as "Bottom sweep curve along edge", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size XXS: spec 52, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size XXS: spec 3/16, spoken as "Bottom hem height", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size XXS: spec 3/16, spoken as "Lining bottom hem height", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE — size XXS: spec 4 7/8, spoken as "Sleeve length from armhole short including lace", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size XXS: spec 1, spoken as "Sleeve hem lace trim height", no deviation or okay captured
?? 2.05C NECK WIDTH EDGE TO EDGE — size XXS: spec 8, spoken as "Neck width edge to edge", no deviation or okay captured
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size XXS: spec 9 3/4, spoken as "Front neck drop from HPS to edge", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XXS: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size XXS: spec 28 1/2, spoken as "Back tie from side seam each side to longest point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size XXS: spec 1 1/4, spoken as "Side seam back tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size XXS: spec 10, spoken as "Side seam zipper length", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size S: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size S: spec 5/8, spoken as "Shoulder slope", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size S: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size S: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size S: spec 1 1/2, spoken as "Center front body length to empire", no deviation or okay captured
?? 4.22A BOTTOM SWEEP CURVED ALONG EDGE — size S: spec 56, spoken as "Bottom sweep curve along edge", no deviation or okay captured
?? 4.22A LINING - BOTTOM SWEEP CURVED ALONG EDGE — size S: spec 56, spoken as "Lining bottom sweep curve along edge", no deviation or okay captured
?? 4.27A BOTTOM HEM HEIGHT — size S: spec 3/16, spoken as "Bottom hemline", no deviation or okay captured
?? 4.27A LINING - BOTTOM HEM HEIGHT — size S: spec 3/16, spoken as "Lining bottom hemline", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size S: spec 8 7/8, spoken as "Armhole straight", no deviation or okay captured
?? 3.23A SLEEVE HEM LACE TRIM HEIGHT — size S: spec 1, spoken as "Sleeve hem lace trim height", no deviation or okay captured
?? 2.05C NECK WIDTH EDGE TO EDGE — size S: spec 8 1/2, spoken as "Neck width edge to edge", no deviation or okay captured
?? 2.03A FRONT NECK DROP FROM HPS TO EDGE — size S: spec 10, spoken as "Front neck drop from HPS to edge", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size S: spec 1, spoken as "Back neck drop from HPS to edge", no deviation or okay captured
?? 7.09B GR BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT — size S: spec 29 1/2, spoken as "Belt tie from side seam each side to longest point", no deviation or okay captured
?? 7.10A SIDE SEAM BELT/TIE WIDTH — size S: spec 1 1/4, spoken as "Side seam belt tie width", no deviation or okay captured
?? 7.02C GR SIDE SEAM ZIPPER LENGTH — size S: spec 11, spoken as "Side seam zipper length", no deviation or okay captured

APPROVED FOR PRODUCTION

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 9662 · Pass with comment · Source: Recording_9662(9) · 182 rows · 20 need review (shown in red)

Size M (28)

No	Point of measure	Measured	Dev	Note	Conf
30	Dress length from HPS	13 3/4	-1/8	Spoken as 13.34; normalized per mixed-number convention	0.65
31	Lining dress length from HPS	13 3/8	-1/8	Spoken as 13.38; normalized per mixed-number convention	0.65
32	Shoulder slope from HPS	5 1/2		Spoken as 5.5	0.85
33	Across shoulder seam to seam	13	-1/4		1.00
34	Across front position from HPS	5			1.00
35	Across front seam to seam	11 1/2	-1/8	Spoken as eleven five	0.65
36	Across back position from HPS	5			1.00
37	Across back seam to seam	13			1.00
38	Front body length from HPS	13 7/8	-1/2	Fraction spoken incompletely as thirteen seven	0.60
39	Center front length to empire	1 5/8			1.00
40	Body length at side seam	4	-1/8		1.00
41	Chest 1 inch below armhole, side seam to side seam	36 1/2	-1/2		1.00
42	Front chest side seam to center front each side	9 3/8	-1/8	Fraction spoken incompletely as nine three	0.65
43	Waist at empire straight	32	-1/4		1.00
44	Bottom sweep curve along edge	58	+1		1.00
45	Lining bottom sweep curve along edge	58			1.00
46	Bottom hemline	3/16			1.00
47	Lining bottom hemline	3/16			1.00
48	Armhole straight	9 1/4	-1/4		1.00
49	Sleeve length from armhole short including lace	5 1/2		Spoken as five five	0.70
50	Sleeve opening along edge	13		Field reconstructed from sequence; preceding words unclear	0.55
51	Lace trim height	1		inch	1.00
52	Neck width edge to edge	8 3/4	-1/8		1.00
53	Front neck drop from HPS to edge	10 1/8	-1/8	Fraction spoken incompletely as ten one	0.70
54	Back neck drop from HPS to edge	1			1.00
55	Back tie from side seam each side to low neck point	30			1.00
56	Side seam back tie width	1 1/4			1.00
57	Side seam zipper length	11 1/2			1.00

Size L (29)

No	Point of measure	Measured	Dev	Note	Conf
58	Dress length from HPS	35 3/4	-1/4		1.00
59	Lining dress length from HPS	34 3/4	-1/4	Spoken as placket dress length	0.80
60	Shoulder seam forward	3/4			1.00
61	Shoulder slope from HPS	5/8			1.00
62	Across shoulder seam to seam	14 1/4	-1/8		1.00
63	Across front position from HPS	5			1.00
64	Across front seam to seam	12 3/8	-1/8		1.00
65	Across back position	5/8		Value is unusual but taken as spoken	0.70
66	Across back seam to seam	13 3/4			1.00
67	Front body length from HPS	14 1/2	-1/2		1.00
68	Center front body length to empire	2			1.00
69	Body length at side seam	4 1/4			1.00
70	Chest 1 inch below armhole, side seam to side seam	39 1/2	-1/2		1.00
71	Front chest side seam to center front each side	10 1/8	-1/4		1.00
72	Waist at empire straight	35	-1/4		1.00
73	Bottom sweep curve along edge	61			1.00
74	Lining bottom sweep curve along edge	61			1.00
75	Bottom hemline	3/16			1.00
76	Lining bottom hemline	3/16			1.00
77	Armhole straight	9 7/8			1.00
78	Sleeve length from armhole short including lace	6			1.00
79	Sleeve opening along edge side seam to side seam	14 1/4	-1/4		1.00
80	Sleeve hem lace trim height	1			1.00
81	Neck width edge to edge	9			1.00
82	Front neck drop from HPS to edge	10 1/4	-1/8		1.00
83	Back neck drop from HPS to edge	1			1.00
84	Belt tie from side seam each side to longest point	33 3/4		Spoken as thirty-three by four	0.70
85	Side seam belt tie width	1/4		Taken exactly as spoken	0.80
86	Side seam zipper length	12			1.00

Size XL (29)

No	Point of measure	Measured	Dev	Note	Conf
87	Dress length from HPS	37			1.00
88	Lining dress length from HPS	36	-1/4		1.00
89	Shoulder seam forward	3/4			1.00
90	Shoulder slope from HPS	5/8			1.00
91	Across shoulder seam to seam	15	-1/4		1.00
92	Across front position from HPS	5			1.00
93	Across front seam to seam	13 1/8	-1/8		1.00
94	Across back position from HPS	5			1.00
95	Across back seam to seam	14 1/2			1.00
96	Front body length from HPS	15 1/4	-1/2		1.00
97	Center front body length to empire	2 1/2	+1/8		1.00
98	Body length at side seam	4 1/2			1.00
99	Chest 1 inch below armhole, side seam to side seam	42 1/2	-1/2		1.00
100	Front chest side seam to center front each side	10 7/8	-1/8		1.00
101	Waist at empire straight	38			1.00
102	Bottom sweep curve along edge	64			1.00
103	Lining bottom sweep curve along edge	64			1.00
104	Bottom hemline shell	3/16			1.00
105	Lining bottom hemline	3/16			1.00
106	Armhole straight	10 1/2			1.00
107	Sleeve length from armhole short including lace	6 3/8		Spoken as 638	0.75
108	Sleeve opening along edge	15 1/2			1.00
109	Sleeve hem lace trim height	1			1.00
110	Neck width edge to edge	9 1/4			1.00
111	Front neck drop from HPS to edge	10 3/8			1.00
112	Back neck drop from HPS to edge	1			1.00
113	Belt tie from side seam each side to longest point	31 1/2		Value taken as spoken; inconsistent with adjacent sizes	0.60
114	Side seam belt tie width	1/4		Taken exactly as spoken	0.80
115	Side seam zipper length	12 1/2			1.00

Size XXS (29)

No	Point of measure	Measured	Dev	Note	Conf
116	Dress length from HPS	32 1/4			1.00
117	Lining dress length from HPS	31 1/4			1.00
118	Shoulder seam forward	3/4			1.00
119	Shoulder slope	5/8			1.00
120	Across shoulder seam to seam	12	-1/4		1.00
121	Across front position from HPS	5			1.00
122	Across front seam to seam	10 1/8	-1/8		1.00
123	Across back position from HPS	5			1.00
124	Across back seam to seam	11 1/2	-1/8		1.00
125	Front bodice length from HPS	12 3/4	-3/8		1.00
126	Center front bodice length to empire	1 1/4			1.00
127	Bodice length at side seam	4 1/8	-1/8		1.00
128	Chest 1 inch below armhole, side seam to side seam	30 1/2	-3/8		1.00
129	Front chest side seam to center front each side	7 7/8			1.00
130	Waist at empire straight	26	-1/4		1.00
131	Bottom sweep curve along edge	52			1.00
132	Lining bottom sweep curve along edge	52			1.00
133	Bottom hem height	3/16			1.00
134	Lining bottom hem height	3/16			1.00
135	Armhole straight	8 1/8	-1/8		1.00
136	Sleeve length from armhole short including lace	4 7/8			1.00
137	Sleeve opening along edge	10 3/4	-1/4		1.00
138	Sleeve hem lace trim height	1			1.00
139	Neck width edge to edge	8			1.00
140	Front neck drop from HPS to edge	9 3/4			1.00
141	Back neck drop from HPS to edge	1			1.00
142	Back tie from side seam each side to longest point	28 1/2			1.00
143	Side seam back tie width	1/4		Taken exactly as spoken	0.80
144	Side seam zipper length	10			1.00

Size S (29)

No	Point of measure	Measured	Dev	Note	Conf
145	Dress length from HPS	33 3/4	-1/4	Extra small was mentioned, then corrected to small before measuring	0.90
146	Lining dress length from HPS	32 3/4	-1/4		1.00
147	Shoulder seam forward	3/4			1.00
148	Shoulder slope	5/8			1.00
149	Across shoulder seam to seam	13	-1/4		1.00
150	Across front position from HPS	5			1.00
151	Across front seam to seam	11 1/8	-1/8		1.00
152	Across back position from HPS	5			1.00
153	Across back seam to seam	12 1/2	-1/8		1.00
154	Front body length from HPS	13 1/2	-1/2		1.00
155	Center front body length to empire	1 1/2			1.00
156	Body length at side seam	4 1/8	-1/8		1.00
157	Chest 1 inch below armhole, side seam to side seam	34 1/2	-1/2		1.00
158	Front chest side seam to center front each side	8 7/8	+1/8		1.00
159	Waist at empire straight	30	-1/4		1.00
160	Bottom sweep curve along edge	56			1.00
161	Lining bottom sweep curve along edge	56			1.00
162	Bottom hemline	3/16			1.00
163	Lining bottom hemline	3/16			1.00
164	Armhole straight	8 7/8			1.00
165	Sleeve length from armhole short including lace	5 3/8	+1/8		1.00
166	Sleeve opening along edge	12 1/4	-1/4		1.00
167	Sleeve hem lace trim height	1			1.00
168	Neck width edge to edge	8 1/2			1.00
169	Front neck drop from HPS to edge	10			1.00
170	Back neck drop from HPS to edge	1			1.00
171	Belt tie from side seam each side to longest point	29 1/2			1.00
172	Side seam belt tie width	1/4		Taken exactly as spoken	0.80
173	Side seam zipper length	11		Spoken as G-per length	0.80

Construction

No	Item	Value	Note	Conf
1	Center front part shape	OK		1.00
2	Back panel	OK		1.00
3	Back waist colour	OK		0.80
4	Bottom grading	OK		1.00
5	Back body neck shirring	OK		1.00
6	Armhole construction	OK		1.00
7	Length grading	OK		1.00
8	Pocketing grading	OK		1.00
9	Lace grading	OK		1.00
10	Lining waist seam construction	OK		1.00
11	Side seam construction	OK		1.00
12	Waterfall pocket appearance	OK		0.90
13	Back yoke inside construction	OK		1.00
14	Neck pleats with lining	OK	Design intent	1.00
15	Cap sleeve with light shirring at cap	OK	Design intent	1.00
16	Invisible zipper	OK	Design intent check; later workmanship correction raised	0.90
17	Shirring centered with upper set bust	OK	Design intent	0.90
18	Two-ply tie	1/4	Design intent; wording partly unclear	0.65
19	Back waist dart	OK	Design intent	1.00

Bill of materials

No	Item	Value	Note	Conf
20	Shell	Gum drop velvet		0.90
21	Lining	American crepe		0.90
22	Tie	Satin		1.00

Shrinkage

No	Item	Value	Note	Conf
26	Shell length shrinkage	0		1.00
27	Shell width shrinkage	0		1.00
28	Lining length shrinkage	0		1.00
29	Lining width shrinkage	0		1.00

Mini marker

No	Item	Value	Note	Conf
23	Shell average consumption	0.98	meter	1.00
24	Width consumption	0.12	meter	0.90
25	Lining consumption	0.83	meter	1.00

Comments and vendor actions

No	Item	Value	Note	Conf
174	Zipper gaping more than Venus side		Improve zipper workmanship and stitching	1.00
175	Roping at hem		Control feeding of top and bottom layers while stitching bias area	1.00
176	Lot not matching with FOB		Use only approved lot for bulk	0.90
177	Pilling abrasion inside seam		Follow NY mail and physical sample closure	0.85
178	Fabric stitch marks		NY closure awaited	1.00
179	Fraying yarn at belt		Use air pipe for belt operation	1.00
180	Tight stitch at side seam/princess seam		Loosen machine tension	1.00
181	Puckering at zipper		Distribute zipper and body evenly by marking; loosen machine tension	1.00
182	Bulk cutting hold		Do not cut bulk until stitch mark closure is approved by NY	1.00