

SIZE SET INSPECTION REPORT

STYLE NO# 7147

DIVISION -

Date: -

DESCRIPTION: V-neck fitted top

COLOUR: navy

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER			✓		PH			✓	

* PH: pH level okay

PATTERN CHECK LIST

Grain Line: OK
Notches: OK
Graded Nest: OK
Corrections Implemnted: Correction has been implemented on size set
YY/ Mini Marker: Shell = 0.656 meters; Lining = 0.471 meter

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: -
Cut Quantity: 5 pieces
Size Set Inspection Result: -

SHRINKAGE SHELL: L = 0% W = 0%
No shrinkage in shell or lining fabric

MEASUREMENT (SPEC ATTACHED)

Result: -
Graded Nest: OK
Corrections To Be Done: Bodice to be fully lined; update DIA from body
only lined to fully lined; update seam circular cut flutter sleeve
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: Not OK
Corrections Implemented: -

LINING: L = 0% W = 0%

DETAILED COMMENTS

(1) Bottom shape uneven and hiking at center front

(2) Neckline unbalanced

(3) Waist seam shape not symmetrical

(4) Puckering at zipper area

(5) Back dart length uneven

(6) Nap direction must be one way

(7) Roping at back armhole

(8) Poor waist belt corner shape

(9) DIA states body only lined

(10) Washed product neckline and armhole finish

ACTION TO BE TAKEN BY VENDOR

Balance and level bottom; take even seam allowance during body attaching
and avoid center-front hiking

Balance neckline and follow pattern measurement while patching shell and
lining

Take even seam allowance; add balance marking for gather; press
center-front seam before attaching

Correct sewing method and thread tension; attach zipper smoothly without
puckering

Follow marking while making back dart

Follow approved sample direction during fabric laying and cutting

Improve operator handling and correct thread tension

Use template for belt pressing; keep finish stitch neat and clean

Update to fully lined bodice with clean lining finish

Ensure clean finish with no roping; add lining to back bodice as checked
with New York team

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STATUS: FNL

STYLE: 7147

7147 V NECK FITTED TOP

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS
 Division / Dept: 02 / 035
 Season: HOLIDAY-B 2026
 Style Desc: 7147 V NECK FITTED TOP
 Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW TOP L20 Size Range : ALPHA WW
 POM Descr : GRADE SPECIFICATIONS Base Size : M
 Block :
 Modified By : VANGR Modified Date/Time : 2026-07-07 11:19:10
 Sizes Measured : XS, S, M, L, XL

Size Range : XXS, XS, S, M, L, XL, XXL
 Base Size : M
 Grading Method/UM : Incremental / IN
 Status : FNL
 Measurement Result : FAIL CONDITIONALLY (7 of 60 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.01A	REFERENCE ON BODY - FRONT LENGTH FROM HPS	0	0	-	-	-	22 spec	-	-	-
1.01A	FRONT LENGTH FROM HPS	-3/8	+3/8	19 1/8 spec	19 3/4 +1/2 100%	20 3/8 +1/2 45%	21 +1/2 100%	21 5/8 +1/2 100%	22 3/8 +1/2 100%	23 1/8 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	1/2 spec	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 spec	3/4 ?? 100%	3/4 ?? 100%	3/4 ?? 100%	3/4 ?? 100%	3/4 ?? 100%	3/4 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 spec	12 1/2 +1/4 100%	13 +1/4 100%	13 1/2 ?? 100%	14 1/4 ?? 100%	15 ?? 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 spec	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 3/4 spec	11 1/4 ?? 100%	11 3/4 +1/4 100%	12 1/4 ?? 100%	13 +1/4 100%	13 3/4 +1/4 100%	14 1/2 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 spec	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 5/8 spec	12 1/8 -1/8 100%	12 5/8 -1/8 100%	13 1/8 ?? 100%	13 7/8 -1/4 100%	14 5/8 ?? 100%	15 3/8 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	33 1/2 spec	35 1/2 ?? 100%	37 1/2 ?? 100%	39 1/2 ?? 72%	42 1/2 ?? 100%	45 1/2 ?? 100%	49 1/2 spec
1.29F	EMPIRE SEAM POSITION FROM HPS	-1/4	+1/4	12 5/8 spec	13 ?? 100%	13 3/8 ?? 80%	13 3/4 ?? 100%	14 3/8 ?? 100%	15 1/8 +1/4 100%	15 7/8 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.31A	EMPIRE WAIST	-3/4	+3/4	30 1/2 spec	32 1/2 -1/2 100%	34 1/2 -1/2 100%	36 1/2 -1/2 100%	39 1/2 -1/2 100%	42 1/2 -1/2 100%	46 1/2 spec
4.22A	BOTTOM SWEEP	-3/4	+3/4	38 1/2 spec	40 1/2 -1/2 86%	42 1/2 ?? 100%	44 1/2 -1/4 100%	47 1/2 -1/4 100%	50 1/2 -1/4 100%	54 1/2 spec
4.27A	BOTTOM HEM HEIGHT	-1/8	+1/8	3/16 spec	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 spec
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 3/8 spec	1 1/2 ?? 100%	1 5/8 ?? 100%	1 3/4 ?? 100%	2 1/8 ?? 100%	2 5/8 ?? 100%	3 1/8 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 3/8 spec	4 1/2 ?? 100%	4 5/8 +1/8 100%	4 3/4 ?? 100%	5 1/8 +1/8 100%	5 5/8 ?? 100%	6 1/8 spec
7.02B GR	WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH	-1/4	+1/4	4 spec	4 1/2 ?? 100%	5 ?? 100%	5 1/2 ?? 100%	6 ?? 100%	6 1/2 ?? 100%	7 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE	-1/4	+1/4	3 7/8 spec	4 1/8 +3/8 48%	4 3/8 +1/4 100%	4 5/8 +1/4 100%	5 ?? 100%	5 3/8 ?? 100%	5 7/8 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	7 5/8 spec	8 -1/4 100%	8 3/8 ?? 100%	8 3/4 +1/4 100%	9 3/8 ?? 100%	10 ?? 100%	10 3/4 spec
3.19B	SLEEVE OPENING (S/S)	-1/4	+1/4	10 1/4 spec	11 -1/4 100%	11 3/4 -1/4 100%	12 1/2 ?? 100%	13 3/4 -1/4 100%	15 ?? 100%	16 1/2 spec
8.08A	SLEEVE CAP SHIRring SPREAD - EVENLY BETWEEN OUTSEAM	-1/8	+1/8	2 7/8 spec	2 7/8 ?? 100%	2 7/8 ?? 100%	2 7/8 ?? 100%	2 7/8 +1/8 100%	2 7/8 +1/8 100%	2 7/8 spec
2.05B	NECK WIDTH EDGE TO EDGE	-1/2	+1/2	7 1/4 spec	7 3/4 ?? 100%	8 1/4 +1/8 100%	8 3/4 -1/4 100%	9 1/2 +1/4 86%	10 1/4 -1/4 100%	11 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 7/8 spec	10 -1/4 100%	10 1/8 -1/8 100%	10 1/4 +3/8 100%	10 3/8 +1/8 100%	10 1/2 +1/4 100%	10 5/8 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1/2 spec	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 spec
8.05A	BACK FISH DART LENGTH	-1/4	+1/4	6 1/2 spec	6 1/2 ?? 100%	6 1/2 +1/8 100%	6 1/2 ?? 100%	6 1/2 ?? 100%	6 1/2 ?? 100%	6 1/2 spec
7.06B	NG TIE LENGTH EXPOSED	-3/8	+3/8	25 3/4 spec	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 spec
*	TIE WIDTH	-1/4	+1/4	1 spec	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 spec
8.08A	BUST SHIRring SPREAD - AT EMPIRE	-1/4	+1/4	2 3/4 spec	2 3/4 ?? 100%	2 3/4 ?? 78%	2 3/4 -1/4 100%	2 3/4 -1/4 100%	2 3/4 ?? 100%	2 3/4 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
*	START BUST SHIRRING FROM CF SEAM	-1/8	+1/8	2 1/4 spec	2 1/4 -1/8 100%	2 1/4 ?? 100%	2 1/4 +1/8 100%	2 1/4 ?? 100%	2 1/4 -1/8 48%	2 1/4 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline** = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

1.01A FRONT LENGTH FROM HPS — size XS: measured 20 1/4 against 19 3/4, +1/2
3.02B SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE — size XS: measured 4 1/2 against 4 1/8, +3/8
1.01A FRONT LENGTH FROM HPS — size S: measured 20 7/8 against 20 3/8, +1/2
1.01A FRONT LENGTH FROM HPS — size M: measured 21 1/2 against 21, +1/2
2.03A FRONT NECK DROP FROM HPS TO EDGE — size M: measured 10 5/8 against 10 1/4, +3/8
1.01A FRONT LENGTH FROM HPS — size L: measured 22 1/8 against 21 5/8, +1/2
1.01A FRONT LENGTH FROM HPS — size XL: measured 22 7/8 against 22 3/8, +1/2

80 of 140 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.

?? 2.02A SHOULDER SLOPE FROM HPS — size XS: spec 1/2, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size XS: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size XS: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.23A ACROSS FRONT SEAM TO SEAM — size XS: spec 11 1/4, spoken as "Across front seam to seam", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size XS: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size XS: spec 35 1/2, spoken as "Chest 1 inch below armhole, side seam to side seam", no deviation or okay captured
?? 1.29F EMPIRE SEAM POSITION FROM HPS — size XS: spec 13, spoken as "Empire seam position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size XS: spec 1 1/2, spoken as "Center-front bodice length to empire", no deviation or okay captured
?? 1.09C BODICE LENGTH AT SIDE SEAM — size XS: spec 4 1/2, spoken as "Bodice length at side seam", no deviation or okay captured
?? 7.02B GR WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH — size XS: spec 4 1/2, spoken as "Wearer-left side seam invisible zipper length", no deviation or okay captured
?? 8.08A SLEEVE CAP SHIRRING SPREAD - EVENLY BETWEEN OUTSEAM — size XS: spec 2 7/8, spoken as "Sleeve cap shirring spread evenly between outseam", no deviation or okay captured
?? 2.05B NECK WIDTH EDGE TO EDGE — size XS: spec 7 3/4, spoken as "Neck width H-to-H", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XS: spec 1/2, spoken as "Back neck drop from HPS to H", no deviation or okay captured
?? 8.05A BACK FISH DART LENGTH — size XS: spec 6 1/2, spoken as "Back fish-eye dart length", no deviation or okay captured
?? * TIE WIDTH — size XS: spec 1, spoken as "Tie width", no deviation or okay captured
?? 8.08A BUST SHIRRING SPREAD - AT EMPIRE — size XS: spec 2 3/4, spoken as "Bust shirring spread at empire", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size S: spec 1/2, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size S: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size S: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size S: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size S: spec 37 1/2, spoken as "Chest 1 inch below armhole, side seam to side seam", no deviation or okay captured
?? 1.29F EMPIRE SEAM POSITION FROM HPS — size S: spec 13 3/8, spoken as "Empire seam position from HPS", no deviation or okay captured
?? 4.22A BOTTOM SWEEP — size S: spec 42 1/2, spoken as "Bottom sweep", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size S: spec 1 5/8, spoken as "Center-front bodice length to empire", no deviation or okay captured
?? 7.02B GR WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH — size S: spec 5, spoken as "Wearer-left side seam invisible zipper length", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size S: spec 8 3/8, spoken as "Armhole straight", no deviation or okay captured
?? 8.08A SLEEVE CAP SHIRRING SPREAD - EVENLY BETWEEN OUTSEAM — size S: spec 2 7/8, spoken as "Sleeve cap shirring spread evenly between outseam", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size S: spec 1/2, spoken as "Back neck drop from HPS to H", no deviation or okay captured
?? * TIE WIDTH — size S: spec 1, spoken as "Tie width", no deviation or okay captured
?? 8.08A BUST SHIRRING SPREAD - AT EMPIRE — size S: spec 2 3/4, spoken as "Bust shirring spread at empire", no deviation or okay captured
?? * START BUST SHIRRING FROM CF SEAM — size S: spec 2 1/4, spoken as "Start bust shirring from center-front seam", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size M: spec 1/2, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size M: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 1.20A ACROSS SHOULDER SEAM TO SEAM — size M: spec 13 1/2, spoken as "Across shoulder seam to seam", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size M: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.23A ACROSS FRONT SEAM TO SEAM — size M: spec 12 1/4, spoken as "Across front seam to seam", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size M: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.25A ACROSS BACK SEAM TO SEAM — size M: spec 13 1/8, spoken as "Across back seam to seam", no deviation or okay captured

?? 1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size M: spec 39 1/2, spoken as "Chest 1 inch below armhole, side seam to side seam", no deviation or okay captured
?? 1.29F EMPIRE SEAM POSITION FROM HPS — size M: spec 13 3/4, spoken as "Empire seam position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size M: spec 1 3/4, spoken as "Center-front bodice length to empire", no deviation or okay captured
?? 1.09C BODICE LENGTH AT SIDE SEAM — size M: spec 4 3/4, spoken as "Bodice length at side seam", no deviation or okay captured
?? 7.02B GR WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH — size M: spec 5 1/2, spoken as "Wearer-left side seam invisible zipper length", no deviation or okay captured
?? 3.19B SLEEVE OPENING (S/S) — size M: spec 12 1/2, spoken as "Sleeve opening", no deviation or okay captured
?? 8.08A SLEEVE CAP SHIRRING SPREAD - EVENLY BETWEEN OUTSEAM — size M: spec 2 7/8, spoken as "Sleeve cap shirring spread evenly between outseam", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size M: spec 1/2, spoken as "Back neck drop from HPS to H", no deviation or okay captured
?? 8.05A BACK FISH DART LENGTH — size M: spec 6 1/2, spoken as "Back fish-eye dart length", no deviation or okay captured
?? * TIE WIDTH — size M: spec 1, spoken as "Tie width", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size L: spec 1/2, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size L: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 1.20A ACROSS SHOULDER SEAM TO SEAM — size L: spec 14 1/4, spoken as "Across shoulder seam to seam", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size L: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size L: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size L: spec 42 1/2, spoken as "Chest 1 inch below armhole, side seam to side seam", no deviation or okay captured
?? 1.29F EMPIRE SEAM POSITION FROM HPS — size L: spec 14 3/8, spoken as "Empire seam position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size L: spec 2 1/8, spoken as "Center-front bodice length to empire", no deviation or okay captured
?? 7.02B GR WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH — size L: spec 6, spoken as "Wearer-left side seam invisible zipper length", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE — size L: spec 5, spoken as "Sleeve length from armhole, including lace", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size L: spec 9 3/8, spoken as "Armhole straight", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size L: spec 1/2, spoken as "Back neck drop from HPS to H", no deviation or okay captured
?? 8.05A BACK FISH DART LENGTH — size L: spec 6 1/2, spoken as "Back fish-eye dart length", no deviation or okay captured
?? * TIE WIDTH — size L: spec 1, spoken as "Tie width", no deviation or okay captured
?? * START BUST SHIRRING FROM CF SEAM — size L: spec 2 1/4, spoken as "Start bust shirring from center-front seam", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size XL: spec 1/2, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size XL: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 1.20A ACROSS SHOULDER SEAM TO SEAM — size XL: spec 15, spoken as "Across shoulder seam to seam", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size XL: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size XL: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.25A ACROSS BACK SEAM TO SEAM — size XL: spec 14 5/8, spoken as "Across back seam to seam", no deviation or okay captured
?? 1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size XL: spec 45 1/2, spoken as "Chest 1 inch below armhole, side seam to side seam", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size XL: spec 2 5/8, spoken as "Center-front bodice length to empire", no deviation or okay captured
?? 1.09C BODICE LENGTH AT SIDE SEAM — size XL: spec 5 5/8, spoken as "Bodice length at side seam", no deviation or okay captured
?? 7.02B GR WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH — size XL: spec 6 1/2, spoken as "Wearer-left side seam invisible zipper length", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE — size XL: spec 5 3/8, spoken as "Sleeve length from armhole, including lace", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size XL: spec 10, spoken as "Armhole straight", no deviation or okay captured
?? 3.19B SLEEVE OPENING (S/S) — size XL: spec 15, spoken as "Sleeve opening", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XL: spec 1/2, spoken as "Back neck drop from HPS to H", no deviation or okay captured
?? 8.05A BACK FISH DART LENGTH — size XL: spec 6 1/2, spoken as "Back fish-eye dart length", no deviation or okay captured
?? * TIE WIDTH — size XL: spec 1, spoken as "Tie width", no deviation or okay captured
?? 8.08A BUST SHIRRING SPREAD - AT EMPIRE — size XL: spec 2 3/4, spoken as "Bust shirring spread at empire", no deviation or okay captured

Generated from SIZE SET 7147 (1)(3) and checked against style_7147.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 7147 · V-neck fitted top · Colour navy · Source: SIZE SET 7147 (1)(3) · 171 rows · 6 need review (shown in red)

Size XS (28)

No	Point of measure	Measured	Dev	Note	Conf
17	Front length from HPS	19 3/4	+1/2		1.00
18	Shoulder slope from HPS	1/2			1.00
19	Shoulder seam forward	3/4			1.00
20	Across shoulder seam to seam	12 1/2	+1/4		1.00
21	Across front position from HPS	5			1.00
22	Across front seam to seam	11 1/4			1.00
23	Across back position from HPS	5			1.00
24	Across back seam to seam	12 1/8	-1/8		1.00
25	Chest 1 inch below armhole, side seam to side seam	35 1/2			1.00
26	Empire seam position from HPS	13			1.00
27	Empire waist	32 1/2	-1/2		1.00
28	Bottom sweep	14 1/2	-1/2		0.86
29	Bottom hem height	3/16	+1/16		1.00
30	Center-front bodice length to empire	1 1/2			1.00
31	Bodice length at side seam	4 1/2			1.00
32	Wearer-left side seam invisible zipper length	4 1/2			1.00
33	Sleeve length from armhole, including lace	4 1/8	+3/8	Spoken as 'front 1/8'; leading four reconstructed from grading sequence	0.48
34	Armhole straight	8	-1/4		1.00
35	Sleeve opening	11	-1/4		1.00
36	Sleeve cap shirring spread evenly between outseam	2 7/8		Gather measurement	1.00
37	Neck width H-to-H	7 3/4			1.00
38	Back neck drop from HPS to H	1/2			1.00
39	Front neck drop from HPS to H	10	-1/4		1.00
40	Back fish-eye dart length	6 1/2			1.00
41	Tie length exposed to point	25 3/4	+1/4		1.00
42	Tie width	1			1.00
43	Bust shirring spread at empire	2 3/4			1.00
44	Start bust shirring from center-front seam	2 1/4	-1/8		1.00

Size S (28)

No	Point of measure	Measured	Dev	Note	Conf
45	Front length from HPS	20 3/8	+1/2	Announcement was garbled as '12 3/8, 23/8'; reconstructed from the correction and grade sequence	0.45
46	Shoulder slope from HPS	1/2			1.00
47	Shoulder seam forward	3/4			1.00
48	Across shoulder seam to seam	13	+1/4		1.00
49	Across front position from HPS	5			1.00
50	Across front seam to seam	11 3/4	+1/4		1.00
51	Across back position from HPS	5			1.00
52	Across back seam to seam	12 5/8	-1/8		1.00
53	Chest 1 inch below armhole, side seam to side seam	37 1/2			1.00
54	Empire seam position from HPS	13 3/8		Speaker started with '12' before confirming 13 3/8	0.80
55	Empire waist	34 1/2	-1/4		1.00
56	Bottom sweep	42 1/2			1.00
57	Bottom hem height	3/16	+1/16		1.00
58	Center-front bodice length to empire	1 5/8			1.00
59	Bodice length at side seam	4 5/8	+1/8		1.00
60	Wearer-left side seam invisible zipper length	5			1.00
61	Sleeve length from armhole, including lace	4 3/8	+1/4		1.00
62	Armhole straight	8 3/8			1.00
63	Sleeve opening	11 3/4	-1/4		1.00
64	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
65	Neck width H-to-H	8 1/4	+1/8		1.00
66	Back neck drop from HPS to H	1/2			1.00
67	Front neck drop from HPS to H	10 1/8	-1/8		1.00
68	Back fish-eye dart length	6 1/2	+1/8		1.00
69	Tie length exposed to point	25 3/4	+1/4		1.00
70	Tie width	1			1.00
71	Bust shirring spread at empire	2 3/4		Initially called as 2 3/8, then corrected	0.78
72	Start bust shirring from center-front seam	2 1/4			1.00

Size M (28)

No	Point of measure	Measured	Dev	Note	Conf
73	Front length from HPS	21	+1/2		1.00
74	Shoulder slope from HPS	1/2			1.00
75	Shoulder seam forward	3/4			1.00
76	Across shoulder seam to seam	13 1/2			1.00
77	Across front position from HPS	5			1.00
78	Across front seam to seam	12 1/4			1.00
79	Across back position from HPS	5			1.00
80	Across back seam to seam	13 1/8			1.00
81	Chest 1 inch below armhole, side seam to side seam	13 1/2		Value was repeated but appears inconsistent with adjacent sizes	0.72
82	Empire seam position from HPS	13 3/4			1.00
83	Empire waist	36 1/2	-1/2		1.00
84	Bottom sweep	44 1/2	-1/4		1.00
85	Bottom hem height	3/16	+1/16		1.00
86	Center-front bodice length to empire	1 3/4			1.00
87	Bodice length at side seam	4 3/4			1.00
88	Wearer-left side seam invisible zipper length	5 1/2			1.00
89	Sleeve length from armhole, including lace	4 5/8	+1/4		1.00
90	Armhole straight	8 3/4	+1/4		1.00
91	Sleeve opening	12 1/2			1.00
92	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
93	Neck width H-to-H	8 3/4	-1/4		1.00
94	Back neck drop from HPS to H	1/2			1.00
95	Front neck drop from HPS to H	10 1/4	+3/8		1.00
96	Back fish-eye dart length	6 1/2			1.00
97	Tie length exposed to point	25 3/4	+1/4		1.00
98	Tie width	1			1.00
99	Bust shirring spread at empire	2 3/4	-1/4		1.00
100	Start bust shirring from center-front seam	2 1/4	+1/8		1.00

Size L (28)

No	Point of measure	Measured	Dev	Note	Conf
101	Front length from HPS	21 5/8	+1/2		1.00
102	Shoulder slope from HPS	1/2			1.00
103	Shoulder seam forward	3/4			1.00
104	Across shoulder seam to seam	14 1/4			1.00
105	Across front position from HPS	5			1.00
106	Across front seam to seam	13	+1/4		1.00
107	Across back position from HPS	5			1.00
108	Across back seam to seam	13 7/8	-1/4		1.00
109	Chest 1 inch below armhole, side seam to side seam	42 1/2			1.00
110	Empire seam position from HPS	14 3/8			1.00
111	Empire waist	39 1/2	-1/2		1.00
112	Bottom sweep	47 1/2	-1/4		1.00
113	Bottom hem height	3/16	+1/16		1.00
114	Center-front bodice length to empire	2 1/8			1.00
115	Bodice length at side seam	5 1/8	+1/8		1.00
116	Wearer-left side seam invisible zipper length	6			1.00
117	Sleeve length from armhole, including lace	5			1.00
118	Armhole straight	9 3/8			1.00
119	Sleeve opening	13 3/4	-1/4		1.00
120	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
121	Neck width H-to-H	9 1/2	+1/4	Initially called as 8 3/4, then corrected to 9 1/2	0.86
122	Back neck drop from HPS to H	1/2			1.00
123	Front neck drop from HPS to H	10 3/8	+1/8		1.00
124	Back fish-eye dart length	6 1/2			1.00
125	Tie length exposed to point	25 3/4	+1/4		1.00
126	Tie width	1			1.00
127	Bust shirring spread at empire	2 3/4	-1/4		1.00
128	Start bust shirring from center-front seam	2 1/4			1.00

Size XL (28)

No	Point of measure	Measured	Dev	Note	Conf
129	Front length from HPS	22 3/8	+1/2		1.00
130	Shoulder slope from HPS	1/2			1.00
131	Shoulder seam forward	3/4			1.00
132	Across shoulder seam to seam	15			1.00
133	Across front position from HPS	5			1.00
134	Across front seam to seam	13 3/4	+1/4		1.00
135	Across back position from HPS	5			1.00
136	Across back seam to seam	14 5/8			1.00
137	Chest 1 inch below armhole, side seam to side seam	45 1/2			1.00
138	Empire seam position from HPS	15 1/8	+1/4		1.00
139	Empire waist	42 1/2	-1/2		1.00
140	Bottom sweep	50 1/2	-1/4		1.00
141	Bottom hem height	3/16	+1/16		1.00
142	Center-front bodice length to empire	2 5/8			1.00
143	Bodice length at side seam	5 5/8			1.00
144	Wearer-left side seam invisible zipper length	6 1/2			1.00
145	Sleeve length from armhole, including lace	5 3/8			1.00
146	Armhole straight	10			1.00
147	Sleeve opening	15			1.00
148	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
149	Neck width H-to-H	10 1/4	-1/4		1.00
150	Back neck drop from HPS to H	1/2			1.00
151	Front neck drop from HPS to H	10 1/2	+1/4		1.00
152	Back fish-eye dart length	6 1/2			1.00
153	Tie length exposed to point	25 3/4	+1/4		1.00
154	Tie width	1			1.00
155	Bust shirring spread at empire	2 3/4			1.00
156	Start bust shirring from center-front seam	1/4	-1/8	Possibly missing a leading whole number in the recording	0.48

Construction

No	Item	Value	Note	Conf
9	Fabric inspection	16.1 points	10% of fabric checked	1.00
10	Superimposed pattern		OK	1.00
11	Nested pattern		OK	1.00
12	Fusing compatibility report		Not applicable	1.00
13	Fusing trim card		OK, only for size set	1.00
14	Fabric approval		OK; follow FOB	1.00
15	Hand feel report		OK	1.00
16	Wash recipe		OK	1.00
157	Bodice lining		Body fully lined; bodice clean finished with lining; back bodice lining to be added	1.00
158	Bodice shirring		Slight shirring at bodice	1.00
159	Sleeve		Circular-cut flutter sleeve; hem finished with baby hem and lace at sleeve hem	1.00
160	Self tie	1 inch	Flat two-ply clean finish; comes from side seam and ties functionally at center back	1.00
161	Back darts		Fish-eye darts control fullness at back	1.00
162	Invisible zipper placement		Inserted at wearer-left side seam	1.00

Bill of materials

No	Item	Value	Note	Conf
163	Gumdrop velvet		Entire garment shell fabric	1.00
164	100% polyester lining		Entire garment	1.00
165	100% polyester		For tie only	1.00

No	Item	Value	Note	Conf
166	Lace trim		OK	1.00
167	Invisible zipper		OK	1.00
168	Overlock thread		Vardhman Tex 21	1.00
169	Construction thread		Vardhman Tex 27 for all construction	1.00
170	Main label stitching thread		Vardhman Tex 21	1.00
171	Main label		Horizontal end fold at center back; code 008	1.00

Shrinkage

No	Item	Value	Note	Conf
5	Shell length shrinkage	0%	Navy; no shrinkage	1.00
6	Shell width shrinkage	0%	Navy; no shrinkage	1.00
7	Lining length shrinkage	0%		1.00
8	Lining width shrinkage	0%		1.00

Mini marker

No	Item	Value	Note	Conf
1	Shell average consumption	0.656 meters		1.00
2	Marker efficiency	65.06%		1.00
3	Marker direction		One-way marker due to nap direction	1.00
4	Lining YY	0.471 meter		1.00