

SIZE SET INSPECTION REPORT

STYLE NO# 7147

DIVISION -

Date: -

DESCRIPTION: V-neck fitted top

COLOUR: navy

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER			✓		PH			✓	

* PH: pH level okay

PATTERN CHECK LIST

Grain Line: OK
Notches: OK
Graded Nest: OK
Corrections Implemnted: OK
YY/ Mini Marker: Shell 0.656 meters; lining 0.471 meter

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: -
Cut Quantity: 5 pieces
Size Set Inspection Result: -

SHRINKAGE SHELL: L = 0% W = 0%
No shrinkage in shell or lining fabric

MEASUREMENT (SPEC ATTACHED)

Result: -
Graded Nest: -
Corrections To Be Done: Update DIA from body only lined to bodice fully lined; update seam description to circular cut flutter sleeve
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: L = 0% W = 0%

DETAILED COMMENTS

(1) Bottom shape uneven and hiking at center front

(2) Neckline found unbalanced

(3) Waist seam shape not symmetrical

(4) Puckering at zipper area

(5) Back dart length uneven

(6) Nap direction must be one way

(7) Roping at back armhole

(8) Poor waist belt corner shape

(9) DIA states body only lined

(10) Neckline and armhole finish

(11) Back bodice lining required

ACTION TO BE TAKEN BY VENDOR

Balance and level bottom; take even seam allowance during body attaching and avoid center-front hiking

Balance neckline and follow pattern measurements while patching shell and lining

Take even seam allowance, add balance marking for gather and press center-front seam before attaching

Correct sewing method and thread tension; attach zipper smoothly

Educate operator to follow back-dart marking

Follow approved-sample direction during fabric laying and cutting

Improve operator handling and correct thread tension

Use template for belt pressing and keep finish stitch neat and clean

Update to bodice fully lined and clean finish with lining

Ensure clean finish with no roping

Add lining as checked with New York team

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STATUS: FNL

STYLE: 7147

7147 V NECK FITTED TOP

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS
 Division / Dept: 02 / 035
 Season: HOLIDAY-B 2026
 Style Desc: 7147 V NECK FITTED TOP
 Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW TOP L20 Size Range : ALPHA WW
POM Descr : GRADE SPECIFICATIONS Base Size : M
Block :
Modified By : VANGR Modified Date/Time : 2026-07-07 11:19:10
Sizes Measured : XS, S, M, L, XL

Size Range : XXS, XS, S, M, L, XL, XXL
Base Size : M
Grading Method/UM : Incremental / IN
Status : FNL
Measurement Result : FAIL CONDITIONALLY (7 of 60 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.01A	REFERENCE ON BODY - FRONT LENGTH FROM HPS	0	0	-	-	-	22 spec	-	-	-
1.01A	FRONT LENGTH FROM HPS	-3/8	+3/8	19 1/8 spec	19 3/4 +1/2 100%	20 3/8 +1/2 55%	21 +1/2 100%	21 5/8 +1/2 100%	22 3/8 +1/2 100%	23 1/8 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	1/2 spec	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 spec	3/4 ?? 100%	3/4 ?? 100%	3/4 ?? 100%	3/4 ?? 100%	3/4 ?? 100%	3/4 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 spec	12 1/2 +1/4 100%	13 +1/4	13 1/2 ?? 100%	14 1/4 ?? 100%	15 ?? 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 spec	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 3/4 spec	11 1/4 ?? 100%	11 3/4 +1/4 100%	12 1/4 ?? 100%	13 +1/4 100%	13 3/4 +1/4 100%	14 1/2 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 spec	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 ?? 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 5/8 spec	12 1/8 -1/8 100%	12 5/8 -1/8 100%	13 1/8 ?? 100%	13 7/8 -1/4 100%	14 5/8 ?? 100%	15 3/8 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	33 1/2 spec	35 1/2 ?? 100%	37 1/2 ?? 100%	39 1/2 ?? 100%	42 1/2 ?? 100%	45 1/2 ?? 100%	49 1/2 spec
1.29F	EMPIRE SEAM POSITION FROM HPS	-1/4	+1/4	12 5/8 spec	13 ?? 100%	13 3/8 ?? 80%	13 3/4 ?? 100%	14 3/8 ?? 100%	15 1/8 +1/4 100%	15 7/8 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.31A	EMPIRE WAIST	-3/4	+3/4	30 1/2 spec	32 1/2 -1/2 100%	34 1/2 -1/2 100%	36 1/2 -1/2 100%	39 1/2 -1/2 100%	42 1/2 -1/2 100%	46 1/2 spec
4.22A	BOTTOM SWEEP	-3/4	+3/4	38 1/2 spec	40 1/2 -1/2 55%	42 1/2 ?? 100%	44 1/2 -1/4 100%	47 1/2 -1/4 100%	50 1/2 -1/4 55%	54 1/2 spec
4.27A	BOTTOM HEM HEIGHT	-1/8	+1/8	3/16 spec	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 spec
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 3/8 spec	1 1/2 ?? 100%	1 5/8 ?? 100%	1 3/4 ?? 100%	2 1/8 ?? 100%	2 5/8 ?? 100%	3 1/8 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 3/8 spec	4 1/2 ?? 100%	4 5/8 +1/8 100%	4 3/4 ?? 100%	5 1/8 +1/8 100%	5 5/8 ?? 100%	6 1/8 spec
7.02B GR	WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH	-1/4	+1/4	4 spec	4 1/2 ?? 100%	5 ?? 100%	5 1/2 ?? 100%	6 ?? 100%	6 1/2 ?? 100%	7 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE	-1/4	+1/4	3 7/8 spec	4 1/8 +3/8 55%	4 3/8 +1/4 100%	4 5/8 +1/4 100%	5 ?? 100%	5 3/8 ?? 100%	5 7/8 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	7 5/8 spec	8 -1/4 100%	8 3/8 ?? 100%	8 3/4 +1/4 100%	9 3/8 ?? 100%	10 ?? 100%	10 3/4 spec
3.19B	SLEEVE OPENING (S/S)	-1/4	+1/4	10 1/4 spec	11 -1/4 100%	11 3/4 -1/4 100%	12 1/2 ?? 100%	13 3/4 -1/4 100%	15 ?? 100%	16 1/2 spec
8.08A	SLEEVE CAP SHIRring SPREAD - EVENLY BETWEEN OUTSEAM	-1/8	+1/8	2 7/8 spec	2 7/8 ?? 100%	2 7/8 ?? 100%	2 7/8 ?? 100%	2 7/8 +1/8 100%	2 7/8 +1/8 100%	2 7/8 spec
2.05B	NECK WIDTH EDGE TO EDGE	-1/2	+1/2	7 1/4 spec	7 3/4 ?? 100%	8 1/4 +1/8 100%	8 3/4 -1/4 100%	9 1/2 +1/4 80%	10 1/4 -1/4 100%	11 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 7/8 spec	10 -1/4 100%	10 1/8 -1/8 100%	10 1/4 +3/8 100%	10 3/8 +1/8 100%	10 1/2 +1/4 100%	10 5/8 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1/2 spec	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 ?? 100%	1/2 spec
8.05A	BACK FISH DART LENGTH	-1/4	+1/4	6 1/2 spec	6 1/2 ?? 100%	6 1/2 +1/8 100%	6 1/2 ?? 100%	6 1/2 ?? 100%	6 1/2 ?? 100%	6 1/2 spec
7.06B	NG TIE LENGTH EXPOSED	-3/8	+3/8	25 3/4 spec	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 spec
*	TIE WIDTH	-1/4	+1/4	1 spec	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 ?? 100%	1 spec
8.08A	BUST SHIRring SPREAD - AT EMPIRE	-1/4	+1/4	2 3/4 spec	2 3/4 ?? 100%	2 3/4 ?? 75%	2 3/4 -1/4 100%	2 3/4 -1/4 100%	2 3/4 ?? 100%	2 3/4 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
*	START BUST SHIRRING FROM CF SEAM	-1/8	+1/8	2 1/4 spec	2 1/4 -1/8 100%	2 1/4 ?? 100%	2 1/4 +1/8 100%	2 1/4 ?? 100%	2 1/4 -1/8 60%	2 1/4 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline** = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

1.01A FRONT LENGTH FROM HPS — size XS: measured 20 1/4 against 19 3/4, +1/2
3.02B SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE — size XS: measured 4 1/2 against 4 1/8, +3/8
1.01A FRONT LENGTH FROM HPS — size S: measured 20 7/8 against 20 3/8, +1/2
1.01A FRONT LENGTH FROM HPS — size M: measured 21 1/2 against 21, +1/2
2.03A FRONT NECK DROP FROM HPS TO EDGE — size M: measured 10 5/8 against 10 1/4, +3/8
1.01A FRONT LENGTH FROM HPS — size L: measured 22 1/8 against 21 5/8, +1/2
1.01A FRONT LENGTH FROM HPS — size XL: measured 22 7/8 against 22 3/8, +1/2

80 of 140 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.

?? 2.02A SHOULDER SLOPE FROM HPS — size XS: spec 1/2, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size XS: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size XS: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.23A ACROSS FRONT SEAM TO SEAM — size XS: spec 11 1/4, spoken as "Across front seam to seam", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size XS: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size XS: spec 35 1/2, spoken as "Chest 1 inch below armhole, side seam to side seam", no deviation or okay captured
?? 1.29F EMPIRE SEAM POSITION FROM HPS — size XS: spec 13, spoken as "Empire seam position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size XS: spec 1 1/2, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 1.09C BODICE LENGTH AT SIDE SEAM — size XS: spec 4 1/2, spoken as "Bodice length at side seam", no deviation or okay captured
?? 7.02B GR WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH — size XS: spec 4 1/2, spoken as "Wearer left side seam invisible zipper length", no deviation or okay captured
?? 8.08A SLEEVE CAP SHIRRING SPREAD - EVENLY BETWEEN OUTSEAM — size XS: spec 2 7/8, spoken as "Sleeve cap shirring spread evenly between outseam", no deviation or okay captured
?? 2.05B NECK WIDTH EDGE TO EDGE — size XS: spec 7 3/4, spoken as "Neck width H to H", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XS: spec 1/2, spoken as "Back neck drop from HPS", no deviation or okay captured
?? 8.05A BACK FISH DART LENGTH — size XS: spec 6 1/2, spoken as "Back fish-eye dart length", no deviation or okay captured
?? * TIE WIDTH — size XS: spec 1, spoken as "Tie width", no deviation or okay captured
?? 8.08A BUST SHIRRING SPREAD - AT EMPIRE — size XS: spec 2 3/4, spoken as "Bust shirring spread at empire", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size S: spec 1/2, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size S: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size S: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size S: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size S: spec 37 1/2, spoken as "Chest 1 inch below armhole, side seam to side seam", no deviation or okay captured
?? 1.29F EMPIRE SEAM POSITION FROM HPS — size S: spec 13 3/8, spoken as "Empire seam position from HPS", no deviation or okay captured
?? 4.22A BOTTOM SWEEP — size S: spec 42 1/2, spoken as "Bottom sweep", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size S: spec 1 5/8, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 7.02B GR WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH — size S: spec 5, spoken as "Wearer left side seam invisible zipper length", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size S: spec 8 3/8, spoken as "Armhole straight", no deviation or okay captured
?? 8.08A SLEEVE CAP SHIRRING SPREAD - EVENLY BETWEEN OUTSEAM — size S: spec 2 7/8, spoken as "Sleeve cap shirring spread evenly between outseam", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size S: spec 1/2, spoken as "Back neck drop from HPS", no deviation or okay captured
?? * TIE WIDTH — size S: spec 1, spoken as "Tie width", no deviation or okay captured
?? 8.08A BUST SHIRRING SPREAD - AT EMPIRE — size S: spec 2 3/4, spoken as "Bust shirring spread at empire", no deviation or okay captured
?? * START BUST SHIRRING FROM CF SEAM — size S: spec 2 1/4, spoken as "Start bust shirring from center front seam", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size M: spec 1/2, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size M: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 1.20A ACROSS SHOULDER SEAM TO SEAM — size M: spec 13 1/2, spoken as "Across shoulder seam to seam", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size M: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.23A ACROSS FRONT SEAM TO SEAM — size M: spec 12 1/4, spoken as "Across front seam to seam", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size M: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.25A ACROSS BACK SEAM TO SEAM — size M: spec 13 1/8, spoken as "Across back seam to seam", no deviation or okay captured

?? 1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size M: spec 39 1/2, spoken as "Chest 1 inch below armhole, side seam to side seam", no deviation or okay captured
?? 1.29F EMPIRE SEAM POSITION FROM HPS — size M: spec 13 3/4, spoken as "Empire seam position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size M: spec 1 3/4, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 1.09C BODICE LENGTH AT SIDE SEAM — size M: spec 4 3/4, spoken as "Bodice length at side seam", no deviation or okay captured
?? 7.02B GR WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH — size M: spec 5 1/2, spoken as "Wearer left side seam invisible zipper length", no deviation or okay captured
?? 3.19B SLEEVE OPENING (S/S) — size M: spec 12 1/2, spoken as "Sleeve opening", no deviation or okay captured
?? 8.08A SLEEVE CAP SHIRRING SPREAD - EVENLY BETWEEN OUTSEAM — size M: spec 2 7/8, spoken as "Sleeve cap shirring spread evenly between outseam", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size M: spec 1/2, spoken as "Back neck drop from HPS", no deviation or okay captured
?? 8.05A BACK FISH DART LENGTH — size M: spec 6 1/2, spoken as "Back fish-eye dart length", no deviation or okay captured
?? * TIE WIDTH — size M: spec 1, spoken as "Tie width", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size L: spec 1/2, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size L: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 1.20A ACROSS SHOULDER SEAM TO SEAM — size L: spec 14 1/4, spoken as "Across shoulder seam to seam", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size L: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size L: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size L: spec 42 1/2, spoken as "Chest 1 inch below armhole, side seam to side seam", no deviation or okay captured
?? 1.29F EMPIRE SEAM POSITION FROM HPS — size L: spec 14 3/8, spoken as "Empire seam position from HPS", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size L: spec 2 1/8, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 7.02B GR WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH — size L: spec 6, spoken as "Wearer left side seam invisible zipper length", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE — size L: spec 5, spoken as "Sleeve length from armhole, including lace", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size L: spec 9 3/8, spoken as "Armhole straight", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size L: spec 1/2, spoken as "Back neck drop from HPS", no deviation or okay captured
?? 8.05A BACK FISH DART LENGTH — size L: spec 6 1/2, spoken as "Back fish-eye dart length", no deviation or okay captured
?? * TIE WIDTH — size L: spec 1, spoken as "Tie width", no deviation or okay captured
?? * START BUST SHIRRING FROM CF SEAM — size L: spec 2 1/4, spoken as "Start bust shirring from center front seam", no deviation or okay captured
?? 2.02A SHOULDER SLOPE FROM HPS — size XL: spec 1/2, spoken as "Shoulder slope from HPS", no deviation or okay captured
?? 2.01A SHOULDER SEAM FORWARD — size XL: spec 3/4, spoken as "Shoulder seam forward", no deviation or okay captured
?? 1.20A ACROSS SHOULDER SEAM TO SEAM — size XL: spec 15, spoken as "Across shoulder seam to seam", no deviation or okay captured
?? 1.22A ACROSS FRONT POSITION FROM HPS — size XL: spec 5, spoken as "Across front position from HPS", no deviation or okay captured
?? 1.24A ACROSS BACK POSITION FROM HPS — size XL: spec 5, spoken as "Across back position from HPS", no deviation or okay captured
?? 1.25A ACROSS BACK SEAM TO SEAM — size XL: spec 14 5/8, spoken as "Across back seam to seam", no deviation or okay captured
?? 1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size XL: spec 45 1/2, spoken as "Chest 1 inch below armhole, side seam to side seam", no deviation or okay captured
?? 1.08C CF BODICE LENGTH TO EMPIRE — size XL: spec 2 5/8, spoken as "Center front bodice length to empire", no deviation or okay captured
?? 1.09C BODICE LENGTH AT SIDE SEAM — size XL: spec 5 5/8, spoken as "Bodice length at side seam", no deviation or okay captured
?? 7.02B GR WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH — size XL: spec 6 1/2, spoken as "Wearer left side seam invisible zipper length", no deviation or okay captured
?? 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE — size XL: spec 5 3/8, spoken as "Sleeve length from armhole, including lace", no deviation or okay captured
?? 3.06B ARMHOLE STRAIGHT — size XL: spec 10, spoken as "Armhole straight", no deviation or okay captured
?? 3.19B SLEEVE OPENING (S/S) — size XL: spec 15, spoken as "Sleeve opening", no deviation or okay captured
?? 2.04A BACK NECK DROP FROM HPS TO EDGE — size XL: spec 1/2, spoken as "Back neck drop from HPS", no deviation or okay captured
?? 8.05A BACK FISH DART LENGTH — size XL: spec 6 1/2, spoken as "Back fish-eye dart length", no deviation or okay captured
?? * TIE WIDTH — size XL: spec 1, spoken as "Tie width", no deviation or okay captured
?? 8.08A BUST SHIRRING SPREAD - AT EMPIRE — size XL: spec 2 3/4, spoken as "Bust shirring spread at empire", no deviation or okay captured

Generated from SIZE SET 7147 and checked against style_7147.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 7147 · V-neck fitted top · Colour navy · Source: SIZE SET 7147 · 176 rows · 8 need review (shown in red)

Size XS (28)

No	Point of measure	Measured	Dev	Note	Conf
18	Front length from HPS	19 3/4	+1/2		1.00
19	Shoulder slope from HPS	1/2			1.00
20	Shoulder seam forward	3/4			1.00
21	Across shoulder seam to seam	12 1/2	+1/4		1.00
22	Across front position from HPS	5			1.00
23	Across front seam to seam	11 1/4			1.00
24	Across back position from HPS	5			1.00
25	Across back seam to seam	12 1/8	-1/8		1.00
26	Chest 1 inch below armhole, side seam to side seam	35 1/2			1.00
27	Empire seam position from HPS	13			1.00
28	Empire waist	32 1/2	-1/2		1.00
29	Bottom sweep	40 1/2	-1/2	Spoken as '14 and half'; reconstructed from grading sequence	0.55
30	Bottom hem height	3/16	+1/16		1.00
31	Center front bodice length to empire	1 1/2			1.00
32	Bodice length at side seam	4 1/2			1.00
33	Wearer left side seam invisible zipper length	4 1/2			1.00
34	Sleeve length from armhole, including lace	4 1/8	+3/8	Leading digit was unclear; reconstructed from grading sequence	0.55
35	Armhole straight	8	-1/4		1.00
36	Sleeve opening	11	-1/4		1.00
37	Sleeve cap shirring spread evenly between outseam	2 7/8		Gather measurement	1.00
38	Neck width H to H	7 3/4			1.00
39	Back neck drop from HPS	1/2			1.00
40	Front neck drop from HPS	10	-1/4		1.00
41	Back fish-eye dart length	6 1/2			1.00
42	Tie length exposed to point	25 3/4	+1/4		1.00
43	Tie width	1			1.00
44	Bust shirring spread at empire	2 3/4			1.00
45	Start bust shirring from center front seam	2 1/4	-1/8		1.00

Size S (28)

No	Point of measure	Measured	Dev	Note	Conf
46	Front length from HPS	20 3/8	+1/2	Number was garbled and repeated as '12 3/8, 23/8'; reconstructed from grading sequence	0.55
47	Shoulder slope from HPS	1/2			1.00
48	Shoulder seam forward	3/4			1.00
49	Across shoulder seam to seam	13	+1/4		1.00
50	Across front position from HPS	5			1.00
51	Across front seam to seam	11 3/4	+1/4		1.00
52	Across back position from HPS	5			1.00
53	Across back seam to seam	12 5/8	-1/8		1.00
54	Chest 1 inch below armhole, side seam to side seam	37 1/2			1.00
55	Empire seam position from HPS	13 3/8		Initial number was unclear; final value confirmed	0.80
56	Empire waist	34 1/2	-1/4		1.00
57	Bottom sweep	42 1/2			1.00
58	Bottom hem height	3/16	+1/16		1.00
59	Center front bodice length to empire	1 5/8			1.00
60	Bodice length at side seam	4 5/8	+1/8		1.00
61	Wearer left side seam invisible zipper length	5			1.00
62	Sleeve length from armhole, including lace	4 3/8	+1/4		1.00
63	Armhole straight	8 3/8			1.00
64	Sleeve opening	11 3/4	-1/4		1.00
65	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
66	Neck width H to H	8 1/4	+1/8		1.00
67	Back neck drop from HPS	1/2			1.00
68	Front neck drop from HPS	10 1/8	-1/8		1.00
69	Back fish-eye dart length	6 1/2	+1/8		1.00
70	Tie length exposed to point	25 3/4	+1/4		1.00
71	Tie width	1			1.00
72	Bust shirring spread at empire	2 3/4		Initially spoken as 2 3/8, then corrected to 2 3/4	0.75
73	Start bust shirring from center front seam	2 1/4			1.00

Size M (28)

No	Point of measure	Measured	Dev	Note	Conf
74	Front length from HPS	21	+1/2		1.00
75	Shoulder slope from HPS	1/2			1.00
76	Shoulder seam forward	3/4			1.00
77	Across shoulder seam to seam	13 1/2			1.00
78	Across front position from HPS	5			1.00
79	Across front seam to seam	12 1/4			1.00
80	Across back position from HPS	5			1.00
81	Across back seam to seam	13 1/8			1.00
82	Chest 1 inch below armhole, side seam to side seam	39 1/2			1.00
83	Empire seam position from HPS	13 3/4			1.00
84	Empire waist	36 1/2	-1/2		1.00
85	Bottom sweep	44 1/2	-1/4		1.00
86	Bottom hem height	3/16	+1/16		1.00
87	Center front bodice length to empire	1 3/4			1.00
88	Bodice length at side seam	4 3/4			1.00
89	Wearer left side seam invisible zipper length	5 1/2			1.00
90	Sleeve length from armhole, including lace	4 5/8	+1/4		1.00
91	Armhole straight	8 3/4	+1/4		1.00
92	Sleeve opening	12 1/2			1.00
93	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
94	Neck width H to H	8 3/4	-1/4		1.00
95	Back neck drop from HPS	1/2			1.00
96	Front neck drop from HPS	10 1/4	+3/8		1.00
97	Back fish-eye dart length	6 1/2			1.00
98	Tie length exposed to point	25 3/4	+1/4		1.00
99	Tie width	1			1.00
100	Bust shirring spread at empire	2 3/4	-1/4		1.00
101	Start bust shirring from center front seam	2 1/4	+1/8		1.00

Size L (28)

No	Point of measure	Measured	Dev	Note	Conf
102	Front length from HPS	21 5/8	+1/2		1.00
103	Shoulder slope from HPS	1/2			1.00
104	Shoulder seam forward	3/4			1.00
105	Across shoulder seam to seam	14 1/4			1.00
106	Across front position from HPS	5			1.00
107	Across front seam to seam	13	+1/4		1.00
108	Across back position from HPS	5			1.00
109	Across back seam to seam	13 7/8	-1/4		1.00
110	Chest 1 inch below armhole, side seam to side seam	42 1/2			1.00
111	Empire seam position from HPS	14 3/8			1.00
112	Empire waist	39 1/2	-1/2		1.00
113	Bottom sweep	47 1/2	-1/4		1.00
114	Bottom hem height	3/16	+1/16		1.00
115	Center front bodice length to empire	2 1/8			1.00
116	Bodice length at side seam	5 1/8	+1/8		1.00
117	Wearer left side seam invisible zipper length	6			1.00
118	Sleeve length from armhole, including lace	5			1.00
119	Armhole straight	9 3/8			1.00
120	Sleeve opening	13 3/4	-1/4		1.00
121	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
122	Neck width H to H	9 1/2	+1/4	Initially stated as 8 3/4, then corrected to 9 1/2	0.80
123	Back neck drop from HPS	1/2			1.00
124	Front neck drop from HPS	10 3/8	+1/8		1.00
125	Back fish-eye dart length	6 1/2			1.00
126	Tie length exposed to point	25 3/4	+1/4		1.00
127	Tie width	1			1.00
128	Bust shirring spread at empire	2 3/4	-1/4		1.00
129	Start bust shirring from center front seam	2 1/4			1.00

Size XL (28)

No	Point of measure	Measured	Dev	Note	Conf
130	Front length from HPS	22 3/8	+1/2		1.00
131	Shoulder slope from HPS	1/2			1.00
132	Shoulder seam forward	3/4			1.00
133	Across shoulder seam to seam	15			1.00
134	Across front position from HPS	5			1.00
135	Across front seam to seam	13 3/4	+1/4		1.00
136	Across back position from HPS	5			1.00
137	Across back seam to seam	14 5/8			1.00
138	Chest 1 inch below armhole, side seam to side seam	45 1/2			1.00
139	Empire seam position from HPS	15 1/8	+1/4		1.00
140	Empire waist	42 1/2	-1/2		1.00
141	Bottom sweep	50 1/2	-1/4	Spoken as '15 and half'; reconstructed from grading sequence	0.55
142	Bottom hem height	3/16	+1/16		1.00
143	Center front bodice length to empire	2 5/8			1.00
144	Bodice length at side seam	5 5/8			1.00
145	Wearer left side seam invisible zipper length	6 1/2			1.00
146	Sleeve length from armhole, including lace	5 3/8			1.00
147	Armhole straight	10			1.00
148	Sleeve opening	15			1.00
149	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
150	Neck width H to H	10 1/4	-1/4		1.00
151	Back neck drop from HPS	1/2			1.00
152	Front neck drop from HPS	10 1/2	+1/4		1.00
153	Back fish-eye dart length	6 1/2			1.00
154	Tie length exposed to point	25 3/4	+1/4		1.00
155	Tie width	1			1.00
156	Bust shirring spread at empire	2 3/4			1.00
157	Start bust shirring from center front seam	2 1/4	-1/8	Leading whole number was omitted in speech; reconstructed from other sizes	0.60

Construction

No	Item	Value	Note	Conf
9	Sample size		Medium	1.00
10	Bodice lining		Bodice fully lined; clean finish with lining	1.00
11	Bodice shirring		Slight shirring at bodice	1.00
12	Sleeve		Circular cut flutter sleeve; update seam description	1.00
13	Sleeve hem	1	Baby hem	1.00
14	Self tie	1	Flat two-ply clean finish; comes from side seam and ties at center back	1.00
15	Lace finish		Lace finish at sleeve hem	1.00
16	Back darts		Fish-eye darts to control fullness at back	1.00
17	Invisible zipper		Inserted at wearer left side seam	1.00

Bill of materials

No	Item	Value	Note	Conf
168	Gumdrop velvet		Entire garment; shell fabric	1.00
169	100% polyester lining		Entire garment	1.00
170	100% polyester		Tie only	1.00
171	Lace trim		Okay	1.00
172	Invisible zipper		Okay	1.00
173	Thread Vardhman Tex 21		For overlock	1.00
174	Thread Vardhman Tex 27		For all construction	1.00
175	Thread Vardhman Tex 21		For main label stitching	1.00
176	Main label		Horizontal end fold at center back; code 008	1.00

Shrinkage

No	Item	Value	Note	Conf
5	Shell length shrinkage	0	percent; no shrinkage	1.00
6	Shell width shrinkage	0	percent; no shrinkage	1.00
7	Lining length shrinkage	0	percent; no shrinkage	1.00
8	Lining width shrinkage	0	percent; no shrinkage	1.00

Mini marker

No	Item	Value	Note	Conf
1	Shell average consumption	0.656	meters	1.00
2	Marker efficiency	65.06	percent	1.00
3	Marker direction	1	One-way marker due to nap direction	1.00
4	Lining YY	0.471	meters	1.00

Comments and vendor actions

No	Item	Value	Note	Conf
158	Bottom shape		Uneven and hiking at center front; balance and level bottom and use even seam allowance	1.00
159	Neckline		Unbalanced; follow pattern measurement while patching shell and lining	1.00
160	Waist seam		Not symmetrical; use even seam allowance and add balance marking for gather	1.00
161	Zipper area		Puckering; correct sewing method and thread tension	1.00
162	Back dart		Length uneven; follow marking	1.00
163	Nap direction		Must be one way during laying and cutting	1.00
164	Back armhole		Roping; improve handling and check thread tension	1.00
165	Waist belt corner		Poor shape; use pressing template and neat finish stitch	1.00
166	Neckline and armhole finish		Ensure clean finish with no roping	1.00
167	Back bodice		Add lining as checked with New York team	1.00