

SIZE SET INSPECTION REPORT

STYLE NO# 2463

DIVISION Airy

Date: 26th, 8, 26

DESCRIPTION: flannel girl boxer

COLOUR: tomato glaze

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL		✓			POLYBAG					BUTTON			✓		PRINT			✓	
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT			✓	
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT			✓	
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE	✓				PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING		✓			LINING			✓		AFTER TREATMENT			✓	
					SPARE BUTTON POSITION					ZIPPER					PH			✓	

- * MAIN LABEL: red thread seam grinning
- * POLYBAG: no polybags or alternate
- * POLY BAG STICKER: not needed
- * HOOK EYE/BAR: not needed
- * LAYOUT: print layout actual
- * LOT STICKER: not needed
- * LACE: not there
- * EMB THREAD COLOR: embroidery not needed
- * HANG TAG: not needed
- * PRE PACK STICKER: not needed
- * BUCKLE: not there
- * CARTON MARKINGS: not needed
- * SNAP: not needed
- * BEADS/SEQUINS: not there
- * WASHCARE: missing right now
- * PLACEMENT UPC/P.PACK: not needed
- * BEADS/SEQUINS LAYOUT: not needed
- * INTERLINING: no interlining on this style
- * FOLDING: alternate right now
- * LINING: single jersey instead of lining
- * AFTER TREATMENT: anti-finish
- * SPARE BUTTON POSITION: not needed
- * ZIPPER: not there
- * PH: okay as on report

PATTERN CHECK LIST

Grain Line: OK
Notches: Not OK — one notch missing at side seam
Graded Nest: OK
Corrections Implemnted: OK — no pattern corrections
YY/ Mini Marker: Shell = 52.92 cm; jersey = 15.7 cm

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: 29.08.26
Cut Quantity: 7 pieces
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 1% W = 0%
Good; number of samples not stated

DETAILED COMMENTS

- (1) One notch missing at side seam
- (2) Overlock is very hard
- (3) Red thread seam grinning at main label
- (4) Broken stitch at bottom hem

OVERALL: passed with these corrections

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

MEASUREMENT (SPEC ATTACHED)

Result: PASS
Graded Nest: OK
Corrections To Be Done: Add missing side-seam notch; light press overlock and avoid creases; prevent red thread seam grinning at main label; prevent broken stitches at bottom hem
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: L = 1.5% W = 0%

ACTION TO BE TAKEN BY VENDOR


- Add the missing side-seam notch.
- Give a light press and ensure no creases are made.
- Ensure seam grinning is not present.
- Maintain all seams and ensure there is no stitch breaking.

STATUS: FNL

STYLE: 2463

2463 FLANNEL GIRL BOXER

HOLIDAY-B 2026



Company: AMERICAN EAGLE OUTFITTERS
Division / Dept: 07 / 066
Season: HOLIDAY-B 2026
Style Desc: 2463 FLANNEL GIRL BOXER
Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model :	WW BOTTOMS L20 Size Range : ALPHA WW	Size Range :	XXS, XS, S, M
POM Descr :	XXS - M - TRIBURG Base Size : S	Base Size :	S
Block :		Grading Method/UM :	Incremental / IN
Modified By :	BIASIE Modified Date/Time : 2026-06-16 09:34:59	Status :	FNL
Sizes Measured :	XS, S, M	Measurement Result :	FAIL CONDITIONALLY (2 of 59 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS	S	M
*	8/19/25 GD: FOLLOW BROWN RETAIL BOXER FOR FIT						
0.00B	DISCLAIMER (WVN): MEASURE GMTS IN CIRCUMFERENCE	-	-	-	-	-	-
4.05A	WAISTBAND HEIGHT	-1/8	+1/8	1 1/4 spec	1 1/4 ok 100%	1 1/4 ?? 100%	1 1/4 ok 100%
4.05A	WAISTBAND ELASTIC HEIGHT	-1/8	+1/8	1 3/8 spec	1 3/8 ok 100%	1 3/8 ?? 100%	1 3/8 ok 100%
*	***CATCH ELASTIC W/ WB STITCH						
4.04A	WAIST RELAXED @ TOP EDGE	-3/4	+3/4	24 3/4 spec	26 3/4 ok 100%	28 3/4 -1/2 100%	30 3/4 -1/2 85%
4.02A	WAIST EXTENDED @ TOP EDGE MINIMUM	-3/4	+3/4	37 spec	39 ok 100%	41 ?? 100%	43 ok 100%
4.09B	LOW HIP PLACEMENT FROM TOP WAIST	0	0	4 7/8 spec	5 1/4 ok 100%	5 5/8 ?? 100%	6 ok 100%
4.10B	3 POINT LOW HIP	-3/4	+3/4	38 1/2 spec	40 1/2 +1/4 100%	42 1/2 ?? 100%	44 1/2 -1/2 100%
4.14A	FRONT RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	9 1/4 spec	9 3/4 -1/4 100%	10 1/4 -1/4 90%	10 3/4 -1/4 100%
4.15A	BACK RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	14 1/2 spec	15 -1/4 100%	15 1/2 -1/4 100%	16 -1/4 100%
5.08C	SHORT LEG OPENING	-3/8	+3/8	25 1/2 spec	27 ok 100%	28 1/2 ?? 100%	30 -1/4 100%

POM	Description	Tol-	Tol+	XXS *	XS	S	M
5.01A	INSEAM SHORT	-1/4	+1/4	2 1/2 spec	2 1/2 ok 100%	2 1/2 -1/8 100%	2 1/2 ok 100%
5.02A	OUTSEAM FROM TOP WAIST	-1/4	+1/4	10 1/4 spec	10 5/8 +1/8 95%	11 +1/4 100%	11 3/8 ok 100%
7.01A GR	FLY/J-STITCH LENGTH BELOW WAIST SEAM	-1/4	+1/4	3 3/4 spec	4 1/4 ok 100%	4 3/4 ?? 100%	5 1/4 ok 100%
7.01B	FLY /J-STITCH WIDTH	-1/8	+1/8	1 1/8 spec	1 1/8 +1/16 95%	1 1/8 ?? 100%	1 1/8 ok 100%
4.27A	HEM HEIGHT	-1/8	+1/8	1/2 spec	1/2 ok 100%	1/2 ?? 100%	1/2 ok 100%
*	FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED	-1/8	+1/8	10 1/2 spec	10 7/8 ok 100%	11 1/4 -1/4 100%	11 5/8 -1/8 100%
*	BK LEG DEPTH 3" FRM CB (TOP EDGE) RELAXED	-1/8	+1/8	11 3/4 spec	12 1/8 -1/8 100%	12 1/2 +1/8 100%	12 7/8 -1/8 100%
*	SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH	-1/8	+1/8	7 3/4 spec	8 ok 100%	8 1/4 -1/4 100%	8 1/2 -1/8 100%
*	BUTTON SPACE ON FLY FRONT	-1/8	+1/8	1 1/2 spec	1 3/4 ok 100%	2 ok 100%	2 ok 100%
7.04B	BUTTON POSITION FROM WAIST STITCH	-1/8	+1/8	1 1/4 spec	1 1/4 -1/8 100%	1 1/4 ok 100%	1 1/4 -1/8 100%
6.05B	ON SEAM POCKET HEM HEIGHT	-1/8	+1/8	1/4 spec	1/4 ok 100%	1/4 ok 100%	1/4 ?? 100%
6.54A	POCKET POSITION FROM BELOW WAIST STITCH	-1/8	+1/8	1 spec	1 ok 100%	1 ok 100%	1 ok 100%
6.14A GR	POCKET OPENING LENGTH	-1/8	+1/8	5 1/4 spec	5 1/2 ok 100%	5 3/4 +1/8 100%	5 3/4 spec
6.17A GR	POCKET BAG LENGTH	-1/4	+1/4	8 1/4 spec	8 5/8 -1/4 100%	9 -1/4 100%	9 -1/4 100%
6.17B GR	POCKET BAG WIDTH	-1/4	+1/4	5 3/4 spec	6 1/8 ok 100%	6 1/2 ok 100%	6 1/2 ok 100%

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline** = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

* FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED — size S: measured 11 against 11 1/4, -1/4

* SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH — size S: measured 8 against 8 1/4, -1/4

10 of 71 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.

?? 4.05A WAISTBAND HEIGHT — size S: spec 1 1/4, spoken as "Waistband height", no deviation or okay captured
?? 4.05A WAISTBAND ELASTIC HEIGHT — size S: spec 1 3/8, spoken as "Waistband elastic height", no deviation or okay captured
?? 4.02A WAIST EXTENDED @ TOP EDGE MINIMUM — size S: spec 41, spoken as "Waist extended at top edge minimum", no deviation or okay captured
?? 4.09B LOW HIP PLACEMENT FROM TOP WAIST — size S: spec 5 5/8, spoken as "Low hip placement from top waist", no deviation or okay captured
?? 4.10B 3 POINT LOW HIP — size S: spec 42 1/2, spoken as "3 point low hip", no deviation or okay captured
?? 5.08C SHORT LEG OPENING — size S: spec 28 1/2, spoken as "Short leg opening", no deviation or okay captured
?? 7.01A GR FLY/J-STITCH LENGTH BELOW WAIST SEAM — size S: spec 4 3/4, spoken as "Fly J-stitch length below waist seam", no deviation or okay captured
?? 7.01B FLY /J-STITCH WIDTH — size S: spec 1 1/8, spoken as "Fly J-stitch width", no deviation or okay captured
?? 4.27A HEM HEIGHT — size S: spec 1/2, spoken as "Hem height", no deviation or okay captured
?? 6.05B ON SEAM POCKET HEM HEIGHT — size M: spec 1/4, spoken as "On-seam pocket hem height", no deviation or okay captured

Generated from rec_2463(10) and checked against style_2463.pdf. Every value must be confirmed before this report is sent to a vendor.

APPROVED FOR PRODUCTION

VENDOR'S SIGNATURE

SENT VIA MAIL

Auto-generated from meeting recording transcript - demo pipeline output

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 2463 · flannel girl boxer · Colour tomato glaze · Pass with comment · Source: rec_2463(10) · 91 rows · 0 need review (shown in red)

Size XS (24)

No	Point of measure	Measured	Dev	Note	Conf
16	Waistband height	1 1/4			1.00
17	Waistband elastic height	1 3/8			1.00
18	Waist relaxed at top edge	26 3/4			1.00
19	Waist extended at top edge minimum	39			1.00
20	Low hip placement from top waist	5 1/4			1.00
21	3 point low hip	40 1/2	+1/4		1.00
22	Front rise straight to top waist	9 3/4	-1/4		1.00
23	Back rise straight to top waist	15	-1/4		1.00
24	Short leg opening	27			1.00
25	Inseam short	2 1/2			1.00
26	Outseam from top waist	10 5/8	+1/8	Initially called okay, then corrected to plus 1/8.	0.95
27	Fly J-stitch length below waist seam	4 1/4			1.00
28	Fly J-stitch width	1 1/8	+1/16	Inspector started to say minus, then corrected to plus.	0.95
29	Hem height	1/2			1.00
30	Front leg depth 3 inch from center front top edge relaxed	10 7/8			1.00
31	Back leg depth 3 inch from center back top edge relaxed	12 1/8	-1/8		1.00
32	Saddle width 2 inch up from crotch reference point	8			1.00
33	Button space on fly front	1 3/4			1.00
34	Button position from waist stitch	1 1/4	-1/8		1.00
35	On-seam pocket hem height	1/4			1.00
36	Pocket position from below waist stitch	1			1.00
37	Pocket opening length	5 1/2			1.00
38	Pocket bag length	8 5/8	-1/4		1.00
39	Pocket bag width	6 1/8			1.00

Size S (24)

No	Point of measure	Measured	Dev	Note	Conf
40	Waistband height	1 1/4			1.00
41	Waistband elastic height	1 3/8			1.00
42	Waist relaxed at top edge	28 3/4	-1/2		1.00
43	Waist extended at top edge minimum	41			1.00
44	Low hip placement from top waist	5 5/8			1.00
45	3 point low hip	42 1/2			1.00
46	Front rise straight to top waist	10 1/4	-1/4		0.90
47	Back rise straight to top waist	15 1/2	-1/4		1.00
48	Short leg opening	28 1/2			1.00
49	Inseam short	2 1/2	-1/8		1.00
50	Outseam from top waist	11	+1/4		1.00
51	Fly J-stitch length below waist seam	4 3/4			1.00
52	Fly J-stitch width	1 1/8			1.00
53	Hem height	1/2			1.00
54	Front leg depth 3 inch from center front top edge relaxed	11 1/4	-1/4		1.00
55	Back leg depth 3 inch from center back top edge relaxed	12 1/2	+1/8		1.00
56	Saddle width 2 inch up from crotch	8 1/4	-1/4		1.00
57	Button space on fly front	2			1.00
58	Button position from waist stitch	1 1/4			1.00
59	On-seam pocket hem height	1/4			1.00
60	Pocket position from below waist stitch	1			1.00
61	Pocket opening length	5 3/4	+1/8		1.00
62	Pocket bag length	9	-1/4	Value 9 was repeated and confirmed.	1.00
63	Pocket bag width	6 1/2			1.00

Size M (23)

No	Point of measure	Measured	Dev	Note	Conf
64	Waistband height	1 1/4		Value was repeated.	1.00
65	Waistband elastic height	1 3/8			1.00
66	Waist relaxed at top edge	30 3/4	-1/2	Spoken as thirty-three quarter.	0.85
67	Waist extended at top edge minimum	43			1.00
68	Low hip placement from top waist	6			1.00
69	3 point low hip	44 1/2	-1/2		1.00
70	Front rise straight to top waist	10 3/4	-1/4		1.00
71	Back rise straight to top waist	16	-1/4		1.00
72	Short leg opening	30	-1/4		1.00
73	Inseam short	2 1/2			1.00
74	Outseam from top waist	11 3/8			1.00
75	Fly J-stitch length below waist seam	5 1/4			1.00
76	Fly J-stitch width	1 1/8			1.00
77	Hem height	1/2			1.00
78	Front leg depth 3 inch from center front top edge relaxed	11 5/8	-1/8		1.00
79	Back leg depth 3 inch from center back top edge relaxed	12 7/8	-1/8		1.00
80	Saddle width 2 inch up from crotch	8 1/2	-1/8		1.00
81	Button space on fly front	2			1.00
82	Button position from waist edge	1 1/4	-1/8		1.00
83	On-seam pocket hem height	1/4			1.00
84	Pocket position from below waist edge	1			1.00
85	Pocket bag length	9	-1/4		1.00
86	Pocket bag width	6 1/2			1.00

Construction

No	Item	Value	Note	Conf
87	Side-seam notch	missing	One notch is missing at the side seam.	1.00
88	Overlock	very hard	Light press and ensure no creases are made.	1.00
89	Main label seam	red thread seam grinning	Ensure it is not present.	1.00
90	Bottom hem stitch	broken stitch	Maintain all seams and prevent stitch breaking.	1.00

Bill of materials

No	Item	Value	Note	Conf
7	MAIN LABEL	actual	Later found red thread seam grinning.	1.00
8	WASHCARE	missing	Missing right now.	1.00
9	FOLDING	alternate	Alternate right now.	1.00
10	BUTTON	actual		1.00
11	THREAD	actual		1.00
12	LINING	actual	Single jersey instead of lining.	1.00
13	PRINT	actual		1.00
14	LAYOUT	actual	Print layout actual.	1.00
15	AFTER TREATMENT	actual	Anti-finish.	1.00

Shrinkage

No	Item	Value	Note	Conf
3	Shell length shrinkage	1%	Inspector said shrinkage was good.	1.00
4	Shell width shrinkage	0%	Inspector said shrinkage was good.	1.00
5	Jersey length shrinkage	1 1/2%		1.00
6	Jersey width shrinkage	0%		1.00

Mini marker

No	Item	Value	Note	Conf
1	Mini marker YY	52.92 cm		1.00
2	Jersey YY	15.7 cm		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
91	Size set result	passed with corrections	Ensure all corrections are followed up.	1.00