

# SIZE SET INSPECTION REPORT

STYLE NO# 2463

DIVISION Airy

Date: 26th 8, 26

DESCRIPTION: flannel girl boxer

COLOUR: tomato glaze

## ACCESSORIES CHECKLIST

| ACCESSORIES | MIS | ALT | ACT | PLA | ACCESSORIES              | MIS | ALT | ACT | PLA | ACCESSORIES  | MIS | ALT | ACT | PLA | ACCESSORIES             | MIS | ALT | ACT | PLA |
|-------------|-----|-----|-----|-----|--------------------------|-----|-----|-----|-----|--------------|-----|-----|-----|-----|-------------------------|-----|-----|-----|-----|
| MAIN LABEL  |     | ✓   |     |     | POLYBAG                  |     | ✓   |     |     | BUTTON       |     |     | ✓   |     | PRINT                   |     |     | ✓   |     |
| BOOK FOLD   |     |     |     |     | POLY BAG STICKER         |     |     |     |     | HOOK EYE/BAR |     |     |     |     | LAYOUT                  |     |     | ✓   |     |
| FCTY CODE   |     |     |     |     | LOT STICKER              |     |     |     |     | LACE         |     |     |     |     | EMB THREAD COLOR        |     |     |     |     |
| HANG TAG    |     |     |     |     | PRE PACK STICKER         |     |     |     |     | BUCKLE       |     |     |     |     | PLACEMENT               |     |     | ✓   |     |
| HANGER      |     |     |     |     | CARTON MARKINGS          |     |     |     |     | SNAP         |     |     |     |     | BEADS/SEQUINS           |     |     |     |     |
| WASHCARE    | ✓   |     |     |     | PLACEMENT<br>UPC/P.PACK  |     |     |     |     | THREAD       |     |     | ✓   |     | BEADS/SEQUINS<br>LAYOUT |     |     |     |     |
| INTERLINING |     |     |     |     | FOLDING                  |     | ✓   |     |     | LINING       |     |     | ✓   |     | AFTER TREATMENT         |     |     | ✓   |     |
|             |     |     |     |     | SPARE BUTTON<br>POSITION |     |     |     |     | ZIPPER       |     |     |     |     | PH                      |     |     | ✓   |     |

- \* MAIN LABEL: Red thread seam grinning
- \* POLYBAG: Alternate
- \* POLY BAG STICKER: Not needed
- \* HOOK EYE/BAR: Not needed
- \* LAYOUT: Print layout actual
- \* LOT STICKER: Not needed
- \* LACE: Not there
- \* EMB THREAD COLOR: Embroidery not needed
- \* HANG TAG: Not needed
- \* PRE PACK STICKER: Not needed
- \* BUCKLE: Not there
- \* CARTON MARKINGS: Not needed
- \* SNAP: Not needed
- \* BEADS/SEQUINS: Not needed
- \* WASHCARE: Missing right now
- \* PLACEMENT UPC/P.PACK: Not needed
- \* BEADS/SEQUINS LAYOUT: Not needed
- \* INTERLINING: No interlining on this style
- \* FOLDING: Alternate right now
- \* LINING: Single jersey instead of lining
- \* AFTER TREATMENT: Anti-finish
- \* SPARE BUTTON POSITION: Not needed
- \* ZIPPER: Not there
- \* PH: Okay as on report

## PATTERN CHECK LIST

Grain Line: OK  
Notches: Not OK – one notch missing at side seam  
Graded Nest: OK  
Corrections Implemnted: OK – no pattern correction  
YY/ Mini Marker: 52.92 cm; jersey 15.7 cm

Planned Size Set Submission Date: -  
Actual Submission Date: -  
PCD: 29.08.26  
Cut Quantity: 7 pieces  
**Size Set Inspection Result: Pass with comment**

**SHRINKAGE** SHELL: L = 1% W = 0%  
Good; sample count not stated

## DETAILED COMMENTS

- (1) One notch missing at side seam
- (2) Overall press is very hard
- (3) Main label has red thread seam grinning
- (4) Broken stitch at bottom hem

## MEASUREMENT (SPEC ATTACHED)

Result: PASS  
Graded Nest: OK  
Corrections To Be Done: Add missing side-seam notch; use light press and avoid creases; remove red thread seam grinning at main label; prevent broken stitches at bottom hem  
Bring Back To Specs: -

Cutting Check: -  
Seam Allowance: -  
Corrections Implemented: -

LINING: L = 1.5% W = 0%

## ACTION TO BE TAKEN BY VENDOR

- Add the missing side-seam notch.
- Use light press and ensure no creases are made.
- Ensure seam grinning is not present.
- Maintain all seams and ensure there is no stitch breaking.

**OVERALL: Size set passed with these corrections; ensure these are followed up.**


I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

STATUS: FNL

STYLE: 2463

2463 FLANNEL GIRL BOXER

HOLIDAY-B 2026



**Company:** AMERICAN EAGLE OUTFITTERS  
**Division / Dept:** 07 / 066  
**Season:** HOLIDAY-B 2026  
**Style Desc:** 2463 FLANNEL GIRL BOXER  
**Fit / Other:**



## GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

|                          |                                                 |                             |                                               |
|--------------------------|-------------------------------------------------|-----------------------------|-----------------------------------------------|
| <b>Tolerance Model :</b> | WW BOTTOMS L20 Size Range : ALPHA WW            | <b>Size Range :</b>         | XXS, XS, S, M                                 |
| <b>POM Descr :</b>       | XXS - M - TRIBURG Base Size : S                 | <b>Base Size :</b>          | S                                             |
| <b>Block :</b>           |                                                 | <b>Grading Method/UM :</b>  | Incremental / IN                              |
| <b>Modified By :</b>     | BIASIE Modified Date/Time : 2026-06-16 09:34:59 | <b>Status :</b>             | FNL                                           |
| <b>Sizes Measured :</b>  | XS, S, M                                        | <b>Measurement Result :</b> | FAIL CONDITIONALLY (2 of 67 out of tolerance) |

| POM   | Description                                     | Tol- | Tol+ | XXS *          | XS                     | S                      | M                      |
|-------|-------------------------------------------------|------|------|----------------|------------------------|------------------------|------------------------|
| *     | 8/19/25 GD: FOLLOW BROWN RETAIL BOXER FOR FIT   |      |      |                |                        |                        |                        |
| 0.00B | DISCLAIMER (WVN): MEASURE GMTS IN CIRCUMFERENCE | -    | -    | -              | -                      | -                      | -                      |
| 4.05A | WAISTBAND HEIGHT                                | -1/8 | +1/8 | 1 1/4<br>spec  | 1 1/4<br>ok<br>100%    | 1 1/4<br>ok<br>100%    | 1 1/4<br>ok<br>100%    |
| 4.05A | WAISTBAND ELASTIC HEIGHT                        | -1/8 | +1/8 | 1 3/8<br>spec  | 1 3/8<br>ok<br>100%    | 1 3/8<br>ok<br>100%    | 1 3/8<br>ok<br>100%    |
| *     | ***CATCH ELASTIC W/ WB STITCH                   |      |      |                |                        |                        |                        |
| 4.04A | WAIST RELAXED @ TOP EDGE                        | -3/4 | +3/4 | 24 3/4<br>spec | 26 3/4<br>ok<br>100%   | 28 3/4<br>-1/2<br>100% | 30 3/4<br>-1/2<br>95%  |
| 4.02A | WAIST EXTENDED @ TOP EDGE MINIMUM               | -3/4 | +3/4 | 37<br>spec     | 39<br>ok<br>100%       | 41<br>ok<br>100%       | 43<br>ok<br>100%       |
| 4.09B | LOW HIP PLACEMENT FROM TOP WAIST                | 0    | 0    | 4 7/8<br>spec  | 5 1/4<br>ok<br>100%    | 5 5/8<br>ok<br>100%    | 6<br>ok<br>100%        |
| 4.10B | 3 POINT LOW HIP                                 | -3/4 | +3/4 | 38 1/2<br>spec | 40 1/2<br>+1/4<br>100% | 42 1/2<br>ok<br>100%   | 44 1/2<br>-1/2<br>100% |
| 4.14A | FRONT RISE STRAIGHT TO TOP WAIST                | -1/4 | +1/4 | 9 1/4<br>spec  | 9 3/4<br>-1/4<br>100%  | 10 1/4<br>-1/4<br>95%  | 10 3/4<br>-1/4<br>100% |
| 4.15A | BACK RISE STRAIGHT TO TOP WAIST                 | -1/4 | +1/4 | 14 1/2<br>spec | 15<br>-1/4<br>100%     | 15 1/2<br>-1/4<br>100% | 16<br>-1/4<br>100%     |
| 5.08C | SHORT LEG OPENING                               | -3/8 | +3/8 | 25 1/2<br>spec | 27<br>ok<br>100%       | 28 1/2<br>ok<br>100%   | 30<br>-1/4<br>100%     |

| POM      | Description                                        | Tol- | Tol+ | XXS *          | XS                     | S                      | M                      |
|----------|----------------------------------------------------|------|------|----------------|------------------------|------------------------|------------------------|
| 5.01A    | INSEAM SHORT                                       | -1/4 | +1/4 | 2 1/2<br>spec  | 2 1/2<br>ok<br>100%    | 2 1/2<br>-1/8<br>100%  | 2 1/2<br>ok<br>100%    |
| 5.02A    | OUTSEAM FROM TOP WAIST                             | -1/4 | +1/4 | 10 1/4<br>spec | 10 5/8<br>+1/8<br>100% | 11<br>+1/4<br>100%     | 11 3/8<br>ok<br>100%   |
| 7.01A GR | FLY/J-STITCH LENGTH BELOW WAIST SEAM               | -1/4 | +1/4 | 3 3/4<br>spec  | 4 1/4<br>ok<br>100%    | 4 3/4<br>ok<br>100%    | 5 1/4<br>ok<br>95%     |
| 7.01B    | FLY /J-STITCH WIDTH                                | -1/8 | +1/8 | 1 1/8<br>spec  | 1 1/8<br>+1/16<br>100% | 1 1/8<br>ok<br>100%    | 1 1/8<br>ok<br>100%    |
| 4.27A    | HEM HEIGHT                                         | -1/8 | +1/8 | 1/2<br>spec    | 1/2<br>ok<br>100%      | 1/2<br>ok<br>100%      | 1/2<br>ok<br>100%      |
| *        | FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED         | -1/8 | +1/8 | 10 1/2<br>spec | 10 7/8<br>ok<br>100%   | 11 1/4<br>-1/4<br>95%  | 11 5/8<br>-1/8<br>100% |
| *        | BK LEG DEPTH 3" FRM CB (TOP EDGE) RELAXED          | -1/8 | +1/8 | 11 3/4<br>spec | 12 1/8<br>-1/8<br>100% | 12 1/2<br>+1/8<br>100% | 12 7/8<br>-1/8<br>100% |
| *        | SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH | -1/8 | +1/8 | 7 3/4<br>spec  | 8<br>ok<br>100%        | 8 1/4<br>-1/4<br>95%   | 8 1/2<br>-1/8<br>100%  |
| *        | BUTTON SPACE ON FLY FRONT                          | -1/8 | +1/8 | 1 1/2<br>spec  | 1 3/4<br>ok<br>100%    | 2<br>ok<br>100%        | 2<br>ok<br>100%        |
| 7.04B    | BUTTON POSITION FROM WAIST STITCH                  | -1/8 | +1/8 | 1 1/4<br>spec  | 1 1/4<br>-1/8<br>100%  | 1 1/4<br>ok<br>100%    | 1 1/4<br>-1/8<br>100%  |
| 6.05B    | ON SEAM POCKET HEM HEIGHT                          | -1/8 | +1/8 | 1/4<br>spec    | 1/4<br>ok<br>100%      | 1/4<br>ok<br>100%      | 1/4<br>??<br>100%      |
| 6.54A    | POCKET POSITION FROM BELOW WAIST STITCH            | -1/8 | +1/8 | 1<br>spec      | 1<br>ok<br>100%        | 1<br>ok<br>100%        | 1<br>ok<br>100%        |
| 6.14A GR | POCKET OPENING LENGTH                              | -1/8 | +1/8 | 5 1/4<br>spec  | 5 1/2<br>ok<br>100%    | 5 3/4<br>+1/8<br>100%  | 5 3/4<br>spec          |
| 6.17A GR | POCKET BAG LENGTH                                  | -1/4 | +1/4 | 8 1/4<br>spec  | 8 5/8<br>-1/4<br>100%  | 9<br>-1/4<br>95%       | 9<br>-1/4<br>100%      |
| 6.17B GR | POCKET BAG WIDTH                                   | -1/4 | +1/4 | 5 3/4<br>spec  | 6 1/8<br>ok<br>100%    | 6 1/2<br>ok<br>95%     | 6 1/2<br>ok<br>100%    |

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline** = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked \* that this inspection did not measure, so the specification is shown alone. Those carry no reading.

#### OUT OF TOLERANCE

\* FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED — size S: measured 11 against 11 1/4, -1/4

\* SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH — size S: measured 8 against 8 1/4, -1/4

1 of 71 points of measure have no captured verdict (??). This report is NOT final. Each one must be listened back to and filled in before it is sent to a vendor — a missing verdict is not a pass.

?? 6.05B ON SEAM POCKET HEM HEIGHT — size M: spec 1/4, spoken as "On-seam pocket hem height", no deviation or okay captured

Generated from rec\_2463(11) and checked against style\_2463.pdf. Every value must be confirmed before this report is sent to a vendor.

APPROVED FOR PRODUCTION

VENDOR'S SIGNATURE

SENT VIA MAIL

*Auto-generated from meeting recording transcript - demo pipeline output*

## MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 2463 · flannel girl boxer · Colour tomato glaze · Pass with comment · Source: rec\_2463(11) · 85 rows · 0 need review (shown in red)

### Size XS (24)

| No | Point of measure                                          | Measured | Dev   | Note                                                    | Conf |
|----|-----------------------------------------------------------|----------|-------|---------------------------------------------------------|------|
| 5  | Waistband height                                          | 1 1/4    |       |                                                         | 1.00 |
| 6  | Waistband elastic height                                  | 1 3/8    |       |                                                         | 1.00 |
| 7  | Waist relaxed at top edge                                 | 26 3/4   |       |                                                         | 1.00 |
| 8  | Waist extended at top edge minimum                        | 39       |       |                                                         | 1.00 |
| 9  | Low hip placement from top waist                          | 5 1/4    |       |                                                         | 1.00 |
| 10 | 3 point low hip                                           | 40 1/2   | +1/4  |                                                         | 1.00 |
| 11 | Front rise straight to top waist                          | 9 3/4    | -1/4  |                                                         | 1.00 |
| 12 | Back rise straight to top waist                           | 15       | -1/4  |                                                         | 1.00 |
| 13 | Short leg opening                                         | 27       |       |                                                         | 1.00 |
| 14 | Inseam short                                              | 2 1/2    |       |                                                         | 1.00 |
| 15 | Outseam from top waist                                    | 10 5/8   | +1/8  | Inspector first said okay, then corrected to plus 1/8.  | 1.00 |
| 16 | Fly J-stitch length below waist seam                      | 4 1/4    |       |                                                         | 1.00 |
| 17 | Fly J-stitch width                                        | 1 1/8    | +1/16 | Inspector started to say minus, then corrected to plus. | 1.00 |
| 18 | Hem height                                                | 1/2      |       |                                                         | 1.00 |
| 19 | Front leg depth 3 inch from center front top edge relaxed | 10 7/8   |       |                                                         | 1.00 |
| 20 | Back leg depth 3 inch from center back top edge relaxed   | 12 1/8   | -1/8  |                                                         | 1.00 |
| 21 | Saddle width 2 inch up from crotch reference point        | 8        |       |                                                         | 1.00 |
| 22 | Button space on fly front                                 | 1 3/4    |       |                                                         | 1.00 |
| 23 | Button position from waist stitch                         | 1 1/4    | -1/8  |                                                         | 1.00 |
| 24 | On-seam pocket hem height                                 | 1/4      |       |                                                         | 1.00 |
| 25 | Pocket position from below waist stitch                   | 1        |       |                                                         | 1.00 |
| 26 | Pocket opening length                                     | 5 1/2    |       |                                                         | 1.00 |
| 27 | Pocket bag length                                         | 8 5/8    | -1/4  |                                                         | 1.00 |
| 28 | Pocket bag width                                          | 6 1/8    |       |                                                         | 1.00 |

**Size S (24)**

| No | Point of measure                                          | Measured | Dev  | Note                          | Conf |
|----|-----------------------------------------------------------|----------|------|-------------------------------|------|
| 29 | Waistband height                                          | 1 1/4    |      |                               | 1.00 |
| 30 | Waistband elastic height                                  | 1 3/8    |      |                               | 1.00 |
| 31 | Waist relaxed at top edge                                 | 28 3/4   | -1/2 |                               | 1.00 |
| 32 | Waist extended at top edge minimum                        | 41       |      |                               | 1.00 |
| 33 | Low hip placement from top waist                          | 5 5/8    |      |                               | 1.00 |
| 34 | 3 point low hip                                           | 42 1/2   |      |                               | 1.00 |
| 35 | Front rise straight to top waist                          | 10 1/4   | -1/4 | Spoken as ten quarter.        | 0.95 |
| 36 | Back rise straight to top waist                           | 15 1/2   | -1/4 |                               | 1.00 |
| 37 | Short leg opening                                         | 28 1/2   |      |                               | 1.00 |
| 38 | Inseam short                                              | 2 1/2    | -1/8 |                               | 1.00 |
| 39 | Outseam from top waist                                    | 11       | +1/4 |                               | 1.00 |
| 40 | Fly J-stitch length below waist seam                      | 4 3/4    |      |                               | 1.00 |
| 41 | Fly J-stitch width                                        | 1 1/8    |      |                               | 1.00 |
| 42 | Hem height                                                | 1/2      |      |                               | 1.00 |
| 43 | Front leg depth 3 inch from center front top edge relaxed | 11 1/4   | -1/4 | Spoken as eleven quarter.     | 0.95 |
| 44 | Back leg depth 3 inch from center back top edge relaxed   | 12 1/2   | +1/8 |                               | 1.00 |
| 45 | Saddle width 2 inch up from crotch                        | 8 1/4    | -1/4 | Spoken as eight quarter.      | 0.95 |
| 46 | Button space on fly front                                 | 2        |      |                               | 1.00 |
| 47 | Button position from waist stitch                         | 1 1/4    |      |                               | 1.00 |
| 48 | On-seam pocket hem height                                 | 1/4      |      |                               | 1.00 |
| 49 | Pocket position from below waist stitch                   | 1        |      |                               | 1.00 |
| 50 | Pocket opening length                                     | 5 3/4    | +1/8 |                               | 1.00 |
| 51 | Pocket bag length                                         | 9        | -1/4 | Spoken as pocket back length. | 0.95 |
| 52 | Pocket bag width                                          | 6 1/2    |      | Spoken as pocket back width.  | 0.95 |

**Size M (23)**

| No | Point of measure                                          | Measured | Dev  | Note                                                                          | Conf |
|----|-----------------------------------------------------------|----------|------|-------------------------------------------------------------------------------|------|
| 53 | Waistband height                                          | 1 1/4    |      | Value repeated and confirmed.                                                 | 1.00 |
| 54 | Waistband elastic height                                  | 1 3/8    |      |                                                                               | 1.00 |
| 55 | Waist relaxed at top edge                                 | 30 3/4   | -1/2 | Spoken as thirty-three quarter.                                               | 0.95 |
| 56 | Waist extended at top edge minimum                        | 43       |      |                                                                               | 1.00 |
| 57 | Low hip placement from top waist                          | 6        |      |                                                                               | 1.00 |
| 58 | 3 point low hip                                           | 44 1/2   | -1/2 |                                                                               | 1.00 |
| 59 | Front rise straight to top waist                          | 10 3/4   | -1/4 |                                                                               | 1.00 |
| 60 | Back rise straight to top waist                           | 16       | -1/4 |                                                                               | 1.00 |
| 61 | Short leg opening                                         | 30       | -1/4 |                                                                               | 1.00 |
| 62 | Inseam short                                              | 2 1/2    |      |                                                                               | 1.00 |
| 63 | Outseam from top waist                                    | 11 3/8   |      |                                                                               | 1.00 |
| 64 | Fly J-stitch length below waist seam                      | 5 1/4    |      | Spoken as five quarter.                                                       | 0.95 |
| 65 | Fly J-stitch width                                        | 1 1/8    |      |                                                                               | 1.00 |
| 66 | Hem height                                                | 1/2      |      |                                                                               | 1.00 |
| 67 | Front leg depth 3 inch from center front top edge relaxed | 11 5/8   | -1/8 |                                                                               | 1.00 |
| 68 | Back leg depth 3 inch from center back top edge relaxed   | 12 7/8   | -1/8 |                                                                               | 1.00 |
| 69 | Saddle width 2 inch up from crotch                        | 8 1/2    | -1/8 |                                                                               | 1.00 |
| 70 | Button space on fly front                                 | 2        |      |                                                                               | 1.00 |
| 71 | Button position from waist edge                           | 1 1/4    | -1/8 |                                                                               | 1.00 |
| 72 | On-seam pocket hem height                                 | 1/4      |      | Value repeated, but neither transcription records a spoken pass or deviation. | 1.00 |
| 73 | Pocket position from below waist edge                     | 1        |      |                                                                               | 1.00 |
| 74 | Pocket bag length                                         | 9        | -1/4 |                                                                               | 1.00 |
| 75 | Pocket bag width                                          | 6 1/2    |      |                                                                               | 1.00 |

**Construction**

| No | Item                       | Value | Note                                          | Conf |
|----|----------------------------|-------|-----------------------------------------------|------|
| 76 | Grain line on all patterns |       | Fine on all patterns.                         | 1.00 |
| 77 | Side-seam notch            |       | One notch is missing.                         | 1.00 |
| 78 | Gradedness proportion      |       | Fine.                                         | 1.00 |
| 79 | Overall press              |       | Very hard; use light press and avoid creases. | 1.00 |
| 80 | Main label stitching       |       | Red thread seam grinning.                     | 1.00 |
| 81 | Bottom hem stitching       |       | Broken stitch at bottom hem.                  | 1.00 |

**Shrinkage**

| No | Item                    | Value           | Note                         | Conf |
|----|-------------------------|-----------------|------------------------------|------|
| 3  | Shell average shrinkage | L = 1% W = 0%   | Inspector said this is good. | 1.00 |
| 4  | Jersey shrinkage        | L = 1.5% W = 0% |                              | 1.00 |

**Mini marker**

| No | Item           | Value    | Note | Conf |
|----|----------------|----------|------|------|
| 1  | Mini marker YY | 52.92 cm |      | 1.00 |
| 2  | Jersey YY      | 15.7 cm  |      | 1.00 |

**Comments and vendor actions**

| No | Item                       | Value | Note                                                       | Conf |
|----|----------------------------|-------|------------------------------------------------------------|------|
| 82 | Side-seam notch correction |       | Add the missing notch.                                     | 1.00 |
| 83 | Pressing correction        |       | Use light press and ensure no creases are made.            | 1.00 |
| 84 | Main label correction      |       | Ensure red thread seam grinning is not present.            | 1.00 |
| 85 | Bottom hem correction      |       | Maintain all seams and ensure there is no stitch breaking. | 1.00 |