

STYLE: 2365

2365 OVERSIZED FLANNEL SHIRT W PIPING

HOLIDAY-B 2026



**Company:** AMERICAN EAGLE OUTFITTERS  
**Division / Dept:** 07 / 066  
**Season:** HOLIDAY-B 2026  
**Style Desc:** 2365 OVERSIZED FLANNEL SHIRT W PIPING  
**Fit / Other:**



## GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

**Tolerance Model :** WW TOP L20  
**POM Descr :** XXS-XXL- TRIBURG  
**Block :**  
**Modified By :** BIASIE

**Size Range :** ALPHA WW  
**Base Size :** S  
**Grading Method/UM :** Incremental / IN  
**Modified Date/Time :** 2026-06-11 12:07:03

| POM   | Description                                           | Tol- | Tol+ | XXS    | XS     | S      | M      | L      | XL     | XXL    |
|-------|-------------------------------------------------------|------|------|--------|--------|--------|--------|--------|--------|--------|
| 0.00Z | SISTER 2365                                           | 0    | 0    | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
| 0.00Z | SISTER 2365,2377,2390                                 | 0    | 0    | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
| *     | 12/28/25 GD: COPY SPECS FROM LY S/1873 FLANNEL LS TOP | 0    | 0    | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
| *     | NO TWILL TAPE POCKET BB 1/2", PLACKET REDU TO 1"      | 0    | 0    | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
| *     | 3/27/26: PKT BB HEIGHT INCREASED TO 1"                | 0    | 0    | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
| 0.00B | DISCLAIMER (Wvvn): Measure Gmts in Circumference      | 0    | 0    | 0      | 0      | 0      | 0      | 0      | 0      | 0      |
| 1.01A | REF ON BODY - FRONT LENGTH FROM HPS                   | -3/8 | 3/8  | 0      | 0      | 27 1/4 | 0      | 0      | 0      | 0      |
| 1.01A | REF ON BODY - BACK LENGTH FROM HPS                    | -3/8 | 3/8  | 0      | 0      | 28     | 0      | 0      | 0      | 0      |
| 1.01A | FRONT LENGTH FROM HPS                                 | -1/2 | 1/2  | 26     | 26 5/8 | 27 1/4 | 27 7/8 | 28 1/2 | 29 1/4 | 30     |
| 1.01B | BACK LENGTH FROM HPS                                  | -1/2 | 1/2  | 26 1/4 | 26 7/8 | 27 1/2 | 28 1/8 | 28 3/4 | 29 1/2 | 30 1/4 |
| 2.02A | SHOULDER SLOPE FROM HPS                               | -1/4 | 1/4  | 1 7/8  | 1 7/8  | 1 7/8  | 1 7/8  | 1 7/8  | 1 7/8  | 1 7/8  |
| 2.01A | SHOULDER SEAM FORWARD @ NECK                          | -1/8 | 1/8  | 1/2    | 1/2    | 1/2    | 1/2    | 1/2    | 1/2    | 1/2    |
| 2.01B | SHOULDER SEAM FORWARD AT ARMHOLE                      | -1/8 | 1/8  | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    |
| 1.20A | ACROSS SHOULDER SEAM TO SEAM                          | -3/8 | 3/8  | 17 3/4 | 18 1/4 | 18 3/4 | 19 1/4 | 20     | 20 3/4 | 21 3/4 |
| 1.22A | ACROSS FRONT POSITION FROM HPS                        |      |      | 5      | 5      | 5      | 5      | 5      | 5      | 5      |
| 1.23A | ACROSS FRONT SEAM TO SEAM                             | -3/8 | 3/8  | 16 1/4 | 16 3/4 | 17 1/4 | 17 3/4 | 18 1/2 | 19 1/4 | 20 1/4 |
| 1.25A | ACROSS BACK AT YOKE SEAM                              | -3/8 | 3/8  | 17     | 17 1/2 | 18     | 18 1/2 | 19 1/4 | 20     | 21     |
| 1.28A | CHEST 1" BELOW ARMHOLE-PLEAT EXTENDED                 | -3/4 | 3/4  | 45     | 47     | 49     | 51     | 54     | 57     | 61     |
| 4.21A | BOTTOM OPENING STRAIGHT-ABOVE SHIRT TAIL              | -3/4 | 3/4  | 45     | 47     | 49     | 51     | 54     | 57     | 61     |
| 4.20A | FRONT SHIRT TAIL HEIGHT                               | -1/8 | 1/8  | 4 3/4  | 4 3/4  | 4 3/4  | 4 3/4  | 4 3/4  | 4 3/4  | 4 3/4  |
| 4.20A | BACK SHIRT TAIL HEIGHT                                | -1/8 | 1/8  | 4      | 4      | 4      | 4      | 4      | 4      | 4      |
| 3.22B | BOTTOM HEM HEIGHT - SELF TURN                         | -1/8 | 1/8  | 1/4    | 1/4    | 1/4    | 1/4    | 1/4    | 1/4    | 1/4    |
| 3.01A | SLEEVE LENGTH FROM CB LONG                            | -3/8 | 3/8  | 32 1/2 | 33     | 33 1/2 | 34     | 34 3/4 | 35 1/2 | 36 1/2 |

STYLE: 2365

2365 OVERSIZED FLANNEL SHIRT W PIPING

HOLIDAY-B 2026



**Company:** AMERICAN EAGLE OUTFITTERS  
**Division / Dept:** 07 / 066  
**Season:** HOLIDAY-B 2026  
**Style Desc:** 2365 OVERSIZED FLANNEL SHIRT W PIPING  
**Fit / Other:**



## GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

**Tolerance Model :** WW TOP L20  
**POM Descr :** XXS-XXL- TRIBURG  
**Block :**  
**Modified By :** BIASIE

**Size Range :** ALPHA WW  
**Base Size :** S  
**Grading Method/UM :** Incremental / IN  
**Modified Date/Time :** 2026-06-11 12:07:03

| POM      | Description                                                   | Tol- | Tol+ | XXS    | XS     | S      | M      | L      | XL     | XXL    |
|----------|---------------------------------------------------------------|------|------|--------|--------|--------|--------|--------|--------|--------|
| 3.05A    | SLEEVE CAP HEIGHT                                             | -1/4 | 1/4  | 5 3/4  | 6      | 6 1/4  | 6 1/2  | 6 7/8  | 7 1/4  | 7 3/4  |
| 3.06B    | ARMHOLE STRAIGHT                                              | -3/8 | 3/8  | 8 7/8  | 9 1/4  | 9 5/8  | 10     | 10 5/8 | 11 1/4 | 12     |
| 3.13A    | MUSCLE 1" FROM UNDERARM                                       | -1/4 | 1/4  | 15 1/4 | 16     | 16 3/4 | 17 1/2 | 18 3/4 | 20     | 21 1/2 |
| 3.14B    | ELBOW POSITION FROM CUFF EDGE                                 | 0    | 0    | 10     | 10     | 10     | 10     | 10     | 10     | 10     |
| 3.15A    | ELBOW                                                         | -1/4 | 1/4  | 13 1/4 | 13 7/8 | 14 1/2 | 15 1/8 | 16     | 16 7/8 | 18 1/8 |
| 3.19A    | SLEEVE OPENING (L/S) @ EDGE                                   | -1/4 | 1/4  | 8 1/2  | 9      | 9 1/2  | 10     | 10 1/2 | 11     | 11 1/2 |
| 3.22A    | SLEEVE CUFF HEIGHT                                            | -1/8 | 1/8  | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  | 2 1/2  |
| 3.24A    | SLEEVE PLACKET OPENING LENGTH                                 | -1/8 | 1/8  | 4 1/2  | 4 1/2  | 4 1/2  | 4 1/2  | 4 1/2  | 4 1/2  | 4 1/2  |
| 3.24C    | SLEEVE PLACKET WIDTH                                          | -1/8 | 1/8  | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    |
| 2.03A    | FRONT NECK DROP FROM HPS TO SEAM                              | -1/8 | 1/8  | 3 3/4  | 3 7/8  | 4      | 4 1/8  | 4 1/4  | 4 3/8  | 4 1/2  |
| 2.04A    | BACK NECK DROP FROM HPS TO SEAM                               | -1/8 | 1/8  | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    | 3/4    |
| 2.05C    | BACK NECK WIDTH SEAM TO SEAM                                  | -1/4 | 1/4  | 5 3/4  | 6      | 6 1/4  | 6 1/2  | 6 3/4  | 7      | 7 1/4  |
| 2.09A    | NECKBAND HEIGHT AT CB                                         | -1/8 | 1/8  | 1 1/8  | 1 1/8  | 1 1/8  | 1 1/8  | 1 1/8  | 1 1/8  | 1 1/8  |
| 2.11A    | COLLAR POINT                                                  | -1/8 | 1/8  | 2 1/4  | 2 1/4  | 2 1/4  | 2 1/4  | 2 1/4  | 2 1/4  | 2 1/4  |
| 2.08C    | COLLAR LENGTH AT OUTER EDGE                                   | -1/4 | 1/4  | 15 3/4 | 16 3/8 | 17     | 17 5/8 | 18 1/4 | 18 7/8 | 19 1/2 |
| 9.01B    | LOCKER LOOP WIDTH                                             | -1/8 | 1/8  | 3/8    | 3/8    | 3/8    | 3/8    | 3/8    | 3/8    | 3/8    |
| 9.01C    | LOCKER LOOP SPREAD                                            | -1/8 | 1/8  | 2      | 2      | 2      | 2      | 2      | 2      | 2      |
| 2.10A    | COLLAR HEIGHT AT CB                                           | -1/8 | 1/8  | 2      | 2      | 2      | 2      | 2      | 2      | 2      |
| 2.18A    | CENTER FRONT PLACKET WIDTH                                    | 0    | 0    | 1      | 1      | 1      | 1      | 1      | 1      | 1      |
| *        | BUTTON POSITION FRM NK SM TO 1ST BTN                          | -1/8 | 1/8  | 3      | 3 1/8  | 3 1/4  | 3 3/8  | 3 1/2  | 3 5/8  | 3 3/4  |
| 7.04B    | BUTTON POSITION FROM BOTTOM EDGE                              | -1/8 | 1/8  | 4 1/4  | 4 1/4  | 4 1/4  | 4 1/4  | 4 1/4  | 4 1/4  | 4 1/4  |
| 1.11B GR | CB YOKE DEPTH @ CB NECK                                       | -1/8 | 1/8  | 4      | 4 1/4  | 4 1/2  | 4 3/4  | 5      | 5 1/4  | 5 1/2  |
| 2.20B    | CB YOKE BOX PLEAT WIDTH                                       | -1/8 | 1/8  | 1 1/2  | 1 1/2  | 1 1/2  | 1 1/2  | 1 1/2  | 1 1/2  | 1 1/2  |
| *        | PLEASE MAKE SURE SIDESEAM IS SECURE, NO SEAM SLIPPAGE ALLOWED |      |      | 0      | 0      | 0      | 0      | 0      | 0      | 0      |

STYLE: 2365

2365 OVERSIZED FLANNEL SHIRT W PIPING

HOLIDAY-B 2026



**Company:** AMERICAN EAGLE OUTFITTERS  
**Division / Dept:** 07 / 066  
**Season:** HOLIDAY-B 2026  
**Style Desc:** 2365 OVERSIZED FLANNEL SHIRT W PIPING  
**Fit / Other:**



## GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

**Tolerance Model :** WW TOP L20  
**POM Descr :** XXS-XXL- TRIBURG  
**Block :**  
**Modified By :** BIASIE

**Size Range :** ALPHA WW  
**Base Size :** S  
**Grading Method/UM :** Incremental / IN  
**Modified Date/Time :** 2026-06-11 12:07:03

| POM      | Description                                               | Tol- | Tol+ | XXS   | XS    | S     | M     | L     | XL    | XXL    |
|----------|-----------------------------------------------------------|------|------|-------|-------|-------|-------|-------|-------|--------|
| 6.01A GR | CHEST POCKET LENGTH AT CENTER                             | -1/8 | 1/8  | 5 1/4 | 5 1/4 | 5 1/2 | 5 1/2 | 5 3/4 | 5 3/4 | 6      |
| 6.02A GR | CHEST POCKET WIDTH AT TOP                                 | -1/8 | 1/8  | 4 3/4 | 4 3/4 | 5     | 5     | 5 1/4 | 5 1/4 | 5 1/2  |
| 6.16A    | POCKET HEM HEIGHT                                         | -1/8 | 1/8  | 3/4   | 3/4   | 3/4   | 3/4   | 3/4   | 3/4   | 3/4    |
| 6.50A GR | CHEST POCKET POSITION FROM HPS                            | -1/8 | 1/8  | 8 3/4 | 9     | 9 1/4 | 9 1/2 | 9 3/4 | 10    | 10 1/4 |
| 6.50C GR | CHEST POCKET POSITION FROM CF                             | -1/8 | 1/8  | 1 1/2 | 1 5/8 | 1 3/4 | 1 7/8 | 2 1/8 | 2 3/8 | 2 5/8  |
| *        | *FOR SHIPPING- BUTTONS SHIP OPEN ON CF PLACKET BELOW NECK | 0    | 0    | 0     | 0     | 2     | 0     | 0     | 0     | 0      |

APPROVED FOR PRODUCTION