

SIZE SET INSPECTION REPORT

STYLE NO# 7147

DIVISION -

Date: -

DESCRIPTION: V-neck fitted top

COLOUR: Navy

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER			✓		PH			✓	

* PH: pH level okay

PATTERN CHECK LIST

Grain Line: OK
Notches: OK
Graded Nest: OK
Corrections Implemnted: Implemented on size set
YY/ Mini Marker: Shell = 0.656 m; Lining = 0.471 m

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: -
Cut Quantity: 5 pieces
Size Set Inspection Result: -

SHRINKAGE SHELL: L = 0% W = 0%
No shrinkage in shell fabric

MEASUREMENT (SPEC ATTACHED)

Result: -
Graded Nest: -
Corrections To Be Done: Update body only lined to bodice fully lined;
update seam for circular-cut flutter sleeve
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: L = 0% W = 0%

DETAILED COMMENTS

(1) Bottom shape uneven and hiking at center front

(2) Neckline unbalanced

(3) Waist seam shape not symmetrical

(4) Center-front seam not properly pressed

(5) Puckering at zipper area

(6) Back dart length uneven

(7) Nap direction must be one way

(8) Roping at back armhole

(9) Poor waist belt corner shape

(10) DIA states body only lined

(11) Neckline and armhole finish

(12) Back bodice lining

ACTION TO BE TAKEN BY VENDOR

Balance and level bottom; take even seam allowance during body attaching
and avoid center-front hiking

Balance neckline and follow pattern measurement while shell and lining
patching

Take even seam allowance and add balance marking for gather

Press center-front seam prior to attaching

Correct sewing method and thread tension; attach zipper smoothly

Educate operator to follow back-dart marking

Follow approved sample direction during fabric laying and cutting

Improve operator handling and correct thread tension

Use template for belt pressing and keep finish stitch neat and clean

Update to bodice fully lined and clean finished with lining

Ensure clean finish with no roping

Add lining as checked with New York team

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STYLE: 7147 7147 V NECK FITTED TOP

HOLIDAY-B 2026 | STATUS: FNL

GRADE MEASUREMENTS - SIZE SET INSPECTION RESULT

Company: AMERICAN EAGLE OUTFITTERS

Division / Dept: 02 / 035

Season: HOLIDAY-B 2026

Style Desc: 7147 V NECK FITTED TOP

Size Range: XXS, XS, S, M, L, XL, XXL

Base Size: M

Sizes Measured: XS, S, M, L, XL

Measurement Result: FAIL CONDITIONALLY (16 out of tolerance of 110 checked)

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.01A	REFERENCE ON BODY - FRONT LENGTH	0	0	-	-	-	22 spec	-	-	-
1.01A	FRONT LENGTH FROM HPS	-3/8	+3/8	19 1/8 spec	19 3/4 ok 100%	20 3/8 spec	21 ok 100%	21 5/8 ok 100%	22 3/8 ok 100%	23 1/8 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 spec	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 spec	12 1/2 ok 100%	13 ok 100%	13 1/2 ok 100%	14 1/4 ok 100%	15 ok 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 3/4 spec	11 1/4 ok 100%	11 3/4 ok 100%	12 1/4 ok 100%	13 ok 100%	13 3/4 ok 100%	14 1/2 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 5/8 spec	12 1/8 ok 100%	12 5/8 ok 100%	13 1/8 ok 100%	13 7/8 ok 100%	14 5/8 ok 100%	15 3/8 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	33 1/2 spec	35 1/2 ok 100%	37 1/2 ok 100%	13 1/2 -26 75%	42 1/2 ok 100%	45 1/2 ok 100%	49 1/2 spec
1.29F	EMPIRE SEAM POSITION FROM HPS	-1/4	+1/4	12 5/8 spec	13 ok 100%	13 3/8 ok 80%	13 3/4 ok 100%	14 3/8 ok 100%	15 1/8 ok 100%	15 7/8 spec
1.31A	EMPIRE WAIST	-3/4	+3/4	30 1/2 spec	32 1/2 ok 100%	34 1/2 ok 100%	36 1/2 ok 100%	39 1/2 ok 100%	42 1/2 ok 100%	46 1/2 spec
4.22A	BOTTOM SWEEP	-3/4	+3/4	38 1/2 spec	14 1/2 -26 90%	42 1/2 ok 100%	44 1/2 ok 100%	47 1/2 ok 100%	50 1/2 ok 100%	54 1/2 spec
4.27A	BOTTOM HEM HEIGHT	-1/8	+1/8	3/16 spec	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 3/8 spec	1 1/2 ok 100%	1 5/8 ok 100%	1 3/4 ok 100%	2 1/8 ok 100%	2 5/8 ok 100%	3 1/8 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 3/8 spec	4 1/2 ok 100%	4 5/8 ok 100%	4 3/4 ok 100%	5 1/8 ok 100%	5 5/8 ok 100%	6 1/8 spec
7.02B GR	WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH	-1/4	+1/4	4 spec	4 1/2 ok 100%	5 ok 100%	5 1/2 ok 100%	6 ok 100%	6 1/2 ok 100%	7 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE	-1/4	+1/4	3 7/8 spec	4 1/8 spec	4 3/8 ok 100%	4 5/8 ok 100%	5 ok 100%	5 3/8 ok 100%	5 7/8 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	7 5/8 spec	8 ok 100%	8 3/8 ok 100%	8 3/4 ok 100%	9 3/8 ok 100%	10 ok 100%	10 3/4 spec
3.19B	SLEEVE OPENING (S/S)	-1/4	+1/4	10 1/4 spec	11 ok 100%	11 3/4 ok 100%	12 1/2 ok 100%	13 3/4 ok 100%	15 ok 100%	16 1/2 spec
8.08A	SLEEVE CAP SHIRRING SPREAD - EVENLY BETWEEN OUTSEAM	-1/8	+1/8	2 7/8 spec	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 spec
2.05B	NECK WIDTH EDGE TO EDGE -1/2 1/2 7 1/4 7 3/4 8 1/4 8 3/4 9 1/2 10 1/4 11 STATUS: FNL STYLE: 7147 7147 V NECK FITTED TOP HOLIDAY-B 2026 Company: AMERICAN EAGLE OUTFITTERS Division / Dept: 02 / 035 Season: HOLIDAY-B 2026 Style Desc: 7147 V NECK FITTED TOP Fit / Other: GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD. Tolerance Model : WW TOP L20 Size Range : ALPHA WW POM Descr : GRADE SPECIFICATIONS Base Size : M Block : Grading Method/UM : Incremental / IN	0	0	-	-	-	-	-	-	-
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 7/8 spec	10 spec	10 1/8 spec	10 1/4 spec	9 1/2 -7/8 90%	10 1/4 -1/4 100%	10 5/8 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1/2 spec	7 3/4 +7 1/4 100%	8 1/4 +7 3/4 100%	8 3/4 +8 1/4 100%	1/2 ok 100%	1/2 ok 100%	1/2 spec
8.05A	BACK FISH DART LENGTH	-1/4	+1/4	6 1/2 spec	1/2 -6 100%	1/2 -6 100%	1/2 -6 100%	10 3/8 +3 7/8 100%	10 1/2 +4 100%	6 1/2 spec
7.06B	NG TIE LENGTH EXPOSED	-3/8	+3/8	25 3/4 spec	6 1/2 -19 1/4 100%	6 1/2 -19 1/4 100%	6 1/2 -19 1/4 100%	6 1/2 -19 1/4 100%	6 1/2 -19 1/4 100%	25 3/4 spec
8.08A	BUST SHIRRING SPREAD - AT EMPIRE	-1/4	+1/4	2 3/4 spec	2 3/4 ok 100%	2 3/4 ok 65%	2 3/4 ok 100%	2 3/4 ok 100%	2 3/4 ok 100%	2 3/4 spec

Each cell shows the measured value, its deviation, and how confidently it was transcribed. **Orange** = outside tolerance. **Blue** = heard with under 90% confidence, so confirm against the recording. **Grey** = the style set's own specification, shown for a size marked * that this inspection did not measure. Those are not readings.

OUT OF TOLERANCE

4.22A BOTTOM SWEEP — size XS: measured 14 1/2 against 40 1/2, -26

2.04A BACK NECK DROP FROM HPS TO EDGE — size XS: measured 7 3/4 against 1/2, +7 1/4

8.05A BACK FISH DART LENGTH — size XS: measured 1/2 against 6 1/2, -6

7.06B NG TIE LENGTH EXPOSED — size XS: measured 6 1/2 against 25 3/4, -19 1/4

2.04A BACK NECK DROP FROM HPS TO EDGE — size S: measured $8\frac{1}{4}$ against $1\frac{1}{2}$, +7 $\frac{3}{4}$
8.05A BACK FISH DART LENGTH — size S: measured $1\frac{1}{2}$ against $6\frac{1}{2}$, -6
7.06B NG TIE LENGTH EXPOSED — size S: measured $6\frac{1}{2}$ against $25\frac{3}{4}$, -19 $\frac{1}{4}$
1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size M: measured $13\frac{1}{2}$ against $39\frac{1}{2}$, -26
2.04A BACK NECK DROP FROM HPS TO EDGE — size M: measured $8\frac{3}{4}$ against $1\frac{1}{2}$, +8 $\frac{1}{4}$
8.05A BACK FISH DART LENGTH — size M: measured $1\frac{1}{2}$ against $6\frac{1}{2}$, -6
7.06B NG TIE LENGTH EXPOSED — size M: measured $6\frac{1}{2}$ against $25\frac{3}{4}$, -19 $\frac{1}{4}$
2.03A FRONT NECK DROP FROM HPS TO EDGE — size L: measured $9\frac{1}{2}$ against $10\frac{3}{8}$, -7/8
8.05A BACK FISH DART LENGTH — size L: measured $10\frac{3}{8}$ against $6\frac{1}{2}$, +3 $\frac{7}{8}$
7.06B NG TIE LENGTH EXPOSED — size L: measured $6\frac{1}{2}$ against $25\frac{3}{4}$, -19 $\frac{1}{4}$
8.05A BACK FISH DART LENGTH — size XL: measured $10\frac{1}{2}$ against $6\frac{1}{2}$, +4
7.06B NG TIE LENGTH EXPOSED — size XL: measured $6\frac{1}{2}$ against $25\frac{3}{4}$, -19 $\frac{1}{4}$

18 spoken measurements could not be matched to a point of measure and are listed in the CSV.

Generated from SIZE SET 7147 (1)(1) and checked against style_7147.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 7147 · V-neck fitted top · Colour Navy · Source: SIZE SET 7147 (1)(1) · 167 rows · 4 need review (shown in red)

Size XS (27)

No	Point of measure	Measured	Dev	Note	Conf
21	Front length from HPS	19 3/4	+1/2		1.00
22	Shoulder slope from HPS	1/2			1.00
23	Shoulder seam forward	3/4			1.00
24	Across shoulder seam to seam	12 1/2	+1/4		1.00
25	Across front position from HPS	5			1.00
26	Across front seam to seam	11 1/4			1.00
27	Across back position from HPS	5			1.00
28	Across back seam to seam	12 1/8	-1/8		1.00
29	Chest 1 inch below armhole, side seam to side seam	35 1/2			1.00
30	Empire seam position from HPS	13		Repeated and confirmed	1.00
31	Empire waist	32 1/2	-1/2		1.00
32	Bottom sweep	14 1/2	-1/2		0.90
33	Bottom hem height	3/16	+1/16		1.00
34	Center-front bodice length to empire	1 1/2			1.00
35	Bodice length at side seam	4 1/2			1.00
36	Wearer left side-seam invisible zipper length	4 1/2			1.00
37	Armhole straight	8	-1/4		1.00
38	Sleeve opening	11	-1/4		1.00
39	Sleeve-cap shirring spread evenly between outseam	2 7/8		Gather measurement	1.00
40	Neck width H to H	7 3/4			1.00
41	Back neck drop from HPS to H	1/2			1.00
42	Front neck drop from HPS to H	10	-1/4		1.00
43	Back fish-eye dart length	6 1/2			1.00
44	Tie length exposed to point	25 3/4	+1/4		1.00
45	Tie width	1			1.00
46	Bust shirring spread at empire	2 3/4			1.00
47	Start bust shirring from center-front seam	2 1/4	-1/8		1.00

Size S (27)

No	Point of measure	Measured	Dev	Note	Conf
48	Shoulder slope from HPS	1/2			1.00
49	Shoulder seam forward	3/4			1.00
50	Across shoulder seam to seam	13	+1/4		1.00
51	Across front position from HPS	5			1.00
52	Across front seam to seam	11 3/4	+1/4		1.00
53	Across back position from HPS	5			1.00
54	Across back seam to seam	12 5/8	-1/8		1.00
55	Chest 1 inch below armhole, side seam to side seam	37 1/2			1.00
56	Empire seam position from HPS	13 3/8		Earlier speech included an unclear '12'; final value was 13 3/8	0.80
57	Empire waist	34 1/2	-1/4		1.00
58	Bottom sweep	42 1/2			1.00
59	Bottom hem height	3/16	+1/16		1.00
60	Center-front bodice length to empire	1 5/8			1.00
61	Bodice length at side seam	4 5/8	+1/8		1.00
62	Wearer left side-seam invisible zipper length	5			1.00
63	Sleeve length from armhole, including lace	4 3/8	+1/4		1.00
64	Armhole straight	8 3/8			1.00
65	Sleeve opening	11 3/4	-1/4		1.00
66	Sleeve-cap shirring spread evenly between outseam	2 7/8			1.00
67	Neck width H to H	8 1/4	+1/8		1.00
68	Back neck drop from HPS to H	1/2			1.00
69	Front neck drop from HPS to H	10 1/8	-1/8		1.00
70	Back fish-eye dart length	6 1/2	+1/8		1.00
71	Tie length exposed to point	25 3/4	+1/4		1.00
72	Tie width	1			1.00
73	Bust shirring spread at empire	2 3/4		Initially heard as 2 3/8, then corrected to 2 3/4	0.65
74	Start bust shirring from center-front seam	2 1/4			1.00

Size M (28)

No	Point of measure	Measured	Dev	Note	Conf
75	Front length from HPS	21	+1/2		1.00
76	Shoulder slope from HPS	1/2			1.00
77	Shoulder seam forward	3/4			1.00
78	Across shoulder seam to seam	13 1/2			1.00
79	Across front position from HPS	5			1.00
80	Across front seam to seam	12 1/4		Repeated and confirmed	1.00
81	Across back position from HPS	5			1.00
82	Across back seam to seam	13 1/8		Repeated and confirmed	1.00
83	Chest 1 inch below armhole, side seam to side seam	13 1/2		Value was repeated as spoken but appears atypical	0.75
84	Empire seam position from HPS	13 3/4			1.00
85	Empire waist	36 1/2	-1/2		1.00
86	Bottom sweep	44 1/2	-1/4		1.00
87	Bottom hem height	3/16	+1/16		1.00
88	Center-front bodice length to empire	1 3/4			1.00
89	Bodice length at side seam	4 3/4			1.00
90	Wearer left side-seam invisible zipper length	5 1/2			1.00
91	Sleeve length from armhole, including lace	4 5/8	+1/4		1.00
92	Armhole straight	8 3/4	+1/4		1.00
93	Sleeve opening	12 1/2			1.00
94	Sleeve-cap shirring spread evenly between outseam	2 7/8			1.00
95	Neck width H to H	8 3/4	-1/4		1.00
96	Back neck drop from HPS to H	1/2			1.00
97	Front neck drop from HPS to H	10 1/4	+3/8		1.00
98	Back fish-eye dart length	6 1/2			1.00
99	Tie length exposed to point	25 3/4	+1/4		1.00
100	Tie width	1			1.00
101	Bust shirring spread at empire	2 3/4	-1/4		1.00
102	Start bust shirring from center-front seam	2 1/4	+1/8		1.00

Size L (28)

No	Point of measure	Measured	Dev	Note	Conf
103	Front length from HPS	21 5/8	+1/2		1.00
104	Shoulder slope from HPS	1/2			1.00
105	Shoulder seam forward	3/4			1.00
106	Across shoulder seam to seam	14 1/4			1.00
107	Across front position from HPS	5			1.00
108	Across front seam to seam	13	+1/4		1.00
109	Across back position from HPS	5			1.00
110	Across back seam to seam	13 7/8	-1/4		1.00
111	Chest 1 inch below armhole, side seam to side seam	42 1/2			1.00
112	Empire seam position from HPS	14 3/8			1.00
113	Empire waist	39 1/2	-1/2		1.00
114	Bottom sweep	47 1/2	-1/4		1.00
115	Bottom hem height	3/16	+1/16		1.00
116	Center-front bodice length to empire	2 1/8			1.00
117	Bodice length at side seam	5 1/8	+1/8	Repeated and confirmed	1.00
118	Wearer left side-seam invisible zipper length	6			1.00
119	Sleeve length from armhole, including lace	5			1.00
120	Armhole straight	9 3/8			1.00
121	Sleeve opening	13 3/4	-1/4		1.00
122	Sleeve-cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
123	Neck width H to H	9 1/2	+1/4	Corrected from 8 3/4 to 9 1/2	0.90
124	Back neck drop from HPS to H	1/2			1.00
125	Front neck drop from HPS to H	10 3/8	+1/8		1.00
126	Back fish-eye dart length	6 1/2			1.00
127	Tie length exposed to point	25 3/4	+1/4		1.00
128	Tie width	1			1.00
129	Bust shirring spread at empire	2 3/4	-1/4		1.00
130	Start bust shirring from center-front seam	2 1/4			1.00

Size XL (28)

No	Point of measure	Measured	Dev	Note	Conf
131	Front length from HPS	22 3/8	+1/2		1.00
132	Shoulder slope from HPS	1/2			1.00
133	Shoulder seam forward	3/4			1.00
134	Across shoulder seam to seam	15			1.00
135	Across front position from HPS	5			1.00
136	Across front seam to seam	13 3/4	+1/4		1.00
137	Across back position from HPS	5			1.00
138	Across back seam to seam	14 5/8			1.00
139	Chest 1 inch below armhole, side seam to side seam	45 1/2			1.00
140	Empire seam position from HPS	15 1/8	+1/4		1.00
141	Empire waist	42 1/2	-1/2		1.00
142	Bottom sweep	50 1/2	-1/4		1.00
143	Bottom hem height	3/16	+1/16		1.00
144	Center-front bodice length to empire	2 5/8			1.00
145	Bodice length at side seam	5 5/8			1.00
146	Wearer left side-seam invisible zipper length	6 1/2			1.00
147	Sleeve length from armhole, including lace	5 3/8			1.00
148	Armhole straight	10			1.00
149	Sleeve opening	15			1.00
150	Sleeve-cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
151	Neck width H to H	10 1/4	-1/4		1.00
152	Back neck drop from HPS to H	1/2			1.00
153	Front neck drop from HPS to H	10 1/2	+1/4		1.00
154	Back fish-eye dart length	6 1/2			1.00
155	Tie length exposed to point	25 3/4	+1/4		1.00
156	Tie width	1			1.00
157	Bust shirring spread at empire	2 3/4			1.00
158	Start bust shirring from center-front seam	1/4	-1/8	Spoken as 'one quarter'; possible clipped mixed number	0.55

Construction

No	Item	Value	Note	Conf
10	Superimposed pattern	OK		1.00
11	Nested pattern	OK		1.00
12	Bodice lining	Fully lined	DIA states body only lined; update required	1.00
13	Bodice finish	Clean finish with lining		1.00
14	Bodice shirring	Slight shirring		1.00
15	Sleeve	Circular-cut flutter sleeve	Update seam	1.00
16	Hem finish	Baby hem		1.00
17	Self tie construction	1 inch flat two-ply clean finish	Comes from side seam and ties functionally at center back	1.00
18	Sleeve hem	Lace finish		1.00
19	Back darts	Fish-eye darts	To control fullness at back	1.00
20	Invisible zipper position	Wearer left side seam		1.00

Bill of materials

No	Item	Value	Note	Conf
159	Shell fabric	Gumdrop velvet	Entire garment	1.00
160	Lining	100% polyester	Entire garment	1.00
161	Tie fabric	100% polyester	Tie only	1.00
162	Lace trim	OK		1.00
163	Invisible zipper	OK		1.00
164	Overlock thread	Vardhman Tex 21		1.00
165	Construction thread	Vardhman Tex 27	For all construction	1.00

No	Item	Value	Note	Conf
166	Main label stitching thread	Vardhman Tex 21		1.00
167	Main label	Horizontal end fold	At center back; code 008	1.00

Shrinkage

No	Item	Value	Note	Conf
6	Shell length shrinkage	0%		1.00
7	Shell width shrinkage	0%		1.00
8	Lining length shrinkage	0%		1.00
9	Lining width shrinkage	0%		1.00

Mini marker

No	Item	Value	Note	Conf
1	Shell and lining average consumption	0.656 m		1.00
2	Marker efficiency	65.06%		1.00
3	Marker direction	One-way	Due to nap direction	1.00
4	Shell YY	0.656 m		1.00
5	Lining YY	0.471 m		1.00