

SIZE SET INSPECTION REPORT

STYLE NO# 7147

DIVISION -

Date: -

DESCRIPTION: V-neck fitted top

COLOUR: Navy

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER			✓		PH			✓	

* PH: pH level okay

PATTERN CHECK LIST

Grain Line: OK
Notches: OK
Graded Nest: OK
Corrections Implemnted: Correction has been implemented on size set
YY/ Mini Marker: Shell = 0.656 meters; Lining = 0.471 meter

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: -
Cut Quantity: 5 pieces
Size Set Inspection Result: -

SHRINKAGE SHELL: L = 0% W = 0%
No shrinkage in shell fabric

MEASUREMENT (SPEC ATTACHED)

Result: -
Graded Nest: OK
Corrections To Be Done: Update body only lined to fully lined; Bodice
clean finish with lining; Update seam circular-cut flutter sleeve
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: L = 0% W = 0%

DETAILED COMMENTS

- (1) Bottom shape uneven and hiking at center front
- (2) Neckline unbalanced
- (3) Waist seam shape not symmetrical
- (4) Center front seam not properly pressed
- (5) Puckering at zipper area
- (6) Back dart length uneven
- (7) Nap direction must be one way
- (8) Roping at back armhole
- (9) Poor waist belt corner shape
- (10) DIA states body only lined
- (11) Ensure neck finish is clean
- (12) Back bodice lining required

ACTION TO BE TAKEN BY VENDOR

- Balance and level bottom; take even seam allowance during body attaching
- Balance neckline and follow pattern measurement while patching shell and lining
- Take even seam allowance and add balance marking for gather
- Press center front seam before attaching
- Correct sewing method and thread tension; attach zipper smoothly
- Follow back dart marking during making
- Follow approved sample direction during fabric laying and cutting
- Improve operator handling and correct thread tension
- Use template for belt pressing and keep finish stitch neat and clean
- Update to fully lined bodice with clean lining finish
- Avoid roping at neckline and armhole
- Add lining as checked with New York team

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STYLE: 7147 7147 V NECK FITTED TOP

HOLIDAY-B 2026 | STATUS: FNL

GRADE MEASUREMENTS - SIZE SET INSPECTION RESULT

Company: AMERICAN EAGLE OUTFITTERS
Division / Dept: 02 / 035
Season: HOLIDAY-B 2026
Style Desc: 7147 V NECK FITTED TOP

Size Range: XXS, XS, S, M, L, XL, XXL
Base Size: M
Sizes Measured: XS, S, M, L, XL
Measurement Result: FAIL CONDITIONALLY (17 out of tolerance of 114 checked)

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.01A	REFERENCE ON BODY - FRONT LENGTH	0	0	-	-	-	22 spec	-	-	-
1.01A	FRONT LENGTH FROM HPS	-3/8	+3/8	19 1/8 spec	19 3/4 ok 100%	2 3/8 -18 35%	21 ok 100%	21 5/8 ok 100%	22 3/8 ok 100%	23 1/8 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 spec	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 spec	12 1/2 ok 100%	13 ok 100%	13 1/2 ok 100%	14 1/4 ok 100%	15 ok 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 3/4 spec	11 1/4 ok 100%	11 3/4 ok 100%	12 1/4 ok 100%	13 ok 100%	13 3/4 ok 100%	14 1/2 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 5/8 spec	12 1/8 ok 100%	12 5/8 ok 100%	13 1/8 ok 100%	13 7/8 ok 100%	14 5/8 ok 100%	15 3/8 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	33 1/2 spec	35 1/2 ok 100%	37 1/2 ok 100%	13 1/2 -26 75%	42 1/2 ok 100%	45 1/2 ok 100%	49 1/2 spec
1.29F	EMPIRE SEAM POSITION FROM HPS	-1/4	+1/4	12 5/8 spec	13 ok 100%	13 3/8 ok 80%	13 3/4 ok 100%	14 3/8 ok 100%	15 1/8 ok 100%	15 7/8 spec
1.31A	EMPIRE WAIST	-3/4	+3/4	30 1/2 spec	32 1/2 ok 100%	34 1/2 ok 100%	36 1/2 ok 100%	39 1/2 ok 100%	42 1/2 ok 100%	46 1/2 spec
4.22A	BOTTOM SWEEP	-3/4	+3/4	38 1/2 spec	14 1/2 -26 100%	42 1/2 ok 100%	44 1/2 ok 100%	47 1/2 ok 100%	50 1/2 ok 100%	54 1/2 spec
4.27A	BOTTOM HEM HEIGHT	-1/8	+1/8	3/16 spec	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 3/8 spec	1 1/2 ok 100%	1 5/8 ok 100%	1 3/4 ok 100%	2 1/8 ok 100%	2 5/8 ok 100%	3 1/8 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 3/8 spec	4 1/2 ok 100%	4 5/8 ok 100%	4 3/4 ok 100%	5 1/8 ok 100%	5 5/8 ok 100%	6 1/8 spec
7.02B GR	WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH	-1/4	+1/4	4 spec	4 1/2 ok 100%	5 ok 100%	5 1/2 ok 100%	6 ok 100%	6 1/2 ok 100%	7 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE	-1/4	+1/4	3 7/8 spec	4 1/8 spec	4 3/8 ok 100%	4 5/8 ok 100%	5 ok 100%	5 3/8 ok 100%	5 7/8 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	7 5/8 spec	8 ok 100%	8 3/8 ok 100%	8 3/4 ok 100%	9 3/8 ok 100%	10 ok 100%	10 3/4 spec
3.19B	SLEEVE OPENING (S/S)	-1/4	+1/4	10 1/4 spec	11 ok 100%	11 3/4 ok 100%	12 1/2 ok 100%	13 3/4 ok 100%	15 ok 100%	16 1/2 spec
8.08A	SLEEVE CAP SHIRRING SPREAD - EVENLY BETWEEN OUTSEAM	-1/8	+1/8	2 7/8 spec	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 spec
2.05B	NECK WIDTH EDGE TO EDGE	-1/2	+1/2	7 1/4 spec	7 3/4 ok 100%	8 1/4 ok 100%	8 3/4 ok 100%	9 1/2 ok 80%	10 1/4 ok 100%	11 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 7/8 spec	10 spec	10 1/8 spec	10 1/4 spec	10 3/8 spec	10 1/2 spec	10 5/8 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 spec
8.05A	BACK FISH DART LENGTH	-1/4	+1/4	6 1/2 spec	10 +3 1/2 100%	10 1/8 +3 5/8 100%	10 1/4 +3 3/4 100%	10 3/8 +3 7/8 100%	10 1/2 +4 100%	6 1/2 spec
7.06B	NG TIE LENGTH EXPOSED	-3/8	+3/8	25 3/4 spec	6 1/2 -19 1/4 100%	6 1/2 -19 1/4 100%	6 1/2 -19 1/4 100%	6 1/2 -19 1/4 100%	6 1/2 -19 1/4 100%	25 3/4 spec
8.08A	BUST SHIRRING SPREAD - AT EMPIRE	-1/4	+1/4	2 3/4 spec	2 3/4 ok 100%	25 3/4 +23 100%	25 3/4 +23 100%	25 3/4 +23 100%	25 3/4 +23 100%	2 3/4 spec

Each cell shows the measured value, its deviation, and how confidently it was transcribed. **Orange** = outside tolerance. **Blue** = heard with under 90% confidence, so confirm against the recording. **Grey** = the style set's own specification, shown for a size marked * that this inspection did not measure. Those are not readings.

OUT OF TOLERANCE

4.22A BOTTOM SWEEP — size XS: measured 14 1/2 against 40 1/2, -26

8.05A BACK FISH DART LENGTH — size XS: measured 10 against 6 1/2, +3 1/2

7.06B NG TIE LENGTH EXPOSED — size XS: measured 6 1/2 against 25 3/4, -19 1/4

1.01A FRONT LENGTH FROM HPS — size S: measured 2 3/8 against 20 3/8, -18

8.05A BACK FISH DART LENGTH — size S: measured 10 1/8 against 6 1/2, +3 5/8

7.06B NG TIE LENGTH EXPOSED — size S: measured 6 1/2 against 25 3/4, -19 1/4

8.08A BUST SHIRRING SPREAD - AT EMPIRE — size S: measured 25 3/4 against 2 3/4, +23

1.28E CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM) — size M: measured 13 1/2 against 39 1/2, -26

8.05A BACK FISH DART LENGTH — size M: measured 10 1/4 against 6 1/2, +3 3/4

7.06B NG TIE LENGTH EXPOSED — size M: measured 6 1/2 against 25 3/4, -19 1/4

8.08A BUST SHIRRING SPREAD - AT EMPIRE — size M: measured 25 3/4 against 2 3/4, +23

8.05A BACK FISH DART LENGTH — size L: measured 10 3/8 against 6 1/2, +3 7/8
7.06B NG TIE LENGTH EXPOSED — size L: measured 6 1/2 against 25 3/4, -19 1/4
8.08A BUST SHIRring SPREAD - AT EMPIRE — size L: measured 25 3/4 against 2 3/4, +23
8.05A BACK FISH DART LENGTH — size XL: measured 10 1/2 against 6 1/2, +4
7.06B NG TIE LENGTH EXPOSED — size XL: measured 6 1/2 against 25 3/4, -19 1/4
8.08A BUST SHIRring SPREAD - AT EMPIRE — size XL: measured 25 3/4 against 2 3/4, +23

15 spoken measurements could not be matched to a point of measure and are listed in the CSV.

Generated from SIZE SET 7147 (1)(2) and checked against style_7147.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 7147 · V-neck fitted top · Colour Navy · Source: SIZE SET 7147 (1)(2) · 174 rows · 6 need review (shown in red)

Size XS (27)

No	Point of measure	Measured	Dev	Note	Conf
25	Front length from HPS	19 3/4	+1/2		1.00
26	Shoulder slope from HPS	1/2			1.00
27	Shoulder seam forward	3/4			1.00
28	Across shoulder seam to seam	12 1/2	+1/4		1.00
29	Across front position from HPS	5			1.00
30	Across front seam to seam	11 1/4			1.00
31	Across back position from HPS	5			1.00
32	Across back seam to seam	12 1/8	-1/8		1.00
33	Chest 1 inch below armhole, side seam to side seam	35 1/2			1.00
34	Empire seam position from HPS	13			1.00
35	Empire waist	32 1/2	-1/2		1.00
36	Bottom sweep	14 1/2	-1/2		1.00
37	Bottom hem height	3/16	+1/16		1.00
38	Center front bodice length to empire	1 1/2			1.00
39	Bodice length at side seam	4 1/2			1.00
40	Wearer left side seam invisible zipper length	4 1/2			1.00
41	Armhole straight	8	-1/4		1.00
42	Sleeve opening	11	-1/4		1.00
43	Sleeve cap shirring spread evenly between outseam	2 7/8		Gather measurement	1.00
44	Neck width H to H	7 3/4			1.00
45	Back neck drop from HPS to H	1/2			1.00
46	Front neck drop from HPS to H	10	-1/4		1.00
47	Back fish dart length	6 1/2			1.00
48	Tie length exposed to point	25 3/4	+1/4		1.00
49	Tie width	1			1.00
50	Bust shirring spread at empire	2 3/4			1.00
51	Start bust shirring from center front seam	2 1/4	-1/8		1.00

Size S (28)

No	Point of measure	Measured	Dev	Note	Conf
52	Front length from HPS	2 3/8	+1/2	Initially called as 12 3/8; final utterance was 2 3/8 and was unclear	0.35
53	Shoulder slope from HPS	1/2			1.00
54	Shoulder seam forward	3/4			1.00
55	Across shoulder seam to seam	13	+1/4		1.00
56	Across front position from HPS	5			1.00
57	Across front seam to seam	11 3/4	+1/4		1.00
58	Across back position from HPS	5			1.00
59	Across back seam to seam	12 5/8	-1/8		1.00
60	Chest 1 inch below armhole, side seam to side seam	37 1/2			1.00
61	Empire seam position from HPS	13 3/8		Speaker first said 12, then confirmed 13 3/8	0.80
62	Empire waist	34 1/2	-1/4		1.00
63	Bottom sweep	42 1/2			1.00
64	Bottom hem height	3/16	+1/16		1.00
65	Center front bodice length to empire	1 5/8			1.00
66	Bodice length at side seam	4 5/8	+1/8		1.00
67	Wearer left side seam invisible zipper length	5			1.00
68	Sleeve length from armhole, short including lace	4 3/8	+1/4		1.00
69	Armhole straight	8 3/8			1.00
70	Sleeve opening	11 3/4	-1/4		1.00
71	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
72	Neck width H to H	8 1/4	+1/8		1.00
73	Back neck drop from HPS to H	1/2			1.00
74	Front neck drop from HPS to H	10 1/8	-1/8		1.00
75	Back fish dart length	6 1/2	+1/8		1.00
76	Tie length exposed	25 3/4	+1/4		1.00
77	Tie width	1			1.00
78	Bust shirring spread at empire	2 3/4		Initially sounded as 2 3/8, then 3/4 was confirmed	0.65
79	Start bust shirring from center front seam	2 1/4		Placement	1.00

Size M (28)

No	Point of measure	Measured	Dev	Note	Conf
80	Front length from HPS	21	+1/2		1.00
81	Shoulder slope from HPS	1/2			1.00
82	Shoulder seam forward	3/4			1.00
83	Across shoulder seam to seam	13 1/2			1.00
84	Across front position from HPS	5			1.00
85	Across front seam to seam	12 1/4			1.00
86	Across back position from HPS	5			1.00
87	Across back seam to seam	13 1/8			1.00
88	Chest 1 inch below armhole, side seam to side seam	13 1/2		Value was repeated as 13 1/2; unusually low for chest	0.75
89	Empire seam position from HPS	13 3/4			1.00
90	Empire waist	36 1/2	-1/2		1.00
91	Bottom sweep	44 1/2	-1/4		1.00
92	Bottom hem height	3/16	+1/16		1.00
93	Center front bodice length to empire	1 3/4			1.00
94	Bodice length at side seam	4 3/4			1.00
95	Wearer left side seam invisible zipper length	5 1/2			1.00
96	Sleeve length from armhole, short including lace	4 5/8	+1/4		1.00
97	Armhole straight	8 3/4	+1/4		1.00
98	Sleeve opening	12 1/2			1.00
99	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
100	Neck width H to H	8 3/4	-1/4		1.00
101	Back neck drop from HPS to H	1/2			1.00
102	Front neck drop from HPS to H	10 1/4	+3/8		1.00
103	Back fish dart length	6 1/2			1.00
104	Tie length exposed	25 3/4	+1/4		1.00
105	Tie width	1			1.00
106	Bust shirring spread at empire	2 3/4	-1/4		1.00
107	Start bust shirring from center front seam	2 1/4	+1/8		1.00

Size L (28)

No	Point of measure	Measured	Dev	Note	Conf
108	Front length from HPS	21 5/8	+1/2		1.00
109	Shoulder slope from HPS	1/2			1.00
110	Shoulder seam forward	3/4			1.00
111	Across shoulder seam to seam	14 1/4			1.00
112	Across front position from HPS	5			1.00
113	Across front seam to seam	13	+1/4		1.00
114	Across back position from HPS	5			1.00
115	Across back seam to seam	13 7/8	-1/4		1.00
116	Chest 1 inch below armhole, side seam to side seam	42 1/2			1.00
117	Empire seam position from HPS	14 3/8			1.00
118	Empire waist	39 1/2	-1/2		1.00
119	Bottom sweep	47 1/2	-1/4		1.00
120	Bottom hem height	3/16	+1/16		1.00
121	Center front bodice length to empire	2 1/8			1.00
122	Bodice length at side seam	5 1/8	+1/8		1.00
123	Wearer left side seam invisible zipper length	6			1.00
124	Sleeve length from armhole, short including lace	5			1.00
125	Armhole straight	9 3/8			1.00
126	Sleeve opening	13 3/4	-1/4		1.00
127	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
128	Neck width H to H	9 1/2	+1/4	Initially called as 8 3/4, then corrected to 9 1/2	0.80
129	Back neck drop from HPS to H	1/2			1.00
130	Front neck drop from HPS to H	10 3/8	+1/8		1.00
131	Back fish dart length	6 1/2			1.00
132	Tie length exposed	25 3/4	+1/4		1.00
133	Tie width	1			1.00
134	Bust shirring spread at empire	2 3/4	-1/4		1.00
135	Start bust shirring from center front seam	2 1/4			1.00

Size XL (28)

No	Point of measure	Measured	Dev	Note	Conf
136	Front length from HPS	22 3/8	+1/2		1.00
137	Shoulder slope from HPS	1/2			1.00
138	Shoulder seam forward	3/4			1.00
139	Across shoulder seam to seam	15			1.00
140	Across front position from HPS	5			1.00
141	Across front seam to seam	13 3/4	+1/4		1.00
142	Across back position from HPS	5			1.00
143	Across back seam to seam	14 5/8			1.00
144	Chest 1 inch below armhole, side seam to side seam	45 1/2			1.00
145	Empire seam position from HPS	15 1/8	+1/4		1.00
146	Empire waist	42 1/2	-1/2		1.00
147	Bottom sweep	50 1/2	-1/4		1.00
148	Bottom hem height	3/16	+1/16		1.00
149	Center front bodice length to empire	2 5/8			1.00
150	Bodice length at side seam	5 5/8			1.00
151	Wearer left side seam invisible zipper length	6 1/2			1.00
152	Sleeve length from armhole, short including lace	5 3/8			1.00
153	Armhole straight	10			1.00
154	Sleeve opening	15			1.00
155	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
156	Neck width H to H	10 1/4	-1/4		1.00
157	Back neck drop from HPS to H	1/2			1.00
158	Front neck drop from HPS to H	10 1/2	+1/4		1.00
159	Back fish dart length	6 1/2			1.00
160	Tie length exposed	25 3/4	+1/4		1.00
161	Tie width	1			1.00
162	Bust shirring spread at empire	2 3/4			1.00
163	Start bust shirring from center front seam	1/4	-1/8	Integer portion may be missing in the recording	0.45

Construction

No	Item	Value	Note	Conf
10	Superimposed pattern		OK	1.00
11	Nested pattern		OK	1.00
12	Fusing compatibility report		Not applicable	1.00
13	Fusing trim card		OK, only for size set	1.00
14	Fabric approval		OK; follow FOB	1.00
15	Hand feel report		OK	1.00
16	Wash recipe		OK	1.00
17	Sample size		Medium	1.00
18	Bodice lining		Fully lined; update DIA from body only lined	1.00
19	Bodice finish		Clean finish with lining; slight shirring at bodice	1.00
20	Sleeve		Circular-cut flutter sleeve; lace-finished sleeve hem	1.00
21	Hem finish		Baby hem	1.00
22	Self tie	1 inch	Flat two-ply clean finish; comes from side seam and ties at center back	1.00
23	Back darts		Fish-eye darts to control fullness at back	1.00
24	Invisible zipper		Inserted at wearer left side seam	1.00
164	Washed product neck finish		Ensure clean finish with no roping at neckline or armhole	1.00
165	Back bodice		Add lining; checked with New York team	0.90

Bill of materials

No	Item	Value	Note	Conf
166	Gumdrop velvet		Entire garment shell fabric	1.00
167	100% polyester lining		Entire garment	1.00

No	Item	Value	Note	Conf
168	100% polyester		Tie only	1.00
169	Lace trim		OK	1.00
170	Invisible zipper		OK	1.00
171	Thread Vardhman Tex 21		For overlock	1.00
172	Thread Vardhman Tex 27		For all construction	1.00
173	Thread Vardhman Tex 21		For main label stitching	1.00
174	Main label		Horizontal end fold at center back; code 008	1.00

Shrinkage

No	Item	Value	Note	Conf
6	Shell length shrinkage	0%	No shrinkage	1.00
7	Shell width shrinkage	0%	No shrinkage	1.00
8	Lining length shrinkage	0%		1.00
9	Lining width shrinkage	0%		1.00

Mini marker

No	Item	Value	Note	Conf
1	Shell plus lining average consumption	0.656 meters		1.00
2	Marker efficiency	65.06%		1.00
3	Marker direction		One-way marker due to nap direction	1.00
4	Shell YY	0.656 meter		1.00
5	Lining YY	0.471 meter		1.00