

STYLE: 2365 2365 OVERSIZED FLANNEL SHIRT W PIPING

HOLIDAY-B 2026 | STATUS: FNL

GRADE MEASUREMENTS - SIZE SET INSPECTION RESULT

Company: AMERICAN EAGLE OUTFITTERS

Division / Dept: 07 / 066

Season: HOLIDAY-B 2026

Style Desc: 2365 OVERSIZED FLANNEL SHIRT W PIPING

Size Range: XXS, XS, S, M, L, XL, XXL

Base Size: S

Sizes Measured: S

Measurement Result: FAIL CONDITIONALLY (19 out of tolerance of 35 checked)

POM	Description	Tol-	Tol+	XXS *	XS *	S	M *	L *	XL *	XXL *
0.00Z	SISTER 2365	0	0	-	-	-	-	-	-	-
0.00Z	SISTER 2365,2377,2390	0	0	-	-	-	-	-	-	-
0.00B	DISCLAIMER (Wvn): Measure Gmts in Circumference	0	0	-	-	-	-	-	-	-
1.01A	REF ON BODY - FRONT LENGTH FROM HPS	-3/8	+3/8	-	-	27 1/4 spec	-	-	-	-
1.01A	REF ON BODY - BACK LENGTH FROM HPS	-3/8	+3/8	-	-	28 spec	-	-	-	-
1.01A	FRONT LENGTH FROM HPS	-1/2	+1/2	26 spec	26 5/8 spec	26 -1 1/4 100%	27 7/8 spec	28 1/2 spec	29 1/4 spec	30 spec
1.01B	BACK LENGTH FROM HPS	-1/2	+1/2	26 1/4 spec	26 7/8 spec	26 1/4 -1 1/4 100%	28 1/8 spec	28 3/4 spec	29 1/2 spec	30 1/4 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	1 7/8 spec	1 7/8 spec	1 7/8 ok 100%	1 7/8 spec	1 7/8 spec	1 7/8 spec	1 7/8 spec
2.01A	SHOULDER SEAM FORWARD @ NECK	-1/8	+1/8	1/2 spec	1/2 spec	1/2 ok 100%	1/2 spec	1/2 spec	1/2 spec	1/2 spec
2.01B	SHOULDER SEAM FORWARD AT ARMHOLE	-1/8	+1/8	3/4 spec	3/4 spec	3/4 ok 100%	3/4 spec	3/4 spec	3/4 spec	3/4 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-3/8	+3/8	17 3/4 spec	18 1/4 spec	17 3/4 -1 100%	19 1/4 spec	20 spec	20 3/4 spec	21 3/4 spec
1.22A	ACROSS FRONT POSITION	0	0	5 spec	5 spec	5 ok 95%	5 spec	5 spec	5 spec	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-3/8	+3/8	16 1/4 spec	16 3/4 spec	16 1/4 -1 100%	17 3/4 spec	18 1/2 spec	19 1/4 spec	20 1/4 spec
1.25A	ACROSS BACK AT YOKE SEAM	-3/8	+3/8	17 spec	17 1/2 spec	17 -1 100%	18 1/2 spec	19 1/4 spec	20 spec	21 spec
1.28A	CHEST 1" BELOW ARMHOLE-PLEAT EXTENDED	-3/4	+3/4	45 spec	47 spec	45 -4 100%	51 spec	54 spec	57 spec	61 spec
4.21A	BOTTOM OPENING STRAIGHT-ABOVE SHIRT TAIL	-3/4	+3/4	45 spec	47 spec	45 -4 55%	51 spec	54 spec	57 spec	61 spec

POM	Description	Tol-	Tol+	XXS *	XS *	S	M *	L *	XL *	XXL *
4.20A	FRONT SHIRT TAIL HEIGHT	-1/8	+1/8	4 3/4 spec	4 3/4 spec	4 3/4 ok 100%	4 3/4 spec	4 3/4 spec	4 3/4 spec	4 3/4 spec
4.20A	BACK SHIRT TAIL HEIGHT	-1/8	+1/8	4 spec	4 spec	4 ok 100%	4 spec	4 spec	4 spec	4 spec
3.22B	BOTTOM HEM HEIGHT - SELF TURN	-1/8	+1/8	1/4 spec	1/4 spec	1/4 ok 100%	1/4 spec	1/4 spec	1/4 spec	1/4 spec
3.01A	SLEEVE LENGTH FROM CB LONG	-3/8	+3/8	32 1/2 spec	33 spec	32 1/2 -1 100%	34 spec	34 3/4 spec	35 1/2 spec	36 1/2 spec
3.05A	SLEEVE CAP HEIGHT	-1/4	+1/4	5 3/4 spec	6 spec	5 3/4 -1/2 100%	6 1/2 spec	6 7/8 spec	7 1/4 spec	7 3/4 spec
3.06B	ARMHOLE STRAIGHT	-3/8	+3/8	8 7/8 spec	9 1/4 spec	8 7/8 -3/4 100%	10 spec	10 5/8 spec	11 1/4 spec	12 spec
3.13A	MUSCLE 1" FROM UNDERARM	-1/4	+1/4	15 1/4 spec	16 spec	15 1/4 -1 1/2 100%	17 1/2 spec	18 3/4 spec	20 spec	21 1/2 spec
3.14B	ELBOW POSITION FROM CUFF EDGE	0	0	10 spec	10 spec	10 ok 90%	10 spec	10 spec	10 spec	10 spec
3.15A	ELBOW	-1/4	+1/4	13 1/4 spec	13 7/8 spec	13 1/4 -1 1/4 85%	15 1/8 spec	16 spec	16 7/8 spec	18 1/8 spec
3.19A	SLEEVE OPENING (L/S) @ EDGE	-1/4	+1/4	8 1/2 spec	9 spec	8 1/2 -1 80%	10 spec	10 1/2 spec	11 spec	11 1/2 spec
3.22A	SLEEVE CUFF HEIGHT	-1/8	+1/8	2 1/2 spec	2 1/2 spec	2 1/2 ok 100%	2 1/2 spec	2 1/2 spec	2 1/2 spec	2 1/2 spec
3.24A	SLEEVE PLACKET OPENING LENGTH	-1/8	+1/8	4 1/2 spec	4 1/2 spec	4 1/2 ok 100%	4 1/2 spec	4 1/2 spec	4 1/2 spec	4 1/2 spec
3.24C	SLEEVE PLACKET WIDTH	-1/8	+1/8	3/4 spec	3/4 spec	3/4 ok 85%	3/4 spec	3/4 spec	3/4 spec	3/4 spec
2.03A	FRONT NECK DROP FROM HPS TO SEAM	-1/8	+1/8	3 3/4 spec	3 7/8 spec	3 -1 90%	4 1/8 spec	4 1/4 spec	4 3/8 spec	4 1/2 spec
2.04A	BACK NECK DROP FROM HPS TO SEAM	-1/8	+1/8	3/4 spec	3/4 spec	3/4 ok 75%	3/4 spec	3/4 spec	3/4 spec	3/4 spec
2.05C	BACK NECK WIDTH SEAM TO SEAM	-1/4	+1/4	5 3/4 spec	6 spec	5 3/4 -1/2 65%	6 1/2 spec	6 3/4 spec	7 spec	7 1/4 spec
2.09A	NECKBAND HEIGHT AT CB	-1/8	+1/8	1 1/8 spec	1 1/8 spec	1 1/8 ok 95%	1 1/8 spec	1 1/8 spec	1 1/8 spec	1 1/8 spec

POM	Description	Tol-	Tol+	XXS *	XS *	S	M *	L *	XL *	XXL *
2.11A	COLLAR POINT	-1/8	+1/8	2 1/4 spec	2 1/4 spec	2 1/4 ok 75%	2 1/4 spec	2 1/4 spec	2 1/4 spec	2 1/4 spec
2.08C	COLLAR LENGTH AT OUTER EDGE	-1/4	+1/4	15 3/4 spec	16 3/8 spec	15 3/4 -1 1/4 100%	17 5/8 spec	18 1/4 spec	18 7/8 spec	19 1/2 spec
9.01B	LOCKER LOOP WIDTH	-1/8	+1/8	3/8 spec	3/8 spec	3/8 ok 100%	3/8 spec	3/8 spec	3/8 spec	3/8 spec
9.01C	LOCKER LOOP SPREAD	-1/8	+1/8	2 spec	2 spec	2 ok 90%	2 spec	2 spec	2 spec	2 spec
2.10A	COLLAR HEIGHT AT CB	-1/8	+1/8	2 spec	2 spec	2 ok 100%	2 spec	2 spec	2 spec	2 spec
2.18A	CENTER FRONT PLACKET WIDTH	0	0	1 spec	1 spec	1 ok 95%	1 spec	1 spec	1 spec	1 spec
7.04B	BUTTON POSITION FROM BOTTOM EDGE	-1/8	+1/8	4 1/4 spec	4 1/4 spec	3 -1 1/4 95%	4 1/4 spec	4 1/4 spec	4 1/4 spec	4 1/4 spec
1.11B GR	CB YOKE DEPTH @ CB NECK	-1/8	+1/8	4 spec	4 1/4 spec	4 1/2 spec	4 3/4 spec	5 spec	5 1/4 spec	5 1/2 spec
2.20B	CB YOKE BOX PLEAT WIDTH	-1/8	+1/8	1 1/2 spec	1 1/2 spec	1 1/2 spec	1 1/2 spec	1 1/2 spec	1 1/2 spec	1 1/2 spec
6.01A GR	CHEST POCKET LENGTH AT CENTER	-1/8	+1/8	5 1/4 spec	5 1/4 spec	5 1/2 spec	5 1/2 spec	5 3/4 spec	5 3/4 spec	6 spec
6.02A GR	CHEST POCKET WIDTH AT TOP	-1/8	+1/8	4 3/4 spec	4 3/4 spec	5 spec	5 spec	5 1/4 spec	5 1/4 spec	5 1/2 spec
6.16A	POCKET HEM HEIGHT	-1/8	+1/8	3/4 spec	3/4 spec	1/4 -1/2 100%	3/4 spec	3/4 spec	3/4 spec	3/4 spec
6.50A GR	CHEST POCKET POSITION FROM HPS	-1/8	+1/8	8 3/4 spec	9 spec	9 1/4 spec	9 1/2 spec	9 3/4 spec	10 spec	10 1/4 spec
6.50C GR	CHEST POCKET POSITION FROM CF	-1/8	+1/8	1 1/2 spec	1 5/8 spec	1 1/2 -1/4 95%	1 7/8 spec	2 1/8 spec	2 3/8 spec	2 5/8 spec

Each cell shows the measured value, its deviation, and how confidently it was transcribed. **Orange** = outside tolerance. **Blue** = heard with under 90% confidence, so confirm against the recording. **Grey** = the style set's own specification, shown for a size marked * that this inspection did not measure. Those are not readings.

OUT OF TOLERANCE

1.01A FRONT LENGTH FROM HPS — size S: measured 26 against 27 1/4, -1 1/4
1.01B BACK LENGTH FROM HPS — size S: measured 26 1/4 against 27 1/2, -1 1/4
1.20A ACROSS SHOULDER SEAM TO SEAM — size S: measured 17 3/4 against 18 3/4, -1
1.23A ACROSS FRONT SEAM TO SEAM — size S: measured 16 1/4 against 17 1/4, -1
1.25A ACROSS BACK AT YOKE SEAM — size S: measured 17 against 18, -1
1.28A CHEST 1" BELOW ARMHOLE-PLEAT EXTENDED — size S: measured 45 against 49, -4
4.21A BOTTOM OPENING STRAIGHT-ABOVE SHIRT TAIL — size S: measured 45 against 49, -4
3.01A SLEEVE LENGTH FROM CB LONG — size S: measured 32 1/2 against 33 1/2, -1
3.05A SLEEVE CAP HEIGHT — size S: measured 5 3/4 against 6 1/4, -1/2
3.06B ARMHOLE STRAIGHT — size S: measured 8 7/8 against 9 5/8, -3/4
3.13A MUSCLE 1" FROM UNDERARM — size S: measured 15 1/4 against 16 3/4, -1 1/2

3.15A ELBOW — size S: measured 13 1/4 against 14 1/2, -1 1/4
3.19A SLEEVE OPENING (L/S) @ EDGE — size S: measured 8 1/2 against 9 1/2, -1
2.03A FRONT NECK DROP FROM HPS TO SEAM — size S: measured 3 against 4, -1
2.05C BACK NECK WIDTH SEAM TO SEAM — size S: measured 5 3/4 against 6 1/4, -1/2
2.08C COLLAR LENGTH AT OUTER EDGE — size S: measured 15 3/4 against 17, -1 1/4
7.04B BUTTON POSITION FROM BOTTOM EDGE — size S: measured 3 against 4 1/4, -1 1/4
6.16A POCKET HEM HEIGHT — size S: measured 1/4 against 3/4, -1/2
6.50C GR CHEST POCKET POSITION FROM CF — size S: measured 1 1/2 against 1 3/4, -1/4

3 spoken measurements could not be matched to a point of measure and are listed in the CSV.

Generated from rec 2365(1) and checked against style_2365.pdf. Every value must be confirmed before this report is sent to a vendor.