

# STYLE: 2365 2365 OVERSIZED FLANNEL SHIRT W PIPING

HOLIDAY-B 2026 | STATUS: FNL

## GRADE MEASUREMENTS - SIZE SET INSPECTION RESULT

**Company:** AMERICAN EAGLE OUTFITTERS

**Division / Dept:** 07 / 066

**Season:** HOLIDAY-B 2026

**Style Desc:** 2365 OVERSIZED FLANNEL SHIRT W PIPING

**Size Range:** XXS, XS, S, M, L, XL, XXL

**Base Size:** S

**Sizes Measured:** -

**Measurement Result:** - (0 out of tolerance of 0 checked)

| POM   | Description                                     | Tol- | Tol+ | XXS *          | XS *           | S *            | M *            | L *            | XL *           | XXL *          |
|-------|-------------------------------------------------|------|------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 0.00Z | SISTER 2365                                     | 0    | 0    | -              | -              | -              | -              | -              | -              | -              |
| 0.00Z | SISTER 2365,2377,2390                           | 0    | 0    | -              | -              | -              | -              | -              | -              | -              |
| 0.00B | DISCLAIMER (Wvn): Measure Gmts in Circumference | 0    | 0    | -              | -              | -              | -              | -              | -              | -              |
| 1.01A | REF ON BODY - FRONT LENGTH FROM HPS             | -3/8 | +3/8 | -              | -              | 27 1/4<br>spec | -              | -              | -              | -              |
| 1.01A | REF ON BODY - BACK LENGTH FROM HPS              | -3/8 | +3/8 | -              | -              | 28<br>spec     | -              | -              | -              | -              |
| 1.01A | FRONT LENGTH FROM HPS                           | -1/2 | +1/2 | 26<br>spec     | 26 5/8<br>spec | 27 1/4<br>spec | 27 7/8<br>spec | 28 1/2<br>spec | 29 1/4<br>spec | 30<br>spec     |
| 1.01B | BACK LENGTH FROM HPS                            | -1/2 | +1/2 | 26 1/4<br>spec | 26 7/8<br>spec | 27 1/2<br>spec | 28 1/8<br>spec | 28 3/4<br>spec | 29 1/2<br>spec | 30 1/4<br>spec |
| 2.02A | SHOULDER SLOPE FROM HPS                         | -1/4 | +1/4 | 1 7/8<br>spec  | 1 7/8<br>spec  | 1 7/8<br>spec  | 1 7/8<br>spec  | 1 7/8<br>spec  | 1 7/8<br>spec  | 1 7/8<br>spec  |
| 2.01A | SHOULDER SEAM FORWARD @ NECK                    | -1/8 | +1/8 | 1/2<br>spec    | 1/2<br>spec    | 1/2<br>spec    | 1/2<br>spec    | 1/2<br>spec    | 1/2<br>spec    | 1/2<br>spec    |
| 2.01B | SHOULDER SEAM FORWARD AT ARMHOLE                | -1/8 | +1/8 | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    |
| 1.20A | ACROSS SHOULDER SEAM TO SEAM                    | -3/8 | +3/8 | 17 3/4<br>spec | 18 1/4<br>spec | 18 3/4<br>spec | 19 1/4<br>spec | 20<br>spec     | 20 3/4<br>spec | 21 3/4<br>spec |
| 1.22A | ACROSS FRONT POSITION                           | 0    | 0    | 5<br>spec      | 5<br>spec      | 5<br>spec      | 5<br>spec      | 5<br>spec      | 5<br>spec      | 5<br>spec      |
| 1.23A | ACROSS FRONT SEAM TO SEAM                       | -3/8 | +3/8 | 16 1/4<br>spec | 16 3/4<br>spec | 17 1/4<br>spec | 17 3/4<br>spec | 18 1/2<br>spec | 19 1/4<br>spec | 20 1/4<br>spec |
| 1.25A | ACROSS BACK AT YOKE SEAM                        | -3/8 | +3/8 | 17<br>spec     | 17 1/2<br>spec | 18<br>spec     | 18 1/2<br>spec | 19 1/4<br>spec | 20<br>spec     | 21<br>spec     |
| 1.28A | CHEST 1" BELOW ARMHOLE-PLEAT EXTENDED           | -3/4 | +3/4 | 45<br>spec     | 47<br>spec     | 49<br>spec     | 51<br>spec     | 54<br>spec     | 57<br>spec     | 61<br>spec     |
| 4.21A | BOTTOM OPENING STRAIGHT-ABOVE SHIRT TAIL        | -3/4 | +3/4 | 45<br>spec     | 47<br>spec     | 49<br>spec     | 51<br>spec     | 54<br>spec     | 57<br>spec     | 61<br>spec     |
| 4.20A | FRONT SHIRT TAIL HEIGHT                         | -1/8 | +1/8 | 4 3/4<br>spec  | 4 3/4<br>spec  | 4 3/4<br>spec  | 4 3/4<br>spec  | 4 3/4<br>spec  | 4 3/4<br>spec  | 4 3/4<br>spec  |
| 4.20A | BACK SHIRT TAIL HEIGHT                          | -1/8 | +1/8 | 4<br>spec      | 4<br>spec      | 4<br>spec      | 4<br>spec      | 4<br>spec      | 4<br>spec      | 4<br>spec      |
| 3.22B | BOTTOM HEM HEIGHT - SELF TURN                   | -1/8 | +1/8 | 1/4<br>spec    | 1/4<br>spec    | 1/4<br>spec    | 1/4<br>spec    | 1/4<br>spec    | 1/4<br>spec    | 1/4<br>spec    |
| 3.01A | SLEEVE LENGTH FROM CB LONG                      | -3/8 | +3/8 | 32 1/2<br>spec | 33<br>spec     | 33 1/2<br>spec | 34<br>spec     | 34 3/4<br>spec | 35 1/2<br>spec | 36 1/2<br>spec |

| POM      | Description                      | Tol- | Tol+ | XXS *          | XS *           | S *            | M *            | L *            | XL *           | XXL *          |
|----------|----------------------------------|------|------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 3.05A    | SLEEVE CAP HEIGHT                | -1/4 | +1/4 | 5 3/4<br>spec  | 6<br>spec      | 6 1/4<br>spec  | 6 1/2<br>spec  | 6 7/8<br>spec  | 7 1/4<br>spec  | 7 3/4<br>spec  |
| 3.06B    | ARMHOLE STRAIGHT                 | -3/8 | +3/8 | 8 7/8<br>spec  | 9 1/4<br>spec  | 9 5/8<br>spec  | 10<br>spec     | 10 5/8<br>spec | 11 1/4<br>spec | 12<br>spec     |
| 3.13A    | MUSCLE 1" FROM UNDERARM          | -1/4 | +1/4 | 15 1/4<br>spec | 16<br>spec     | 16 3/4<br>spec | 17 1/2<br>spec | 18 3/4<br>spec | 20<br>spec     | 21 1/2<br>spec |
| 3.14B    | ELBOW POSITION FROM CUFF EDGE    | 0    | 0    | 10<br>spec     | 10<br>spec     | 10<br>spec     | 10<br>spec     | 10<br>spec     | 10<br>spec     | 10<br>spec     |
| 3.15A    | ELBOW                            | -1/4 | +1/4 | 13 1/4<br>spec | 13 7/8<br>spec | 14 1/2<br>spec | 15 1/8<br>spec | 16<br>spec     | 16 7/8<br>spec | 18 1/8<br>spec |
| 3.19A    | SLEEVE OPENING (L/S) @ EDGE      | -1/4 | +1/4 | 8 1/2<br>spec  | 9<br>spec      | 9 1/2<br>spec  | 10<br>spec     | 10 1/2<br>spec | 11<br>spec     | 11 1/2<br>spec |
| 3.22A    | SLEEVE CUFF HEIGHT               | -1/8 | +1/8 | 2 1/2<br>spec  | 2 1/2<br>spec  | 2 1/2<br>spec  | 2 1/2<br>spec  | 2 1/2<br>spec  | 2 1/2<br>spec  | 2 1/2<br>spec  |
| 3.24A    | SLEEVE PLACKET OPENING LENGTH    | -1/8 | +1/8 | 4 1/2<br>spec  | 4 1/2<br>spec  | 4 1/2<br>spec  | 4 1/2<br>spec  | 4 1/2<br>spec  | 4 1/2<br>spec  | 4 1/2<br>spec  |
| 3.24C    | SLEEVE PLACKET WIDTH             | -1/8 | +1/8 | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    |
| 2.03A    | FRONT NECK DROP FROM HPS TO SEAM | -1/8 | +1/8 | 3 3/4<br>spec  | 3 7/8<br>spec  | 4<br>spec      | 4 1/8<br>spec  | 4 1/4<br>spec  | 4 3/8<br>spec  | 4 1/2<br>spec  |
| 2.04A    | BACK NECK DROP FROM HPS TO SEAM  | -1/8 | +1/8 | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    | 3/4<br>spec    |
| 2.05C    | BACK NECK WIDTH SEAM TO SEAM     | -1/4 | +1/4 | 5 3/4<br>spec  | 6<br>spec      | 6 1/4<br>spec  | 6 1/2<br>spec  | 6 3/4<br>spec  | 7<br>spec      | 7 1/4<br>spec  |
| 2.09A    | NECKBAND HEIGHT AT CB            | -1/8 | +1/8 | 1 1/8<br>spec  | 1 1/8<br>spec  | 1 1/8<br>spec  | 1 1/8<br>spec  | 1 1/8<br>spec  | 1 1/8<br>spec  | 1 1/8<br>spec  |
| 2.11A    | COLLAR POINT                     | -1/8 | +1/8 | 2 1/4<br>spec  | 2 1/4<br>spec  | 2 1/4<br>spec  | 2 1/4<br>spec  | 2 1/4<br>spec  | 2 1/4<br>spec  | 2 1/4<br>spec  |
| 2.08C    | COLLAR LENGTH AT OUTER EDGE      | -1/4 | +1/4 | 15 3/4<br>spec | 16 3/8<br>spec | 17<br>spec     | 17 5/8<br>spec | 18 1/4<br>spec | 18 7/8<br>spec | 19 1/2<br>spec |
| 9.01B    | LOCKER LOOP WIDTH                | -1/8 | +1/8 | 3/8<br>spec    | 3/8<br>spec    | 3/8<br>spec    | 3/8<br>spec    | 3/8<br>spec    | 3/8<br>spec    | 3/8<br>spec    |
| 9.01C    | LOCKER LOOP SPREAD               | -1/8 | +1/8 | 2<br>spec      | 2<br>spec      | 2<br>spec      | 2<br>spec      | 2<br>spec      | 2<br>spec      | 2<br>spec      |
| 2.10A    | COLLAR HEIGHT AT CB              | -1/8 | +1/8 | 2<br>spec      | 2<br>spec      | 2<br>spec      | 2<br>spec      | 2<br>spec      | 2<br>spec      | 2<br>spec      |
| 2.18A    | CENTER FRONT PLACKET WIDTH       | 0    | 0    | 1<br>spec      | 1<br>spec      | 1<br>spec      | 1<br>spec      | 1<br>spec      | 1<br>spec      | 1<br>spec      |
| 7.04B    | BUTTON POSITION FROM BOTTOM EDGE | -1/8 | +1/8 | 4 1/4<br>spec  | 4 1/4<br>spec  | 4 1/4<br>spec  | 4 1/4<br>spec  | 4 1/4<br>spec  | 4 1/4<br>spec  | 4 1/4<br>spec  |
| 1.11B GR | CB YOKE DEPTH @ CB NECK          | -1/8 | +1/8 | 4<br>spec      | 4 1/4<br>spec  | 4 1/2<br>spec  | 4 3/4<br>spec  | 5<br>spec      | 5 1/4<br>spec  | 5 1/2<br>spec  |
| 2.20B    | CB YOKE BOX PLEAT WIDTH          | -1/8 | +1/8 | 1 1/2<br>spec  | 1 1/2<br>spec  | 1 1/2<br>spec  | 1 1/2<br>spec  | 1 1/2<br>spec  | 1 1/2<br>spec  | 1 1/2<br>spec  |
| 6.01A GR | CHEST POCKET LENGTH AT CENTER    | -1/8 | +1/8 | 5 1/4<br>spec  | 5 1/4<br>spec  | 5 1/2<br>spec  | 5 1/2<br>spec  | 5 3/4<br>spec  | 5 3/4<br>spec  | 6<br>spec      |
| 6.02A GR | CHEST POCKET WIDTH AT TOP        | -1/8 | +1/8 | 4 3/4<br>spec  | 4 3/4<br>spec  | 5<br>spec      | 5<br>spec      | 5 1/4<br>spec  | 5 1/4<br>spec  | 5 1/2<br>spec  |

| POM      | Description                    | Tol- | Tol+ | XXS *         | XS *          | S *           | M *           | L *           | XL *          | XXL *          |
|----------|--------------------------------|------|------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|
| 6.16A    | POCKET HEM HEIGHT              | -1/8 | +1/8 | 3/4<br>spec   | 3/4<br>spec   | 3/4<br>spec   | 3/4<br>spec   | 3/4<br>spec   | 3/4<br>spec   | 3/4<br>spec    |
| 6.50A GR | CHEST POCKET POSITION FROM HPS | -1/8 | +1/8 | 8 3/4<br>spec | 9<br>spec     | 9 1/4<br>spec | 9 1/2<br>spec | 9 3/4<br>spec | 10<br>spec    | 10 1/4<br>spec |
| 6.50C GR | CHEST POCKET POSITION FROM CF  | -1/8 | +1/8 | 1 1/2<br>spec | 1 5/8<br>spec | 1 3/4<br>spec | 1 7/8<br>spec | 2 1/8<br>spec | 2 3/8<br>spec | 2 5/8<br>spec  |

Each cell shows the measured value, its deviation, and how confidently it was transcribed. **Orange** = outside tolerance. **Blue** = heard with under 90% confidence, so confirm against the recording. **Grey** = the style set's own specification, shown for a size marked \* that this inspection did not measure. Those are not readings.

Generated from rec 2365 and checked against style\_2365.pdf. Every value must be confirmed before this report is sent to a vendor.