

STATUS: FNL

STYLE: 7122

7122 SMOCKED BUTTON THROUGH

HOLIDAY-B 2026



Company: AMERICAN EAGLE OUTFITTERS
Division / Dept: 02 / 035
Season: HOLIDAY-B 2026
Style Desc: 7122 SMOCKED BUTTON THROUGH
Fit / Other:

GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model :	WW TOP L20	Size Range :	XXS, XS, S, M, L, XL, XXL
POM Descr :	GRADED SPECIFICATION	Base Size :	M
Block :		Grading Method/UM :	Incremental / IN
Modified By :	VANGR	Status :	FNL
Sizes Measured :	M, L, XL, S	Measurement Result :	PASS (0 of 92 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS *	S	M	L	XL	XXL *
*										
0.00B	DISCLAIMER (WW): Measure Gmts in Circumference	0	0	-	-	-	-	-	-	-
1.01A	REF ONLY - FRONT LENGTH FROM HPS TO HEM ON BODY	-3/8	+3/8	-	-	21 5/8 spec	22 1/4 spec	-	-	-
1.01A	FRONT LENGTH FROM HPS TO CF	-3/8	+3/8	19 5/8 spec	20 1/4 spec	20 7/8 -1/4 60%	21 1/2 -1/4 100%	22 1/8 -1/8 100%	22 7/8 -3/8 100%	23 5/8 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	3/4 spec	3/4 spec	3/4 -1/8 100%	3/4 ok 100%	3/4 ok 100%	3/4 -1/8 100%	3/4 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM-RELAXED	-3/8	+3/8	11 1/2 spec	12 spec	12 1/2 -1/4 100%	13 ok 100%	13 3/4 -1/8 94%	14 1/2 -1/8 100%	15 1/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 spec	5 spec	5 spec	5 spec	5 spec	5 spec	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM-RELAXED	-3/8	+3/8	10 spec	10 1/2 spec	11 -1/8 100%	11 1/2 -1/8 100%	12 1/4 ok 100%	13 ok 100%	13 3/4 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 spec	5 spec	5 spec	5 spec	5 spec	5 spec	5 spec
1.25A	ACROSS BACK SEAM TO SEAM-RELAXED	-3/8	+3/8	10 1/2 spec	11 spec	11 1/2 -1/8 100%	12 +1/4 100%	12 3/4 ok 58%	13 1/2 ok 100%	14 1/4 spec
1.28A	CHEST 1" BELOW ARMHOLE-RELAXED	-3/4	+3/4	26 spec	28 spec	30 ok 100%	32 +3/8 100%	35 +3/8 100%	38 +1/4 100%	42 spec
1.28A	CHEST 1" BELOW ARMHOLE-EXTENDED-MINIMUM	-1	+1	43 1/2 spec	47 spec	50 1/2 ok 100%	54 ok 100%	59 1/2 ok 100%	65 ok 100%	72 spec

POM	Description	Tol-	Tol+	XXS *	XS *	S	M	L	XL	XXL *
4.22A	BOTTOM OPENING RELAXED-LAST SMOCKING ROW	-3/4	+3/4	27 spec	29 spec	31 ok 100%	33 ok 100%	36 +1/4 100%	39 ok 100%	43 spec
4.22A	BOTTOM OPENING EXTENDED-LAST SMOCKING ROW	-1	+1	45 1/2 spec	49 spec	52 1/2 ok 100%	56 ok 100%	61 1/2 ok 100%	67 ok 100%	74 spec
9.08A	BOTTOM OPENING RUFFLE HEIGHT AT CF/SS/CB	-1/8	+1/8	2 3/4 spec	2 3/4 spec	2 3/4 -1/8 100%	2 3/4 -1/16 100%	2 3/4 ok 100%	2 3/4 +1/8 100%	2 3/4 spec
2.03A	FRONT NECK DROP FROM HPS TO SEAM	-1/4	+1/4	8 spec	8 1/8 spec	8 1/4 +1/8 100%	8 3/8 -1/8 62%	8 1/2 +1/8 90%	8 5/8 +1/8 62%	8 3/4 spec
2.04A	BACK NECK DROP FROM HPS TO SEAM	-1/8	+1/8	1 1/4 spec	1 1/4 spec	1 1/4 ok 100%	1 1/4 +1/8 100%	1 1/4 -1/16 100%	1 1/4 ok 100%	1 1/4 spec
2.05C	NECK WIDTH SEAM TO SEAM	-1/4	+1/4	7 3/4 spec	8 spec	8 1/4 +1/4 100%	8 1/2 +3/16 100%	8 3/4 ok 100%	9 ok 100%	9 1/4 spec
9.08A	NECKLINE RUFFLE HEIGHT EXPOSED	-1/8	+1/8	1/2 spec	1/2 spec	1/2 -1/16 100%	1/2 -1/32 100%	1/2 +1/8 100%	1/2 ok 100%	1/2 spec
3.01A	SLEEVE LENGTH FROM C.B LONG TO LONGEST POINT	-3/8	+3/8	24 1/2 spec	25 spec	25 1/2 ok 100%	26 +1/4 100%	26 3/4 +1/4 95%	27 1/2 ok 100%	28 1/2 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	7 5/8 spec	8 spec	8 3/8 ok 100%	8 3/4 +1/8 100%	9 3/8 ok 100%	10 ok 100%	10 3/4 spec
3.13A	MUSCLE 1" FROM UNDERARM	-1/4	+1/4	13 1/4 spec	14 spec	14 3/4 +1/8 90%	15 1/2 +1/8 100%	16 3/4 +1/4 100%	18 -1/4 100%	19 1/2 spec
3.19B	SLEEVE OPENING-RELAXED	-1/4	+1/4	7 1/2 spec	8 spec	8 1/2 ok 100%	9 +1/4 100%	9 1/2 ok 100%	10 -1/8 100%	10 1/2 spec
3.19B	SLEEVE OPENING-EXTENDED	-1/4	+1/4	13 7/8 spec	14 3/4 spec	15 5/8 ok 100%	16 1/2 ok 100%	17 3/8 ok 100%	18 1/4 ok 100%	19 1/8 spec
3.22A	SLEEVE EXPOSED RUFFLE HEIGHT	-1/8	+1/8	1 spec	1 spec	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 spec
2.18A	CENTER FRONT PLACKET WIDTH	-1/16	+1/16	3/4 spec	3/4 spec	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 spec
7.04A	BUTTON POSITION FROM BELOW NECK SEAM	-1/8	+1/8	1/2 spec	1/2 spec	1/2 +1/16 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 spec
7.04B	BUTTON POSITION FROM BOTTOM EDGE	-1/8	+1/8	2 7/8 spec	2 7/8 spec	2 7/8 -1/8 58%	2 7/8 ok 100%	2 7/8 -1/8 100%	2 7/8 +1/16 100%	2 7/8 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **?? in a violet outline** = no verdict for this point of measure was captured from the recording. It is NOT on spec and NOT a pass; it is unanswered and must be checked against the audio. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

APPROVED FOR PRODUCTION