

SIZE SET INSPECTION REPORT

STYLE NO# 7122

DIVISION American Eagle

Date: 10th of September

DESCRIPTION: smocked button through

COLOUR: beige and burgundy

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON			✓		PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT			✓	
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT			✓	
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE		✓			PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING					AFTER TREATMENT			✓	
					SPARE BUTTON POSITION					ZIPPER					PH				

* MAIN LABEL: actual, okay
 * INTERLINING: not required
 * SNAP: not required
 * HANG TAG: for bulk; not required in size set
 * HANGER: not required
 * WASHCARE: alternate
 * POLYBAG: for bulk; not required in size set
 * POLY BAG STICKER: not required in size set
 * LOT STICKER: not required in size set
 * PRE PACK STICKER: not required in size set
 * CARTON MARKINGS: not required in size set
 * PLACEMENT UPC/P.PACK: not required in size set
 * FOLDING: will review in pilot
 * SPARE BUTTON POSITION: not required in this style
 * BUTTON: okay as per approval
 * HOOK EYE/BAR: not required
 * LACE: not required
 * BUCKLE: not required
 * THREAD: original in size set as per bulk approval
 * LINING: not required
 * ZIPPER: not required
 * PRINT: not required; plaid fabric
 * EMB THREAD COLOR: no embroidery in this style
 * BEADS/SEQUINS: not required in this style
 * BEADS/SEQUINS LAYOUT: not required in this style
 * AFTER TREATMENT: okay as per wash recipe

PATTERN CHECK LIST

Grain Line: OK
 Notches: Not OK - armhole notches missing; add and show again
 Graded Nest: OK
 Corrections Implemented: OK
 YY/ Mini Marker: -

Planned Size Set Submission Date: 10th of September
 Actual Submission Date: 10th of September
 PCD: 11th of September
 Cut Quantity: 4 pieces - S, M, L and XL; 1 piece per size
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 0% W = 0%
 OK; complete block will CPL after smocking

DETAILED COMMENTS

- (1) Armhole notches missing.
- (2) Joint stitch is not acceptable; allowances are slightly more.
- (3) Last button position is on the minus side in all sizes.
- (4) Garment length is on the minus side.
- (5) Smocking rows are slightly tilted and row spacing is uneven.
- (6) Neck ruffle width is slightly uneven.
- (7) Sleeve ruffle width must be even.

MEASUREMENT (SPEC ATTACHED)

Result: PASS
 Graded Nest: OK
 Corrections To Be Done: Add armhole notches and show again; add 1/8 inch in length pattern; correct last button position
 Bring Back To Specs: Last button position in all sizes; garment length

Cutting Check: OK
 Seam Allowance: OK
 Corrections Implemented: OK

LINING: -

ACTION TO BE TAKEN BY VENDOR

- Add armhole notches and show again.
- Follow guide and maintain correct allowances.
- Follow marking while attaching buttons and achieve required spec.
- Add 1/8 inch in the pattern.
- Keep rows straight, horizontal, evenly spaced and aligned.
- Take even allowances and maintain 1/2 inch exposed ruffle width.
- Follow the same guide and even allowance as the neck ruffle.

DETAILED COMMENTS	ACTION TO BE TAKEN BY VENDOR
(8) Uncut thread and fraying at sleeve inseam.	Trim all threads and take even allowances.
(9) Plaid horizontal lines beside the center-front placket are unbalanced.	Balance and align lines on both sides; do not allow waviness.
(10) Sleeve-head shirring can become uneven.	Follow notches to maintain even shirring along sleeve head.
(11) Stitch may crack while stretching.	Maintain correct stitch tension.
(12) Garment shape must be maintained during steaming.	Follow jump-size markings on each pressing table.
(13) Uncut threads may remain inside the garment.	Check the complete garment inside and trim all threads.
(14) Broken or defective smocking is not acceptable.	Inspect panels inside out; open and redo the complete smocking row. Do not locally alter.
(15) Neckline shape can become distorted or unbalanced.	Use pattern cardboard and balance left and right neckline from center front.
(16) Center-front placket and main label may be misaligned.	Align placket and main label and add an extra checkpoint.

OVERALL: Size set is passed to proceed. Add 1/8 inch in the length; rest everything is okay. We can proceed with the bulk.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

Auto-generated from meeting recording transcript - demo pipeline output

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 7122 · smocked button through · Colour beige and burgundy · Pass with comment · Source: 7122(1) · 113 rows · 6 need review (shown in red)

Size M (23)

No	Point of measure	Measured	Dev	Note	Conf
11	Front length from HPS to center front	21 1/2	-1/4		1.00
12	Shoulder slope from HPS	3/4			1.00
13	Across shoulder seam to seam relaxed	13			1.00
14	Across front seam to seam relaxed, 5 inches from HPS	11 5/8	-1/8		1.00
15	Across back seam to seam relaxed, 5 inches from HPS	12	+1/4		1.00
16	Chest 1 inch below armhole relaxed	32	+3/8		1.00
17	Chest 1 inch below armhole extended minimum	54			1.00
18	Bottom opening relaxed at last smocking row	33			1.00
19	Bottom opening extended at last smocking row	56			1.00
20	Bottom opening ruffle height at center front, side seam and center back	2 3/4	-1/16		1.00
21	Front neck drop from HPS to seam	8 3/8	-1/8	First transcription heard 'H three by eight'; value reconstructed from size progression	0.62
22	Back neck drop from HPS to seam	1/4	+1/8		1.00
23	Neck width seam to seam	8 1/2	+3/16		1.00
24	Neckline ruffle height exposed	1/2	-1/32		1.00
25	Sleeve length from center back neck to longest point	26	+1/4		1.00
26	Armhole straight	8 3/4	+1/8		1.00
27	Muscle 1 inch from underarm	15 1/2	+1/8		1.00
28	Sleeve opening relaxed	9	+1/4		1.00
29	Sleeve opening extended	16 1/2			1.00
30	Sleeve exposed ruffle height	1			1.00
31	Center front placket width	3/4			1.00
32	Button position from below neck seam	1/2			1.00
33	Button position from bottom	2 7/8			1.00

Size L (23)

No	Point of measure	Measured	Dev	Note	Conf
34	Front length from HPS to center front	22 1/8	-1/8		1.00
35	Shoulder slope from HPS	3/4			1.00
36	Across shoulder seam to seam relaxed	13 3/4	-1/8	Initially called 16 3/4, then corrected and confirmed as 13 3/4	0.94
37	Across front seam to seam relaxed, 5 inches from HPS	12 3/8			1.00
38	Across back seam to seam relaxed, 5 inches from HPS	12 3/4		Other transcription heard 12 3/8	0.58
39	Chest 1 inch below armhole relaxed	35	+3/8		1.00
40	Chest 1 inch below armhole extended minimum	59 1/2			1.00
41	Bottom opening relaxed at last smocking row	36	+1/4		1.00
42	Bottom opening extended at last smocking row	61 1/2			1.00
43	Bottom opening ruffle height at center front, side seam and center back	2 3/4			1.00
44	Front neck drop from HPS to seam	8 1/2	+1/8	Deviation was spoken both before and after the value	0.90
45	Back neck drop from HPS to seam	1/4	-1/16		1.00
46	Neck width seam to seam	8 3/4			1.00
47	Neckline ruffle height exposed	1/2	+1/8		1.00
48	Sleeve length from center back neck to longest point	26 3/4	+1/4	Deviation was spoken both before and after the value	0.95
49	Armhole straight	9 3/8			1.00
50	Muscle 1 inch from underarm	16 3/4	+1/4		1.00
51	Sleeve opening relaxed	9 1/2			1.00
52	Sleeve opening extended	17 3/8			1.00
53	Sleeve exposed ruffle height	1			1.00
54	Center front placket width	3/4			1.00
55	Button position from below neck seam	1/2			1.00
56	Button position from bottom	2 7/8	-1/8		1.00

Size XL (23)

No	Point of measure	Measured	Dev	Note	Conf
57	Front length from HPS to center front	22 7/8	-3/8		1.00
58	Shoulder slope from HPS	3/4	-1/8		1.00
59	Across shoulder seam to seam relaxed	14 1/2	-1/8		1.00
60	Across front seam to seam relaxed, 5 inches from HPS	13 1/8			1.00
61	Across back seam to seam relaxed, 5 inches from HPS	13 1/2			1.00
62	Chest 1 inch below armhole relaxed	38	+1/4		1.00
63	Chest 1 inch below armhole extended minimum	65			1.00
64	Bottom opening relaxed at last smocking row	39			1.00
65	Bottom opening extended at last smocking row	67			1.00
66	Bottom opening ruffle height at center front, side seam and center back	2 3/4	+1/8		1.00
67	Front neck drop from HPS to seam	8 5/8	+1/8	Recording says 'five by eight'; whole-number portion reconstructed from graded size progression	0.62
68	Back neck drop from HPS to seam	1/4			1.00
69	Neck width seam to seam	9			1.00
70	Neckline ruffle height exposed	1/2			1.00
71	Sleeve length from center back neck to longest point	27 1/2			1.00
72	Armhole straight	10			1.00
73	Muscle 1 inch from underarm	18	-1/4		1.00
74	Sleeve opening relaxed	10	-1/8		1.00
75	Sleeve opening extended	18 1/4			1.00
76	Sleeve exposed ruffle height	1			1.00
77	Center front placket width	3/4			1.00
78	Button position from below neck seam	1/2			1.00
79	Button position from bottom edge	2 7/8	+1/16		1.00

Size S (23)

No	Point of measure	Measured	Dev	Note	Conf
80	Front length from HPS to center front	20 7/8	-1/4	Recording says '27 by 8'; whole-number portion reconstructed from graded size progression	0.60
81	Shoulder slope from HPS	3/4	-1/8		1.00
82	Across shoulder seam to seam relaxed	12 1/2	-1/4		1.00
83	Across front seam to seam relaxed, 5 inches from HPS	11 1/8	-1/8		1.00
84	Across back seam to seam relaxed, 5 inches from HPS	11 1/2	-1/8		1.00
85	Chest 1 inch below armhole relaxed	30			1.00
86	Chest 1 inch below armhole extended minimum	50 1/2			1.00
87	Bottom opening relaxed at last smocking row	31			1.00
88	Bottom opening extended at last smocking row	52 1/2			1.00
89	Bottom opening ruffle height at center front, side seam and center back	2 3/4	-1/8		1.00
90	Front neck drop from HPS to seam	8 1/4	+1/8		1.00
91	Back neck drop from HPS to seam	1/4			1.00
92	Neck width seam to seam	8 1/4	+1/4		1.00
93	Neckline ruffle height exposed	1/2	-1/16		1.00
94	Sleeve length from center back neck to longest point	25 1/2			1.00
95	Armhole straight	8 3/8		Value repeated and confirmed	1.00
96	Muscle 1 inch from underarm	14 3/4	+1/8	Inspector said almost plus 1/8	0.90
97	Sleeve opening relaxed	8 1/2			1.00
98	Sleeve opening extended	15 5/8			1.00
99	Sleeve exposed ruffle height	1			1.00
100	Center front placket width	3/4			1.00
101	Button position from below neck seam	1/2	+1/16		1.00
102	Button position from bottom	2 7/8	-1/8	Other transcription heard 2/8; first transcription and graded values support 2 7/8	0.58

Construction

No	Item	Value	Note	Conf
4	Placket	OK		1.00
5	Smocking tension	OK		1.00
6	SPI	OK		1.00
7	Placket width	OK		1.00
8	Faggoting SPI	OK	Second transcription heard this as pocketing/placketing SPI	0.64
9	Neck stitch breakage	No breakage		1.00
10	Joint stitch	Not acceptable	Allowances slightly more; follow guide	1.00

Bill of materials

No	Item	Value	Note	Conf
1	BOM and all trims	actual in bulk	BOM approved	1.00

Shrinkage

No	Item	Value	Note	Conf
2	Shell length shrinkage	0%	Complete block will CPL after smocking	1.00
3	Shell width shrinkage	0%	Complete block will CPL after smocking	1.00

Comments and vendor actions

No	Item	Value	Note	Conf
103	Armhole notches	Missing	Add and show again	1.00
104	Last button position	Minus side in all sizes	Follow marking and achieve required spec	1.00
105	Length correction	Add 1/8	Add 1/8 inch in pattern	1.00
106	Smocking row alignment	Slightly tilted and uneven	Keep straight, horizontal, evenly spaced and aligned	1.00
107	Neck and sleeve ruffle width	Slightly uneven	Take even allowances; maintain 1/2 inch neck ruffle visual	1.00
108	Sleeve inseam finishing	Uncut thread and fraying	Trim threads and maintain even allowances	1.00

No	Item	Value	Note	Conf
109	Plaid alignment at center-front placket	Unbalanced horizontal lines	Balance and align both sides without waviness	1.00
110	Sleeve-head shirring	Must be even	Follow notches	1.00
111	Smocking repair	No local alteration acceptable	Open and redo the complete row if broken	1.00
112	Neckline shape and balance	Must not be distorted	Use pattern cardboard and balance left and right from center front	1.00
113	Main label and center-front placket alignment	Must be aligned	Add extra checkpoint	1.00