

SIZE SET INSPECTION REPORT

STYLE NO# 7122

DIVISION American Eagle

Date: 10th of September

DESCRIPTION: smocked button through

COLOUR: beige and burgundy

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON			✓		PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT			✓	
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT			✓	
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE		✓			PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING					AFTER TREATMENT			✓	
					SPARE BUTTON POSITION					ZIPPER					PH				

* MAIN LABEL: actual, okay
 * INTERLINING: not required
 * SNAP: not required
 * HANG TAG: for bulk; not required in size set
 * HANGER: not required
 * WASHCARE: alternate
 * POLYBAG: for bulk; not required in size set
 * POLY BAG STICKER: not required in size set
 * LOT STICKER: not required in size set
 * PRE PACK STICKER: not required in size set
 * CARTON MARKINGS: not required in size set
 * PLACEMENT UPC/P.PACK: not required in size set
 * FOLDING: will review in pilot
 * SPARE BUTTON POSITION: not required in this style
 * BUTTON: okay as per approval
 * HOOK EYE/BAR: not required
 * LACE: not required
 * BUCKLE: not required
 * THREAD: original in size set as per bulk approval
 * LINING: not required
 * ZIPPER: not required
 * PRINT: not required; plaid fabric
 * LAYOUT: okay
 * EMB THREAD COLOR: no embroidery in this style
 * PLACEMENT: okay
 * BEADS/SEQUINS: not required in this style
 * BEADS/SEQUINS LAYOUT: not required in this style
 * AFTER TREATMENT: okay as per wash recipe

PATTERN CHECK LIST

Grain Line: OK
 Notches: Not OK – armhole notches missing; add and show again
 Graded Nest: OK
 Corrections Implemnted: OK – no correction required as GT is approved for bulk
 YY/ Mini Marker: -

Planned Size Set Submission Date: 10th of September
 Actual Submission Date: 10th of September
 PCD: 11th of September
 Cut Quantity: 4 pieces – S, M, L and XL; 1 piece per size
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 0% W = 0%
 OK; complete block will CPL after smocking. Number of samples not stated.

DETAILED COMMENTS

- (1) Armhole notches missing.
- (2) Joint stitch not acceptable; allowances slightly more.
- (3) Last button position is on minus side in all sizes.
- (4) Length is on minus side.
- (5) Smocking rows are slightly tilted and spacing is uneven.
- (6) Neck and sleeve ruffle width is slightly uneven.

MEASUREMENT (SPEC ATTACHED)

Result: PASS
 Graded Nest: OK
 Corrections To Be Done: Add 1/8 inch in length pattern; add missing armhole notches; follow marking for last button position
 Bring Back To Specs: Length; last button position

Cutting Check: OK
 Seam Allowance: OK
 Corrections Implemented: OK

LINING: -

ACTION TO BE TAKEN BY VENDOR

- Add notches and show again.
- Follow guide and maintain correct allowances.
- Follow marking while attaching buttons and achieve required spec.
- Add 1/8 inch in the pattern.
- Keep rows straight, horizontal, evenly spaced and aligned.
- Take even allowances and maintain exposed ruffle to required spec.

DETAILED COMMENTS	ACTION TO BE TAKEN BY VENDOR
(7) Uncut thread and fraying at sleeve inseam.	Trim all uncut threads and maintain correct allowances.
(8) Plaid horizontal lines at both sides of center-front placket are unbalanced.	Balance and align lines on both sides; do not allow waviness.
(9) Shearing along sleeve head is uneven.	Follow notches to distribute shearing evenly.
(10) Stitch may crack while stretching.	Maintain correct tension.
(11) Garment shape must be maintained during steaming.	Follow jump-size marking on each pressing table.
(12) Smocking defects or broken stitches are not to be locally altered.	Check panels inside out; open the complete smocking row and redo it.
(13) Neckline shape may become distorted or unbalanced.	Use pattern cardboard and balance left and right from center front.
(14) Center-front placket and main label must be aligned.	Add extra checkpoints to prevent misalignment.

OVERALL: Size set is passed to proceed. We'll add 1/8 inch just in the length. Rest everything is okay. We can proceed with the bulk.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

Auto-generated from meeting recording transcript - demo pipeline output

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 7122 · smocked button through · Colour beige and burgundy · Pass with comment · Source: 7122(2) · 115 rows · 6 need review (shown in red)

Size M (23)

No	Point of measure	Measured	Dev	Note	Conf
1	Front length from HPS to center front	21 1/2	-1/4		1.00
2	Shoulder slope from HPS	3/4			1.00
3	Across shoulder seam to seam relaxed	13			1.00
4	Across front seam to seam relaxed, position 5 inches from HPS	11 5/8	-1/8		1.00
5	Across back seam to seam relaxed, position 5 inches	12	+1/4		1.00
6	Chest 1 inch below armhole relaxed	32	+3/8		1.00
7	Chest 1 inch below armhole extended minimum	54			1.00
8	Bottom opening relaxed at last smocking row	33			1.00
9	Bottom opening extended at last smocking row	56			1.00
10	Bottom opening ruffle height at center front, side seam and center back	2 3/4	-1/16		1.00
11	Front neck drop from HPS to seam	8 3/8	-1/8	First transcription reads 'H three by eight'; second transcription drops the measured value.	0.62
12	Back neck drop from HPS to seam	1/4	+1/8		1.00
13	Neck width seam to seam	8 1/2	+3/16		1.00
14	Neckline ruffle height exposed	1/2	-1/32		1.00
15	Sleeve length from center back to longest point	26	+1/4		1.00
16	Armhole straight	8 3/4	+1/8		1.00
17	Muscle 1 inch from underarm	15 1/2	+1/8		1.00
18	Sleeve opening relaxed	9	+1/4		1.00
19	Sleeve opening extended	16 1/2			1.00
20	Sleeve exposed ruffle height	1			1.00
21	Center front placket width	3/4			1.00
22	Button position from below neck seam	1/2			1.00
23	Button position from bottom	2 7/8		First transcription says 'two seven'; value confirmed as 2 7/8 in the second transcription.	0.95

Size L (23)

No	Point of measure	Measured	Dev	Note	Conf
24	Front length from HPS to center front	22 1/8	-1/8		1.00
25	Shoulder slope from HPS	3/4			1.00
26	Across shoulder seam to seam relaxed	13 3/4	-1/8	Initially called as 16 3/4, then corrected and confirmed as 13 3/4.	0.90
27	Across front seam to seam relaxed, position 5 inches from HPS	12 3/8			1.00
28	Across back seam to seam relaxed, position 5 inches	12 3/4		Other transcription reads 12 3/8; 12 3/4 was repeated in the first transcription and fits the graded sequence.	0.62
29	Chest 1 inch below armhole relaxed	35	+3/8		1.00
30	Chest 1 inch below armhole extended minimum	59 1/2			1.00
31	Bottom opening relaxed at last smocking row	36	+1/4		1.00
32	Bottom opening extended at last smocking row	61 1/2			1.00
33	Bottom opening ruffle height at center front, side seam and center back	2 3/4			1.00
34	Front neck drop from HPS to seam	8 1/2	+1/8		0.90
35	Back neck drop from HPS to seam	1/4	-1/16		1.00
36	Neck width seam to seam	8 3/4			1.00
37	Neckline ruffle height exposed	1/2	+1/8		1.00
38	Sleeve length from center back to longest point	26 3/4	+1/4		1.00
39	Armhole straight	9 3/8			1.00
40	Muscle 1 inch from underarm	16 3/4	+1/4		1.00
41	Sleeve opening relaxed	9 1/2			1.00
42	Sleeve opening extended	17 3/8			1.00
43	Sleeve exposed ruffle height	1			1.00
44	Center front placket width	3/4			1.00
45	Button position from below neck seam	1/2			1.00
46	Button position from bottom	2 7/8	-1/8		1.00

Size XL (23)

No	Point of measure	Measured	Dev	Note	Conf
47	Front length from HPS to center front	22 7/8	-3/8		1.00
48	Shoulder slope from HPS	3/4	-1/8		1.00
49	Across shoulder seam to seam relaxed	14 1/2	-1/8		1.00
50	Across front seam to seam relaxed, position 5 inches from HPS	13 1/8			1.00
51	Across back seam to seam relaxed, position 5 inches	13 1/2			1.00
52	Chest 1 inch below armhole relaxed	38	+1/4		1.00
53	Chest 1 inch below armhole extended minimum	65			1.00
54	Bottom opening relaxed at last smocking row	39			1.00
55	Bottom opening extended at last smocking row	67			1.00
56	Bottom opening ruffle height at center front, side seam and center back	2 3/4	+1/8		1.00
57	Front neck drop from HPS to seam	8 5/8	+1/8	Spoken as 'five by eight' after the deviation cue; whole number reconstructed from the graded sequence.	0.65
58	Back neck drop from HPS to seam	1/4			1.00
59	Neck width seam to seam	9			1.00
60	Neckline ruffle height exposed	1/2			1.00
61	Sleeve length from center back to longest point	27 1/2			1.00
62	Armhole straight	10			1.00
63	Muscle 1 inch from underarm	18	-1/4		1.00
64	Sleeve opening relaxed	10	-1/8		1.00
65	Sleeve opening extended	18 1/4			1.00
66	Sleeve exposed ruffle height	1			1.00
67	Center front placket width	3/4			1.00
68	Button position from below neck seam	1/2			1.00
69	Button position from bottom edge	2 7/8	+1/16		1.00

Size S (23)

No	Point of measure	Measured	Dev	Note	Conf
70	Front length from HPS to center front	20 7/8	-1/4	Both transcriptions render the value as '27 by 8'; reconstructed as 20 7/8 from the graded sequence.	0.58
71	Shoulder slope from HPS	3/4	-1/8		1.00
72	Across shoulder seam to seam relaxed	12 1/2	-1/4		1.00
73	Across front seam to seam relaxed, position 5 inches down	11 1/8	-1/8		0.95
74	Across back seam to seam relaxed, position 5 inches down	11 1/2	-1/8		1.00
75	Chest 1 inch below armhole relaxed	30			1.00
76	Chest 1 inch below armhole extended minimum	50 1/2			1.00
77	Bottom opening relaxed at last smocking row	31			1.00
78	Bottom opening extended at last smocking row	52 1/2			1.00
79	Bottom opening ruffle height at center front, side seam and center back	2 3/4	-1/8		1.00
80	Front neck drop from HPS to seam	8 1/4	+1/8		1.00
81	Back neck drop from HPS to seam	1/4			1.00
82	Neck width seam to seam	8 1/4	+1/4		1.00
83	Neckline ruffle height exposed	1/2	-1/16		1.00
84	Sleeve length from center back to longest point	25 1/2			1.00
85	Armhole straight	8 3/8		Value was repeated and confirmed.	1.00
86	Muscle 1 inch from underarm	14 3/4	+1/8	Inspector said 'almost plus one by eight.'	0.95
87	Sleeve opening relaxed	8 1/2			1.00
88	Sleeve opening extended	15 5/8			1.00
89	Sleeve exposed ruffle height	1			1.00
90	Center front placket width	3/4			1.00
91	Button position from below neck seam	1/2	+1/16		1.00
92	Button position from bottom	2 7/8	-1/8	Second transcription reads 'two by eight'; first transcription and graded context support 2 7/8.	0.62

Construction

No	Item	Value	Note	Conf
93	Construction matching between size set and GT			1.00
94	Placket			1.00
95	Smocking tension			1.00
96	SPI			1.00
97	Placket width			1.00
98	Faggoting SPI		Second transcription variably rendered this as pocketing/placketing.	0.72
99	Neck stitch breakage		No breakage in the neck.	1.00
100	Joint stitch		Found joint stitch; not acceptable.	1.00
101	Allowances		Slightly more; follow guide.	1.00

Bill of materials

No	Item	Value	Note	Conf
102	BOM and trims		BOM approved; all trim actual in bulk.	1.00

Shrinkage

No	Item	Value	Note	Conf
103	Shell shrinkage length	0%		1.00
104	Shell shrinkage width	0%		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
105	Armhole notches		Missing; add and show again.	1.00
106	Length pattern correction	1/8	Add 1/8 inch in the pattern.	1.00
107	Last button position		Minus side in all sizes; follow marking while attaching buttons.	1.00
108	Smocking row alignment		Keep straight, horizontal, evenly spaced and aligned.	1.00

No	Item	Value	Note	Conf
109	Neck and sleeve ruffle	1/2	Maintain even allowances and exposed width to required spec.	1.00
110	Sleeve inseam finishing		Trim uncut threads and prevent fraying.	1.00
111	Center-front plaid line balance		Balance and align horizontal lines on both sides of placket.	1.00
112	Sleeve-head shearing		Follow notches and distribute evenly.	1.00
113	Smocking repair		No local alteration; open complete row and redo if broken.	1.00
114	Neckline shape		Use pattern cardboard; keep left and right balanced and smooth.	1.00
115	Main label and center-front placket alignment		Must be aligned; add extra checkpoints.	1.00