

SIZE SET INSPECTION REPORT

STYLE NO# 7122

DIVISION American Eagle

Date: 10th of September

DESCRIPTION: smocked button through

COLOUR: beige and burgundy

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON			✓		PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT			✓	
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT			✓	
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE		✓			PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING					AFTER TREATMENT			✓	
					SPARE BUTTON POSITION					ZIPPER					PH				

* INTERLINING: not required
 * SNAP: not required
 * HANG TAG: for bulk; not required in size set
 * HANGER: not required
 * WASHCARE: alternate
 * POLYBAG: for bulk; not required in size set
 * POLY BAG STICKER: not required in size set
 * LOT STICKER: not required in size set
 * PRE PACK STICKER: not required in size set
 * CARTON MARKINGS: not required in size set
 * PLACEMENT UPC/P.PACK: not required in size set
 * FOLDING: will review in pilot
 * SPARE BUTTON POSITION: not required in this style
 * BUTTON: okay as per approval
 * HOOK EYE/BAR: not required
 * LACE: not required
 * BUCKLE: not required
 * THREAD: original in size set as per bulk approval
 * LINING: not required
 * ZIPPER: not required
 * PRINT: not required; plaid fabric
 * EMB THREAD COLOR: no embroidery in this style
 * BEADS/SEQUINS: not required in this style
 * BEADS/SEQUINS LAYOUT: not required in this style
 * AFTER TREATMENT: okay as per wash recipe

PATTERN CHECK LIST

Grain Line: OK
 Notches: Not OK – armhole notches missing
 Graded Nest: OK
 Corrections Implemnted: OK – no GT correction required; GT approved for bulk
 YY/ Mini Marker: -

Planned Size Set Submission Date: 10th of September
 Actual Submission Date: 10th of September
 PCD: 11th of September
 Cut Quantity: 4 pieces – one each in S, M, L and XL
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 0% W = 0%
 OK; proceeding with CPL, with complete block CPL after smocking

DETAILED COMMENTS

- (1) Armhole notches missing.
- (2) Joint stitch is not acceptable; allowances are slightly more.
- (3) Last button position is on the minus side in all sizes.
- (4) Garment length is on the minus side.
- (5) Smocking lines are slightly tilted and row spacing is uneven.
- (6) Neck ruffle width is slightly uneven.
- (7) Sleeve ruffle width must be even.

MEASUREMENT (SPEC ATTACHED)

Result: PASS
 Graded Nest: OK
 Corrections To Be Done: Add armhole notches and show again; add 1/8 inch in length pattern; follow button-position marking
 Bring Back To Specs: Garment length; last button position

Cutting Check: OK
 Seam Allowance: OK
 Corrections Implemented: OK

LINING: -

ACTION TO BE TAKEN BY VENDOR

- Add armhole notches and show again.
- Follow guide and maintain correct allowances.
- Follow marking during button attachment and achieve required spec.
- Add 1/8 inch in the pattern.
- Keep smocking rows straight, horizontal, evenly spaced and aligned.
- Use even allowances and maintain 1/2 inch exposed neck ruffle.
- Follow guide and maintain even allowances.

DETAILED COMMENTS	ACTION TO BE TAKEN BY VENDOR
(8) Uncut thread and fraying at sleeve inseam.	Trim all loose threads and maintain even allowances.
(9) Center-front horizontal lines are wavy and unbalanced.	Balance and align the lines on both sides of the placket.
(10) Sleeve-head shirring may be uneven.	Follow notches to distribute shirring evenly.
(11) Stitch must not crack during stretching.	Maintain correct stitch tension.
(12) Garment shape must be maintained during steaming.	Follow jump-size markings on each pressing table.
(13) Uncut threads may remain inside the garment.	Check the entire garment inside and trim all threads.
(14) Smocking defects or broken smocking stitches are not acceptable.	Open and redo the complete smocking row; do not locally alter it.
(15) Neckline shape must be smooth and balanced.	Use the pattern cardboard and balance both sides from center front.
(16) Main label and center-front placket may become misaligned.	Align both and add extra checkpoints.

OVERALL: Size set is passed to proceed. Add 1/8 inch in the length; rest everything is okay. We can proceed with the bulk.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

Auto-generated from meeting recording transcript - demo pipeline output

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 7122 · smocked button through · Colour beige and burgundy · Pass with comment · Source: 7122 · 123 rows · 4 need review (shown in red)

Size M (25)

No	Point of measure	Measured	Dev	Note	Conf
13	Front length from HPS to center front	21 1/2	-1/4		1.00
14	Shoulder slope from HPS	3/4			1.00
15	Across shoulder seam to seam relaxed	13			1.00
16	Across front position from HPS	5			0.95
17	Across front seam to seam relaxed	11 5/8	-1/8		0.96
18	Across back position from HPS	5			1.00
19	Across back seam to seam relaxed	12	+1/4		1.00
20	Chest 1 inch below armhole relaxed	32	+3/8		1.00
21	Chest 1 inch below armhole extended minimum	54			1.00
22	Bottom opening relaxed at last smocking row	33			1.00
23	Bottom opening extended at last smocking row	56			1.00
24	Bottom opening ruffle height at center front, side seam and center back	2 3/4	-1/16		1.00
25	Front neck drop from HPS to seam	8 3/8	-1/8	Transcript rendered the value as 'H three by eight'	0.64
26	Back neck drop from HPS to seam	1/4	+1/8		1.00
27	Neck width seam to seam	8 1/2	+3/16		1.00
28	Neckline ruffle height exposed	1/2	-1/32		1.00
29	Sleeve length from center back neck to longest point	26	+1/4		0.97
30	Armhole straight	8 3/4	+1/8		1.00
31	Muscle 1 inch from underarm	15 1/2	+1/8		1.00
32	Sleeve opening relaxed	9	+1/4		1.00
33	Sleeve opening extended	16 1/2			1.00
34	Sleeve exposed ruffle height	1			1.00
35	Center front placket width	3/4			1.00
36	Button position from below neck seam	1/2			1.00
37	Button position from bottom edge	2 7/8		Spoken as 'two seven'; interpreted from the same POM in other sizes	0.62

Size L (25)

No	Point of measure	Measured	Dev	Note	Conf
38	Front length from HPS to center front	22 1/8	-1/8		1.00
39	Shoulder slope from HPS	3/4			1.00
40	Across shoulder seam to seam relaxed	13 3/4	-1/8	Initially called 16 3/4, then corrected to 13 3/4	0.88
41	Across front position from HPS	5			1.00
42	Across front seam to seam relaxed	12 3/8			1.00
43	Across back position from HPS	5			1.00
44	Across back seam to seam relaxed	12 3/4		Value reconfirmed	1.00
45	Chest 1 inch below armhole relaxed	35	+3/8		1.00
46	Chest 1 inch below armhole extended minimum	59 1/2			1.00
47	Bottom opening relaxed at last smocking row	36	+1/4		1.00
48	Bottom opening extended at last smocking row	61 1/2			1.00
49	Bottom opening ruffle height at center front, side seam and center back	2 3/4			1.00
50	Front neck drop from HPS to seam	8 1/2	+1/8	Deviation was spoken before and after the measured value	0.90
51	Back neck drop from HPS to seam	1/4	-1/16		1.00
52	Neck width seam to seam	8 3/4		Value reconfirmed	1.00
53	Neckline ruffle height exposed	1/2	+1/8		1.00
54	Sleeve length from center back neck to longest point	26 3/4	+1/4	Deviation was also spoken before the value	0.95
55	Armhole straight	9 3/8		Value reconfirmed	1.00
56	Muscle 1 inch from underarm	16 3/4	+1/4		1.00
57	Sleeve opening relaxed	9 1/2			1.00
58	Sleeve opening extended	17 3/8			1.00
59	Sleeve exposed ruffle height	1			1.00
60	Center front placket width	3/4			1.00
61	Button position from below neck seam	1/2			1.00
62	Button position from bottom edge	2 7/8	-1/8		1.00

Size XL (25)

No	Point of measure	Measured	Dev	Note	Conf
63	Front length from HPS to center front	22 7/8	-3/8		1.00
64	Shoulder slope from HPS	3/4	-1/8		1.00
65	Across shoulder seam to seam relaxed	14 1/2	-1/8		1.00
66	Across front position from HPS	5			1.00
67	Across front seam to seam relaxed	13 1/8			1.00
68	Across back position from HPS	5			1.00
69	Across back seam to seam relaxed	13 1/2			1.00
70	Chest 1 inch below armhole relaxed	38	+1/4		1.00
71	Chest 1 inch below armhole extended minimum	65			1.00
72	Bottom opening relaxed at last smocking row	39			1.00
73	Bottom opening extended at last smocking row	67			1.00
74	Bottom opening ruffle height at center front, side seam and center back	2 3/4	+1/8		1.00
75	Front neck drop from HPS to seam	5/8	+1/8		0.90
76	Back neck drop from HPS to seam	1/4			1.00
77	Neck width seam to seam	9			1.00
78	Neckline ruffle height exposed	1/2			1.00
79	Sleeve length from center back neck to longest point	27 1/2		Value reconfirmed	1.00
80	Armhole straight	10			1.00
81	Muscle 1 inch from underarm	18	-1/4		1.00
82	Sleeve opening relaxed	10	-1/8		1.00
83	Sleeve opening extended	18 1/4			1.00
84	Sleeve exposed ruffle height	1			1.00
85	Center front placket width	3/4			1.00
86	Button position from below neck seam	1/2			1.00
87	Button position from bottom edge	2 7/8	+1/16	Value reconfirmed	1.00

Size S (25)

No	Point of measure	Measured	Dev	Note	Conf
88	Front length from HPS to center front	20 7/8	-1/4	Transcript rendered the value as '27 by 8'; reconstructed from the graded sequence	0.62
89	Shoulder slope from HPS	3/4	-1/8		1.00
90	Across shoulder seam to seam relaxed	12 1/2	-1/4		1.00
91	Across front position from HPS	5			1.00
92	Across front seam to seam relaxed	11 1/8	-1/8	Transcript rendered the value as '11 by 8'; interpreted as 11 1/8	0.65
93	Across back position from HPS	5			1.00
94	Across back seam to seam relaxed	11 1/2	-1/8		1.00
95	Chest 1 inch below armhole relaxed	30			1.00
96	Chest 1 inch below armhole extended minimum	50 1/2			1.00
97	Bottom opening relaxed at last smocking row	31			1.00
98	Bottom opening extended at last smocking row	52 1/2			1.00
99	Bottom opening ruffle height at center front, side seam and center back	2 3/4	-1/8		1.00
100	Front neck drop from HPS to seam	8 1/4	+1/8		1.00
101	Back neck drop from HPS to seam	1/4			1.00
102	Neck width seam to seam	8 1/4	+1/4		1.00
103	Neckline ruffle height exposed	1/2	-1/16		1.00
104	Sleeve length from center back neck to longest point	25 1/2			1.00
105	Armhole straight	8 3/8		Value reconfirmed	1.00
106	Muscle 1 inch from underarm	14 3/4	+1/8	Inspector said 'almost plus 1/8'	0.90
107	Sleeve opening relaxed	8 1/2			1.00
108	Sleeve opening extended	15 5/8			1.00
109	Sleeve exposed ruffle height	1			1.00
110	Center front placket width	3/4			1.00
111	Button position from below neck seam	1/2	+1/16		1.00
112	Button position from bottom edge	2 7/8	-1/8		1.00

Construction

No	Item	Value	Note	Conf
6	Placket			1.00
7	Smocking tension			1.00
8	SPI			1.00
9	Placket width			1.00
10	Fagoting SPI			1.00
11	Neck stitch breakage		No breakage in neck	0.98
12	Joint stitch		Not acceptable; allowances slightly more	0.98
116	Smocking rows		Slightly tilted; keep straight, horizontal, evenly spaced and aligned	1.00
117	Neck and sleeve ruffle allowances	1/2	Maintain even exposed width	1.00
118	Sleeve inseam finishing		Uncut thread and fraying; trim and maintain even allowances	1.00
119	Center-front horizontal lines		Balance and align on both sides of placket	1.00
120	Sleeve-head shirring		Follow notches and distribute evenly	1.00
121	Smocking stitch tension and repair		Stitch must not crack; open and redo complete row if broken	1.00
122	Neckline shape		Use pattern cardboard; keep both sides smooth and balanced from center front	1.00
123	Main label and center-front placket alignment		Must be aligned; add extra checkpoints	1.00

Bill of materials

No	Item	Value	Note	Conf
1	Elastic smocking			0.98
2	FPT and GPT, both colors		Burgundy and beige passed	0.98
3	BOM and bulk trims		BOM approved; all trims actual in bulk	0.98

Shrinkage

No	Item	Value	Note	Conf
4	Shell length shrinkage	0%		1.00
5	Shell width shrinkage	0%		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
113	Armhole notches		Missing; add and show again	1.00
114	Garment length pattern correction	1/8	Add 1/8 inch in pattern	1.00
115	Last button position		Minus side in all sizes; follow marking	1.00