

SIZE SET INSPECTION REPORT

STYLE NO# 7122

DIVISION American Eagle

Date: 10th of September

DESCRIPTION: Smocked button through

COLOUR: Beige and burgundy

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON			✓		PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT			✓	
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT			✓	
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE		✓			PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING					AFTER TREATMENT			✓	
					SPARE BUTTON POSITION					ZIPPER					PH				

* MAIN LABEL: Actual, okay
 * INTERLINING: Not required
 * SNAP: Not required
 * HANG TAG: For bulk; not required in size set
 * HANGER: Not required
 * WASHCARE: Alternate
 * POLYBAG: For bulk; not required in size set
 * POLY BAG STICKER: Not required in size set
 * LOT STICKER: Not required in size set
 * PRE PACK STICKER: Not required in size set
 * CARTON MARKINGS: Not required in size set
 * PLACEMENT UPC/P.PACK: Not required in size set
 * FOLDING: Will review in pilot
 * SPARE BUTTON POSITION: Not required in this style
 * BUTTON: Okay as per approval
 * HOOK EYE/BAR: Not required
 * LACE: Not required
 * BUCKLE: Not required
 * THREAD: Original in size set as per bulk approval
 * LINING: Not required
 * ZIPPER: Not required
 * PRINT: Not required; plaid fabric
 * EMB THREAD COLOR: No embroidery in this style
 * BEADS/SEQUINS: Not required in this style
 * BEADS/SEQUINS LAYOUT: Not required in this style
 * AFTER TREATMENT: Okay as per wash recipe

PATTERN CHECK LIST

Grain Line: OK
 Notches: Not OK — armhole notches missing; add and show again
 Graded Nest: OK
 Corrections Implemented: OK
 YY/ Mini Marker: -

Planned Size Set Submission Date: 10th of September
 Actual Submission Date: 10th of September
 PCD: 11th of September
 Cut Quantity: 4 pieces — S, M, L and XL; one piece per size
Size Set Inspection Result: Pass

SHRINKAGE SHELL: L = 0% W = 0%
 OK; proceed with CPL after smocking

DETAILED COMMENTS

- (1) Armhole notches missing
- (2) Joint stitch is not acceptable
- (3) Allowances are slightly more
- (4) Last button position is on minus side in the size set
- (5) Length is on minus side
- (6) Smocking lines are slightly tilted and row spacing is uneven
- (7) Neck ruffle width is slightly uneven

MEASUREMENT (SPEC ATTACHED)

Result: PASS
 Graded Nest: OK
 Corrections To Be Done: Add armhole notches and show again; add 1/8 inch in length pattern; correct last button position through marking
 Bring Back To Specs: Length; last button position

Cutting Check: OK
 Seam Allowance: OK
 Corrections Implemented: OK

LINING: -

ACTION TO BE TAKEN BY VENDOR

- Add armhole notches and show again
- Remove unacceptable joint stitch and follow approved construction
- Follow guide and take even allowances
- Follow marking while attaching buttons and achieve required spec
- Add 1/8 inch in the pattern
- Keep smocking straight, horizontal, evenly spaced and aligned
- Take even allowances and maintain 1/2 inch exposed ruffle; follow the same on sleeves

DETAILED COMMENTS	ACTION TO BE TAKEN BY VENDOR
(8) Uncut threads at sleeve inseam	Trim all uncut threads and achieve the required standard
(9) Center-front horizontal lines are wavy or unbalanced	Balance and align the lines on both sides of the placket
(10) Shirring along sleeve head may be uneven	Follow notches and maintain even shirring
(11) Stitch may crack while stretching	Maintain correct tension so the stitch does not crack
(12) Garment shape must be maintained during steaming	Follow jump-size markings on each pressing table
(13) Smocking defects or broken stitches	Check panels inside out; open and redo the complete row—no local alteration
(14) Neckline may become distorted or unbalanced	Use pattern cardboard and balance both sides from center front
(15) Center-front placket and main label may be misaligned	Align both and add extra checkpoints

OVERALL: Size set is passed to proceed. Add 1/8 inch just in the length; rest everything is okay. We can proceed with the bulk.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

Auto-generated from meeting recording transcript - demo pipeline output

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 7122 · Smocked button through · Colour Beige and burgundy · Pass · Source: inspection-2026-09-10-150105 · 118 rows · 4 need review (shown in red)

Size M (25)

No	Point of measure	Measured	Dev	Note	Conf
12	Front length from HPS to center front	21 1/2	-1/4		1.00
13	Shoulder slope from HPS	3/4			1.00
14	Across shoulder seam to seam, relaxed	13			1.00
15	Across front position from HPS	5			0.98
16	Across front seam to seam, relaxed	11 5/8	-1/8		0.98
17	Across back position from HPS	5			0.98
18	Across back seam to seam, relaxed	12	+1/4		1.00
19	Chest 1 inch below armhole, relaxed	32	+3/8		1.00
20	Chest 1 inch below armhole, extended minimum	54			1.00
21	Bottom opening relaxed, last smocking row	33			1.00
22	Bottom opening extended, last smocking row	56			1.00
23	Bottom opening ruffle height at center front, side seam and center back	2 3/4	-1/16		1.00
24	Front neck drop from HPS to seam	8 3/8	-1/8	Measured value was garbled as "eighty by eight"; reconstructed from the graded sequence	0.56
25	Back neck drop from HPS to seam	1/4	+1/8		1.00
26	Neck width seam to seam	8 1/2	+3/16		1.00
27	Neckline ruffle height exposed	1/2	-1/32		1.00
28	Sleeve length from center back neck to longest point	26	+1/4		1.00
29	Armhole straight	8 3/4	+1/8		1.00
30	Muscle 1 inch from underarm	15 1/2	+1/8		1.00
31	Sleeve opening relaxed	9	+1/4		1.00
32	Sleeve opening extended	16 1/2			1.00
33	Sleeve exposed ruffle height	1			1.00
34	Center-front placket width	3/4			1.00
35	Button position from below neck seam	1/2			0.98
36	Button position from bottom	2 7/8			0.92

Size L (25)

No	Point of measure	Measured	Dev	Note	Conf
37	Front length from HPS to center front	22 1/8	-1/8		1.00
38	Shoulder slope from HPS	3/4			1.00
39	Across shoulder seam to seam, relaxed	13 3/4	-1/8	Initially called 16 3/4, then corrected and confirmed as 13 3/4	0.86
40	Across front position from HPS	5			1.00
41	Across front seam to seam, relaxed	12 3/8			1.00
42	Across back position from HPS	5			1.00
43	Across back seam to seam, relaxed	12 3/4		Other transcription recorded 12 3/8	0.62
44	Chest 1 inch below armhole, relaxed	35	+3/8		1.00
45	Chest 1 inch below armhole, extended minimum	59 1/2			1.00
46	Bottom opening relaxed, last smocking row	36	+1/4		1.00
47	Bottom opening extended, last smocking row	61 1/2			1.00
48	Bottom opening ruffle height at center front, side seam and center back	2 3/4			1.00
49	Front neck drop from HPS to seam	8 1/2	+1/8		0.98
50	Back neck drop from HPS to seam	1/4	-1/16		1.00
51	Neck width seam to seam	8 3/4			1.00
52	Neckline ruffle height exposed	1/2	+1/8		1.00
53	Sleeve length from center back neck to longest point	26 3/4	+1/4		1.00
54	Armhole straight	9 3/8			1.00
55	Muscle 1 inch from underarm	16 3/4	+1/4		1.00
56	Sleeve opening relaxed	9 1/2			1.00
57	Sleeve opening extended	17 3/8			1.00
58	Sleeve exposed ruffle height	1			1.00
59	Center-front placket width	3/4			1.00
60	Button position from below neck seam	1/2			1.00
61	Button position from bottom	2 7/8	-1/8		1.00

Size XL (25)

No	Point of measure	Measured	Dev	Note	Conf
62	Front length from HPS to center front	22 7/8	-3/8		1.00
63	Shoulder slope from HPS	3/4	-1/8		1.00
64	Across shoulder seam to seam, relaxed	14 1/2	-1/8		1.00
65	Across front position from HPS	5			1.00
66	Across front seam to seam, relaxed	13 1/8			1.00
67	Across back position from HPS	5			1.00
68	Across back seam to seam, relaxed	13 1/2			1.00
69	Chest 1 inch below armhole, relaxed	38	+1/4		1.00
70	Chest 1 inch below armhole, extended minimum	65			1.00
71	Bottom opening relaxed, last smocking row	39			1.00
72	Bottom opening extended, last smocking row	67			1.00
73	Bottom opening ruffle height at center front, side seam and center back	2 3/4	+1/8		1.00
74	Front neck drop from HPS to seam	8 5/8	+1/8		0.95
75	Back neck drop from HPS to seam	1/4			1.00
76	Neck width seam to seam	9			1.00
77	Neckline ruffle height exposed	1/2			1.00
78	Sleeve length from center back neck to longest point	27 1/2			1.00
79	Armhole straight	10			1.00
80	Muscle 1 inch from underarm	18	-1/4		1.00
81	Sleeve opening relaxed	10	-1/8		1.00
82	Sleeve opening extended	18 1/4			1.00
83	Sleeve exposed ruffle height	1			1.00
84	Center-front placket width	3/4			1.00
85	Button position from below neck seam	1/2			1.00
86	Button position from bottom edge	2 7/8	+1/16		1.00

Size S (25)

No	Point of measure	Measured	Dev	Note	Conf
87	Front length from HPS to center front	20 7/8	-1/4	Transcribed as "27 by 8"; interpreted as 20 7/8	0.64
88	Shoulder slope from HPS	3/4	-1/8		1.00
89	Across shoulder seam to seam, relaxed	12 1/2	-1/4		1.00
90	Across front position from HPS	5			1.00
91	Across front seam to seam, relaxed	11 1/8	-1/8		1.00
92	Across back position from HPS	5			1.00
93	Across back seam to seam, relaxed	11 1/2	-1/8		1.00
94	Chest 1 inch below armhole, relaxed	30			1.00
95	Chest 1 inch below armhole, extended minimum	50 1/2			1.00
96	Bottom opening relaxed, last smocking row	31			1.00
97	Bottom opening extended, last smocking row	52 1/2			1.00
98	Bottom opening ruffle height at center front, side seam and center back	2 3/4	-1/8		1.00
99	Front neck drop from HPS to seam	8 1/4	+1/8		1.00
100	Back neck drop from HPS to seam	1/4			1.00
101	Neck width seam to seam	8 1/4	+1/4		1.00
102	Neckline ruffle height exposed	1/2	-1/16		1.00
103	Sleeve length from center back neck to longest point	25 1/2			1.00
104	Armhole straight	8 3/8		Value was repeated and confirmed	1.00
105	Muscle 1 inch from underarm	14 3/4	+1/8	Inspector said "almost plus 1/8"	0.96
106	Sleeve opening relaxed	8 1/2			1.00
107	Sleeve opening extended	15 5/8			1.00
108	Sleeve exposed ruffle height	1			1.00
109	Center-front placket width	3/4			1.00
110	Button position from below neck seam	1/2	+1/16		1.00
111	Button position from bottom	2 7/8	-1/8	Other transcription recorded 2/8; 2 7/8 is supported by the first transcription and other sizes	0.61

Construction

No	Item	Value	Note	Conf
4	Placket			1.00
5	Smocking tension			1.00
6	SPI			1.00
7	Placket width			1.00
8	Fagoting SPI			0.86
9	Neck stitch breakage		No breakage in the neck	0.98
10	Joint stitch		Found joint stitch; not acceptable	1.00
11	Seam allowances		Slightly more; follow guide	1.00

Bill of materials

No	Item	Value	Note	Conf
3	BOM and bulk trims		BOM approved; all trims actual in bulk	0.98

Shrinkage

No	Item	Value	Note	Conf
1	Shell length shrinkage	0%	Proceeding with CPL after smocking	1.00
2	Shell width shrinkage	0%	Proceeding with CPL after smocking	1.00

Comments and vendor actions

No	Item	Value	Note	Conf
112	Armhole notches missing		Add and show again	1.00
113	Length correction	1/8	Add 1/8 inch in the pattern	1.00
114	Last button position		Follow marking while attaching buttons and achieve required spec	1.00
115	Smocking row alignment		Keep rows straight, horizontal, evenly spaced and aligned	1.00

No	Item	Value	Note	Conf
116	Neck and sleeve ruffle width	1/2	Take even allowances and maintain the required exposed width	1.00
117	Broken smocking stitch		Open and redo the complete row; no local alteration	1.00
118	Center-front placket and main-label alignment		Align and add extra checkpoints	1.00