

SIZE SET INSPECTION REPORT

STYLE NO# -

DIVISION -

Date: -

DESCRIPTION: -

COLOUR: -

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL		✓			POLYBAG					BUTTON		✓			PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING		✓			FOLDING					LINING					AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER					PH				

* **BUTTON:** Add shanking; gaping visible
* **THREAD:** Vardhman Core Eco thread
* **MAIN LABEL:** Label need to printed
* **INTERLINING:** Confirm EG9231DR against approval code

PATTERN CHECK LIST

Grain Line: -
Notches: -
Graded Nest: OK
Corrections Implemnted: -
YY/ Mini Marker: OK

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: -
Cut Quantity: -
Size Set Inspection Result: Pass

SHRINKAGE SHELL: L = 2.4%, 2.8%, 2.4% W = 0.8%, 0.8%, 0.8%
3 samples tested; all under 3%, acceptable

DETAILED COMMENTS

- (1) Fabric colour tone and seersucker look differ; PP placket is flat versus crinkle on fit sample.
- (2) Button has no shanking and garment is gaping.
- (3) Interlining code differs between approval and compatibility report.
- (4) Labels need printing.
- (5) Mini marker is two-way, but one garment must remain one-way.

MEASUREMENT (SPEC ATTACHED)

Result: -
Graded Nest: OK
Corrections To Be Done: State pattern neck as 2 inches; add shanking to buttons; print labels; confirm correct interlining code
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: -

ACTION TO BE TAKEN BY VENDOR

- Match the FOB-approved quality and carry the crinkle effect onto the placket; do not mark incorrect quality as correct.
- Add shanking to the buttons.
- Confirm and correct the interlining code before production.
- Print the labels.
- Clearly identify and maintain each garment one-way in the marker.

OVERALL: Passed size set. Let's begin production; start doing the cutting.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Pass · Source: Recording_20(1)(1) · 120 rows · 7 need review (shown in red)

Size M (33)

No	Point of measure	Measured	Dev	Note	Conf
8	Front length from HPS to center front hem	22			1.00
9	Waist position from HPS	13 1/2	+1/8		1.00
10	Shoulder seam	1 3/8	+1/8		0.98
11	Shoulder seam forward at neck	5/8	+1/8		1.00
12	Shoulder seam forward at armhole	5/8			0.85
13	Across shoulder seam to seam	12 3/4	-1/8		1.00
14	Pattern neck	2		State it on the spec	0.89
15	Across front at 5 inches below HPS	11 1/4	-1/4		0.97
16	Armhole	9			0.98
17	Across back at 5 inches below	13 1/4			0.98
18	Chest 1 inch below armhole	38	-1/2		1.00
19	Waist	35			1.00
20	Bottom opening	39	-1/4		0.97
21	Front shirt tail length	2 3/4	+1/4		0.88
22	Back shirt tail length	1 3/4			0.91
23	Sleeve length	6 3/4			1.00
24	Sleeve opening relaxed	12			1.00
25	Sleeve opening extended	17 1/2			1.00
26	Neck width seam to seam	7 1/4			0.98
27	Front neck drop	3 7/8			0.93
28	Back neck drop	1/2	-1/8		0.96
29	Collar length at neckband seam	15 3/8	-1/8		1.00
30	Collar length at outer edge	16 1/8			1.00
31	Neckband height at center back	3/4			1.00
32	Collar height	2 1/4			0.96
33	Collar point	2 1/4			0.97
34	First button position below neck seam	8 1/4		Measured diagonally	0.94
35	Button position from bottom edge	2			1.00
36	Center front placket width	3/4			1.00
37	Side seam tie position from underarm	4 1/2			1.00
38	Side seam tie length	24 3/4			1.00
39	Side seam tie width	1/4			0.98
40	Bottom hem height	1/4			0.98

Size L (28)

No	Point of measure	Measured	Dev	Note	Conf
41	Front length from HPS to center front hem	22 5/8			1.00
42	Waist position from HPS	14 1/8			1.00
43	Across shoulder seam to seam	13 1/2	-1/8	Called out as shoulder	0.88
44	Across front	12	+1/8	Point name was indistinct	0.63
45	Neck width seam to seam	7 1/2			1.00
46	Front neck drop	4	-1/8		1.00
47	First button position below neck seam	8 1/4			0.97
48	Chest 1 inch below armhole	41		Measured with shirring spread	0.98
49	Waist	38			1.00
50	Bottom opening	42	-1/2		1.00
51	Armhole	9 5/8			1.00
52	Sleeve length	7 1/8			1.00
53	Sleeve opening relaxed	13 1/4	+1/2		0.96
54	Sleeve opening extended	18 3/4		Initially called 19, then confirmed as 18 3/4; gauze may be opening up	0.80
55	Collar length at neckband seam	16	-1/4		1.00
56	Collar length at outer edge	16 3/4			1.00
57	Neckband height at center back	3/4			0.98
58	Collar height	2 1/4			0.90
59	Collar point	2 1/4			0.98
60	Across back at 5 inches below	14	+1/4	Position first called 5 1/2, then corrected to 5 inches	0.89
61	Back neck drop	1/2			0.92
62	Button position from bottom edge	2			1.00
63	Center front placket width	3/4			1.00
64	Front shirt tail length	2 3/4			0.89
65	Back shirt tail length	1 3/4			0.94
66	Side seam tie length	25 1/2	-1		1.00
67	Side seam tie width	1/4			0.97
68	Bottom hem height	1/4			0.97

Size XXS (30)

No	Point of measure	Measured	Dev	Note	Conf
69	Front length from HPS to center front hem	21 1/8	-1/8		1.00
70	Waist position from HPS	12 3/8		Spoken as bodice	0.82
71	Shoulder seam	1 3/8			0.90
72	Shoulder seam forward at neck	5/8			0.90
73	Across shoulder seam to seam	11 1/4			1.00
74	Across front at 5 inches below HPS	9 3/4	+1/4		1.00
75	Across back at 5 inches below	11 3/4			1.00
76	Chest 1 inch below armhole	32			1.00
77	Waist	29	+1/2		1.00
78	Bottom opening	33	-1/4		1.00
79	Sleeve length	6			1.00
80	Armhole	7 7/8	+1/8		1.00
81	Sleeve opening relaxed	9 3/4			1.00
82	Sleeve opening extended	15 1/4			1.00
83	Neck width seam to seam	6 1/2	-1/8		1.00
84	Front neck drop	3 1/2	+1/8		1.00
85	Back neck drop	1/2			0.96
86	Button position from bottom edge	2			0.95
87	Collar length at neckband seam	13 1/2			1.00
88	Collar length at outer edge	14 1/4			1.00
89	Neckband height at center back	3/4			1.00
90	Collar height	2 1/4			0.96
91	Collar point	2 1/4			0.96
92	Center front placket width	3/4			1.00
93	Front shirt tail length	2 3/4			0.90
94	Back shirt tail length	1 3/4			0.94
96	Side seam tie placement from underarm	4 3/8	+1/8		1.00
97	Side seam tie length	23 1/4		21 3/4 was mentioned during disagreement; final value reconfirmed as 23 1/4	0.75
98	Side seam tie width	1/4			1.00
99	Bottom hem height	1/4			1.00

Construction

No	Item	Value	Note	Conf
1	Front and back graded pattern		Shoulder slope and neck constant; armholes aligned and grading uniform; collar and patch okay	0.91
2	Fabric colour tone and seersucker appearance		Colour tone differs and PP quality was questioned against FOB	0.98
3	Front placket appearance		PP placket made flat; fit sample carries crinkle effect	0.99
4	Elastic construction		Elastic tighter; slight width difference discussed	0.82
5	Front number of buttons	5		1.00
6	Back and sleeve shirring		Back okay; shirring present on sleeve	0.91
7	Overall construction		Construction-wise okay; general appearance same	0.95
95	Button shanking		No shanking; a lot of gaping visible	1.00

Bill of materials

No	Item	Value	Note	Conf
100	Shell fabric		Monica seersucker	0.98
101	RMP solid composition	91% cotton, 9% linen	Composition discussion was partially unclear	0.67
102	Buttons		Fox shell buttons	0.95
103	Thread		Vardhman Core Eco thread and Vardhman Eco thread	0.94
104	Interlining code	EG9231DR	Approval was read as 9231ER, while compatibility report showed 9231DR	0.82
105	Elastic	1/4	White colour	0.92
106	Labels		Main and side labels mentioned; labels need printing	0.91

Shrinkage

No	Item	Value	Note	Conf
107	Shell sample 1 length shrinkage	2.4%		1.00
108	Shell sample 1 width shrinkage	0.8%		1.00
109	Shell sample 2 length shrinkage	2.8%		1.00
110	Shell sample 2 width shrinkage	0.8%		1.00
111	Shell sample 3 length shrinkage	2.4%		1.00
112	Shell sample 3 width shrinkage	0.8%		1.00
113	Shrinkage test result		3 samples tested; under 3%, fine and acceptable	1.00

Mini marker

No	Item	Value	Note	Conf
114	Marker direction		Two-way marker; each garment is to remain one-way	0.96
115	YY	0.76		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
116	Fabric and placket appearance		Match FOB-approved seersucker/crinkle quality	0.98
117	Button shanking		Add shanking to buttons to prevent gaping	1.00
118	Interlining code		Confirm and correct code before production	0.91
119	Labels		Print labels	0.97
120	Production release		Begin production and start cutting	0.98