

SIZE SET INSPECTION REPORT

STYLE NO# 9662
DESCRIPTION: -

DIVISION -

Date: -
COLOUR: -

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE			✓		PLACEMENT UPC/P.PACK					THREAD					BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER		✓			PH				

* WASHCARE: Destination-specific wash care
* ZIPPER: Gaping and puckering; improve workmanship

PATTERN CHECK LIST

Grain Line: OK
Notches: OK
Graded Nest: OK
Corrections Implemnted: OK
YY/ Mini Marker: OK

Planned Size Set Submission Date: 8 July
Actual Submission Date: 9 July
PCD: 5-8-2026
Cut Quantity: 66
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 0% W = 0%

DETAILED COMMENTS

- (1) Zipper gaping more than wearer's side
- (2) Roping at hem
- (3) Lot matching with FOB
- (4) Pilling abrasion closure
- (5) Streak mark fabric defect closure awaited
- (6) Fraying yarn at belt
- (7) Tight stitch at side seam/princess seam
- (8) Puckering at zipper

MEASUREMENT (SPEC ATTACHED)

Result: PASS CONDITIONALLY
Graded Nest: OK
Corrections To Be Done: Cross front +1/8; center front length to hem -1/4;
chest -1/2; front chest -1/8; bottom sweep -2; front neck drop +1/4; back
armhole hook height at underarm -1/8 blending to zero at empire
Bring Back To Specs: Front bodice measurement out of tolerance

Cutting Check: Not OK
Seam Allowance: OK
Corrections Implemented: OK

LINING: L = 0% W = 0%

ACTION TO BE TAKEN BY VENDOR

- Improve zipper workmanship and secure with stitching
- Control feeding of top and bottom layers while stitching bias area
- Use only approved lot for bulk
- Closure received from NY by mail and physical sample
- Do not cut bulk until approved by NY
- Use air pipe for belt operation
- Loosen machine tension
- Mark and distribute zipper and body evenly; loosen machine tension

OVERALL: Size set is passed with correction. Do not cut bulk till streak mark closure approved from NY.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

Auto-generated from meeting recording transcript - demo pipeline output

STATUS: FNL

STYLE: 9662

9662 OCCASION SHORT SLV MINI

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS
 Division / Dept: 02 / 039
 Season: HOLIDAY-B 2026
 Style Desc: 9662 OCCASION SHORT SLV MINI
 Fit / Other:

GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW DRESS/JUMPER/IOV
 POM Descr : GRADE SPECIFICATIONS
 Block :
 Modified By : JEANCHARV
 Sizes Measured : M, L, XL, XXS, S

Size Range : XXS, XS, S, M, L, XL, XXL
 Base Size : M
 Grading Method/UM : Incremental / IN
 Status : FNL
 Measurement Result : FAIL CONDITIONALLY (5 of 134 out of tolerance)

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
0.00B	DISCLAIMER (Wvn): Measure Gmts in Circumference	0	0	-	-	-	-	-	-	-
0.00Z	DRESS LENGTH FROM HPS (ON FORM) - REF ONLY	0	0	-	-	-	34 1/2 spec	-	-	-
1.01C	DRESS LENGTH FROM HPS	-1/2	+1/2	32 1/4 ok 100%	33 spec	33 3/4 -1/4 100%	34 1/2 -1/8 82%	35 3/4 -1/4 100%	37 ok 100%	38 1/4 spec
1.01C	LINING - DRESS LENGTH FROM HPS	-1/2	+1/2	31 1/4 ok 100%	32 spec	32 3/4 -1/4 100%	33 1/2 -3/8 88%	34 3/4 -1/4 100%	36 -1/4 100%	37 1/4 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 ok 100%	3/4 spec	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	5/8 ok 100%	5/8 spec	5/8 ok 100%	5/8 ok 100%	5/8 ok 100%	5/8 ok 100%	5/8 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 -1/4 100%	12 1/2 spec	13 -1/4 100%	13 1/2 -1/4 100%	14 1/4 -1/8 100%	15 -1/4 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 ok 100%	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 1/8 -1/8 100%	10 5/8 spec	11 1/8 -1/8 100%	11 5/8 -1/8 66%	12 3/8 -1/8 100%	13 1/8 -1/8 100%	13 7/8 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 ok 100%	5 spec	5 ok 100%	5 ok 100%	5 ok 65%	5 ok 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 1/2 -1/8 100%	12 spec	12 1/2 -1/8 100%	13 ok 100%	13 3/4 ok 100%	14 1/2 ok 100%	15 1/4 spec
1.29F	FRONT BODICE LENGTH FROM HPS	-1/4	+1/4	12 3/4 -3/8 100%	13 1/8 spec	13 1/2 -1/2 100%	13 7/8 -1/2 66%	14 1/2 -1/2 100%	15 1/4 -1/2 100%	16 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 1/4 ok 62%	1 3/8 spec	1 1/2 ok 100%	1 5/8 ok 82%	2 ok 100%	2 1/2 +1/8 100%	3 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 1/8 -1/8 100%	4 1/8 spec	4 1/8 -1/8 100%	4 1/8 -1/8 72%	4 1/4 ok 100%	4 1/2 ok 100%	4 3/4 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	30 1/2 -3/8 100%	32 1/2 spec	34 1/2 -1/2 100%	36 1/2 -1/2 100%	39 1/2 -1/2 100%	42 1/2 -1/2 100%	46 1/2 spec
1.28B	FRONT CHEST SS TO CF - EACH SIDE	-1/4	+1/4	7 7/8 ok 100%	8 3/8 spec	8 7/8 +1/8 100%	9 3/8 -1/8 72%	10 1/8 -1/4 100%	10 7/8 -1/8 100%	11 7/8 spec
1.30A	WAIST AT EMPIRE - STRAIGHT	-3/4	+3/4	26 -1/4 100%	28 spec	30 -1/4 100%	32 -1/4 100%	35 -1/4 100%	38 ok 100%	42 spec
4.22A	BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ok 90%	54 spec	56 ok 100%	58 +1 100%	61 ok 100%	64 ok 100%	68 spec
4.22A	LINING - BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ok 90%	54 spec	56 ok 100%	58 ok 100%	61 ok 100%	64 ok 100%	68 spec
4.27A	BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ok 100%	3/16 spec	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 spec
4.27A	LINING - BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ok 100%	3/16 spec	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	8 1/8 -1/8 100%	8 1/2 spec	8 7/8 ok 100%	9 1/4 -1/4 100%	9 7/8 ok 100%	10 1/2 ok 100%	11 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE	-1/4	+1/4	4 7/8 ok 100%	5 1/8 spec	5 3/8 +1/8 100%	5 5/8 ok 66%	6 ok 100%	6 3/8 ok 82%	6 7/8 spec
3.19B	SLEEVE OPENING ALONG EDGE (S/S)	-1/4	+1/4	10 3/4 -1/4 100%	11 1/2 spec	12 1/4 -1/4 100%	13 spec	14 1/4 -1/4 100%	15 1/2 ok 100%	17 spec
3.23A	SLEEVE HEM LACE TRIM HEIGHT	-1/8	+1/8	1 ok 100%	1 spec	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 spec
2.05C	NECK WIDTH EDGE TO EDGE	-1/4	+1/4	8 ok 100%	8 1/4 spec	8 1/2 ok 100%	8 3/4 -1/8 100%	9 ok 100%	9 1/4 ok 100%	9 1/2 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 3/4 ok 100%	9 7/8 spec	10 ok 100%	10 1/8 -1/8 72%	10 1/4 -1/8 100%	10 3/8 ok 100%	10 1/2 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1 ok 100%	1 spec	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 spec
7.09B GR	BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT	-1/2	+1/2	28 1/2 ok 100%	29 spec	29 1/2 ok 100%	30 ok 100%	30 3/4 ok 62%	31 1/2 ok 100%	32 1/2 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
7.10A	SIDE SEAM BELT/TIE WIDTH	-1/8	+1/8	1 1/4 ok 100%	1 1/4 spec	1 1/4 ok 100%	1 1/4 ok 100%	1 1/4 ok 100%	1 1/4 ok 100%	1 1/4 spec
7.02C GR	SIDE SEAM ZIPPER LENGTH	-1/4	+1/4	10 ok 100%	10 1/2 spec	11 ok 86%	11 1/2 ok 100%	12 ok 100%	12 1/2 ok 100%	13 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **An orange outline = outside tolerance. Blue figures = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.**

OUT OF TOLERANCE

- 1.29F FRONT BODICE LENGTH FROM HPS — size M: measured 13 3/8 against 13 7/8, -1/2
- 1.29F FRONT BODICE LENGTH FROM HPS — size L: measured 14 against 14 1/2, -1/2
- 1.29F FRONT BODICE LENGTH FROM HPS — size XL: measured 14 3/4 against 15 1/4, -1/2
- 1.29F FRONT BODICE LENGTH FROM HPS — size XXS: measured 12 3/8 against 12 3/4, -3/8
- 1.29F FRONT BODICE LENGTH FROM HPS — size S: measured 13 against 13 1/2, -1/2

Generated from Recording_9662(1) and checked against style_9662_clean.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 9662 · Pass with comment · Source: Recording_9662(1) · 172 rows · 12 need review (shown in red)

Size M (28)

No	Point of measure	Measured	Dev	Note	Conf
22	Dress length from HPS	34	-1/8	Spoken as chest length from HPS	0.82
23	Lining length from HPS	36	-3/8		0.88
24	Shoulder seam to shoulder			On spec; no numeric value stated	1.00
25	Shoulder slope from HPS	1/2			1.00
26	Across shoulder seam to seam	13	-1/4		1.00
27	Across front position from HPS	5			1.00
28	Across front seam to seam	11 5/8	-1/8	Fraction denominator inferred from spoken '■■■■■'	0.66
29	Across back position from HPS	5			1.00
30	Across back seam to seam	13			1.00
31	Front bodice length from HPS	13 7/8	-1/2	Fraction denominator inferred from spoken '■■■■'	0.66
32	Center front bodice length to empire	1 5/8		Speaker corrected the field name	0.82
33	Bodice length at side seam	4 1/8	-1/8	Fraction denominator inferred	0.72
34	Chest 1 inch below armhole, side seam to side seam	36 1/2	-1/2		1.00
35	Front chest side seam to center front each side	9 3/8	-1/8	Fraction denominator inferred	0.72
36	Waist at empire straight	32	-1/4		1.00
37	Bottom sweep curve along edge	58	+1		1.00
38	Lining bottom sweep curve along edge	58			1.00
39	Bottom hemline	3/16			1.00
40	Lining bottom hemline	3/16			1.00
41	Armhole straight	9 1/4	-1/4		1.00
42	Sleeve length from armhole, including lace	5 5/8		Fraction denominator inferred from spoken '■■■■'	0.66
43	Sleeve hem lace trim height	1			1.00
44	Neck width edge to edge	8 3/4	-1/8		1.00
45	Front neck drop from HPS to edge	10 1/8	-1/8	Fraction denominator inferred	0.72
46	Back neck drop from HPS to edge	1			1.00
47	Back tie from side seam each side to low neck point	30			1.00
48	Side seam back tie width	1 1/4			1.00
49	Side seam zipper length	11 1/2			1.00

Size L (29)

No	Point of measure	Measured	Dev	Note	Conf
50	Dress length from HPS	35 3/4	-1/4		1.00
51	Lining dress length from HPS	34 3/4	-1/4		1.00
52	Shoulder seam forward	3/4			1.00
53	Shoulder slope from HPS	5/8			1.00
54	Across shoulder seam to seam	14 1/4	-1/8		1.00
55	Across front position from HPS	5			1.00
56	Across front seam to seam	12 3/8	-1/8		1.00
57	Across back position from HPS	5/8		Value unusual but transcribed as spoken	0.65
58	Across back seam to seam	13 3/4			1.00
59	Front bodice length from HPS	14 1/2	-1/2		1.00
60	Center front bodice length to empire	2			1.00
61	Bodice length at side seam	4 1/4			1.00
62	Chest 1 inch below armhole, side seam to side seam	39 1/2	-1/2		1.00
63	Front chest side seam to center front each side	10 1/8	-1/4		1.00
64	Waist at empire straight	35	-1/4		1.00
65	Bottom sweep curve along edge	61			1.00
66	Lining bottom sweep curve along edge	61			1.00
67	Bottom hemline	3/16			1.00
68	Lining bottom hemline	3/16			1.00
69	Armhole straight	9 7/8			1.00
70	Sleeve length from armhole, including lace	6			1.00
71	Sleeve opening along edge, side seam to side seam	14 1/4	-1/4		1.00
72	Sleeve hem lace trim height	1			1.00
73	Neck width H to H	9			1.00
74	Front neck drop from HPS to H	10 1/4	-1/8		1.00
75	Back neck drop from HPS to H	1			1.00
76	Belt tie from side seam each side to longest point	30 3/4		Spoken unclearly as '33 by 4'	0.62
77	Side seam belt tie width	1/4			1.00
78	Side seam zipper length	12			1.00

Size XL (29)

No	Point of measure	Measured	Dev	Note	Conf
79	Dress length from HPS	37			1.00
80	Lining dress length from HPS	36	-1/4		1.00
81	Shoulder seam forward	3/4			1.00
82	Shoulder slope from HPS	5/8			1.00
83	Across shoulder seam to seam	15	-1/4		1.00
84	Across front position from HPS	5			1.00
85	Across front seam to seam	13 1/8	-1/8		1.00
86	Across back position from HPS	5			1.00
87	Across back seam to seam	14 1/2			1.00
88	Front bodice length from HPS	15 1/4	-1/2		1.00
89	Center front bodice length to empire	2 1/2	+1/8		1.00
90	Bodice length at side seam	4 1/2			1.00
91	Chest 1 inch below armhole, side seam to side seam	42 1/2	-1/2		1.00
92	Front chest side seam to center front each side	10 7/8	-1/8		1.00
93	Waist at empire straight	38			1.00
94	Bottom sweep curve along edge	64			1.00
95	Lining bottom sweep curve along edge	64			1.00
96	Bottom hemline shell	3/16			1.00
97	Lining bottom hemline	3/16			1.00
98	Armhole straight	10 1/2			1.00
99	Sleeve length from armhole, including lace	6 3/8		Transcribed from '638'	0.82
100	Sleeve opening along edge	15 1/2			1.00
101	Sleeve hem lace trim height	1			1.00
102	Neck width H to H	9 1/4			1.00
103	Front neck drop from HPS to H	10 3/8			1.00
104	Back neck drop from HPS to H	1			1.00
105	Belt tie from side seam each side to longest point	31 1/2			1.00
106	Side seam belt tie width	1/4			1.00
107	Side seam zipper length	12 1/2			1.00

Size XXS (29)

No	Point of measure	Measured	Dev	Note	Conf
108	Dress length from HPS	32 1/4			1.00
109	Lining dress length from HPS	31 1/4			1.00
110	Shoulder seam forward	3/4			1.00
111	Shoulder slope	5/8			1.00
112	Across shoulder seam to seam	12	-1/4		1.00
113	Across front position from HPS	5			1.00
114	Across front seam to seam	10 1/8	-1/8		1.00
115	Across back position from HPS	5			1.00
116	Across back seam to seam	11 1/2	-1/8		1.00
117	Front bodice length from HPS	12 3/4	-3/8		1.00
118	Center front bodice length to empire	1 1/4		Spoken as 'one quarter'; mixed number inferred from grading sequence	0.62
119	Bodice length at side seam	4 1/8	-1/8		1.00
120	Chest 1 inch below armhole, side seam to side seam	30 1/2	-3/8		1.00
121	Front chest side seam to center front each side	7 7/8			1.00
122	Waist at empire straight	26	-1/4		1.00
123	Bottom sweep curve along edge	52		Spoken as bottom rib curve	0.90
124	Lining bottom sweep curve along edge	52		Spoken as bottom rib curve	0.90
125	Bottom hem height	3/16			1.00
126	Lining bottom hem height	3/16			1.00
127	Armhole straight	8 1/8	-1/8		1.00
128	Sleeve length from armhole, including lace	4 7/8			1.00
129	Sleeve opening along edge	10 3/4	-1/4		1.00
130	Sleeve hem lace trim height	1			1.00
131	Neck width H to H	8			1.00
132	Front neck drop from HPS to H	9 3/4			1.00
133	Back neck drop from HPS to H	1			1.00
134	Back tie from side seam each side to longest point	28 1/2			1.00
135	Side seam back tie width	1/4			1.00
136	Side seam zipper length	10			1.00

Size S (29)

No	Point of measure	Measured	Dev	Note	Conf
137	Dress length from HPS	33 3/4	-1/4		1.00
138	Lining dress length from HPS	32 3/4	-1/4		1.00
139	Shoulder seam forward	3/4			1.00
140	Shoulder slope	5/8			1.00
141	Across shoulder seam to seam	13	-1/4		1.00
142	Across front position from HPS	5			1.00
143	Across front seam to seam	11 1/8	-1/8		1.00
144	Across back position from HPS	5			1.00
145	Across back seam to seam	12 1/2	-1/8		1.00
146	Front bodice length from HPS	13 1/2	-1/2		1.00
147	Center front bodice length to empire	1 1/2			1.00
148	Bodice length at side seam	4 1/8	-1/8		1.00
149	Chest 1 inch below armhole, side seam to side seam	34 1/2	-1/2		1.00
150	Front chest side seam to center front each side	8 7/8	+1/8		1.00
151	Waist at empire straight	30	-1/4		1.00
152	Bottom sweep curve along edge	56			1.00
153	Lining bottom sweep curve along edge	56			1.00
154	Bottom hemline	3/16			1.00
155	Lining bottom hemline	3/16			1.00
156	Armhole straight	8 7/8			1.00
157	Sleeve length from armhole, including lace	5 3/8	+1/8		1.00
158	Sleeve opening along edge	12 1/4	-1/4		1.00
159	Sleeve hem lace trim height	1			1.00
160	Neck width H to H	8 1/2			1.00
161	Front neck drop from HPS to H	10			1.00
162	Back neck drop from HPS to H	1			1.00
163	Belt tie from side seam each side to longest point	29 1/2			1.00
164	Side seam belt tie width	1/4			1.00
165	Side seam zipper length	11		Spoken as G-per length	0.86

Construction

No	Item	Value	Note	Conf
8	Sleeve opening construction		OK	1.00
9	Lining waist seam construction		OK	1.00
10	Armhole construction		OK	1.00
11	Side seam construction		OK	1.00
12	Bottom hem and bottom look		OK	1.00
13	Inside neck shape construction		OK	1.00

Bill of materials

No	Item	Value	Note	Conf
14	Shell		Gum drop velvet	1.00
15	Lining		American crepe	1.00
16	Tie		Satin	1.00
17	Neck placket with lining		OK	1.00
18	Cap sleeve with light shirring at cap		OK	1.00
19	Shirring centered with upper chest bust		OK	1.00
20	Two-ply tie with satin	1/4	OK	1.00
21	Back waist dart		OK	1.00

Shrinkage

No	Item	Value	Note	Conf
4	Shell length shrinkage	0%		1.00
5	Shell width shrinkage	0%		1.00
6	Lining length shrinkage	0%		1.00

No	Item	Value	Note	Conf
7	Lining width shrinkage	0%		1.00

Mini marker

No	Item	Value	Note	Conf
1	Shirring average consumption	0.98 meter		1.00
2	Belt consumption	0.12 meter		1.00
3	Lining consumption	0.83 meter		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
166	Zipper gaping		Improve workmanship and secure with stitching	1.00
167	Roping at hem		Correct feeding of top and bottom layers in bias area	1.00
168	Lot matching with FOB		Use only approved lot for bulk	1.00
169	Streak mark closure		Await NY approval; do not cut bulk	1.00
170	Fraying yarn at belt		Use air pipe for belt operation	1.00
171	Tight stitch at side seam/princess seam		Loosen machine tension	1.00
172	Puckering at zipper		Distribute zipper and body evenly by marking; loosen machine tension	1.00