

STATUS: FNL

STYLE: 9662

9662 OCCASION SHORT SLV MINI

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS
 Division / Dept: 02 / 039
 Season: HOLIDAY-B 2026
 Style Desc: 9662 OCCASION SHORT SLV MINI
 Fit / Other:

GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW DRESS/JUMPER/IOV
 POM Descr : GRADE SPECIFICATIONS
 Block :
 Modified By : JEANCHARV
 Sizes Measured : M, L, XL, XXS, S

Size Range : XXS, XS, S, M, L, XL, XXL
 Base Size : M
 Grading Method/UM : Incremental / IN
 Status : FNL
 Measurement Result : FAIL CONDITIONALLY (5 of 134 out of tolerance)

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
0.00B	DISCLAIMER (Wvn): Measure Gmts in Circumference	0	0	-	-	-	-	-	-	-
0.00Z	DRESS LENGTH FROM HPS (ON FORM) - REF ONLY	0	0	-	-	-	34 1/2 spec	-	-	-
1.01C	DRESS LENGTH FROM HPS	-1/2	+1/2	32 1/4 ok 100%	33 spec	33 3/4 -1/4 100%	34 1/2 -1/8 82%	35 3/4 -1/4 100%	37 ok 100%	38 1/4 spec
1.01C	LINING - DRESS LENGTH FROM HPS	-1/2	+1/2	31 1/4 ok 100%	32 spec	32 3/4 -1/4 100%	33 1/2 -3/8 88%	34 3/4 -1/4 100%	36 -1/4 100%	37 1/4 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 ok 100%	3/4 spec	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	5/8 ok 100%	5/8 spec	5/8 ok 100%	5/8 ok 100%	5/8 ok 100%	5/8 ok 100%	5/8 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 -1/4 100%	12 1/2 spec	13 -1/4 100%	13 1/2 -1/4 100%	14 1/4 -1/8 100%	15 -1/4 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 ok 100%	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 1/8 -1/8 100%	10 5/8 spec	11 1/8 -1/8 100%	11 5/8 -1/8 66%	12 3/8 -1/8 100%	13 1/8 -1/8 100%	13 7/8 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 ok 100%	5 spec	5 ok 100%	5 ok 100%	5 ok 65%	5 ok 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 1/2 -1/8 100%	12 spec	12 1/2 -1/8 100%	13 ok 100%	13 3/4 ok 100%	14 1/2 ok 100%	15 1/4 spec
1.29F	FRONT BODICE LENGTH FROM HPS	-1/4	+1/4	12 3/4 -3/8 100%	13 1/8 spec	13 1/2 -1/2 100%	13 7/8 -1/2 66%	14 1/2 -1/2 100%	15 1/4 -1/2 100%	16 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 1/4 ok 62%	1 3/8 spec	1 1/2 ok 100%	1 5/8 ok 82%	2 ok 100%	2 1/2 +1/8 100%	3 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 1/8 -1/8 100%	4 1/8 spec	4 1/8 -1/8 100%	4 1/8 -1/8 72%	4 1/4 ok 100%	4 1/2 ok 100%	4 3/4 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	30 1/2 -3/8 100%	32 1/2 spec	34 1/2 -1/2 100%	36 1/2 -1/2 100%	39 1/2 -1/2 100%	42 1/2 -1/2 100%	46 1/2 spec
1.28B	FRONT CHEST SS TO CF - EACH SIDE	-1/4	+1/4	7 7/8 ok 100%	8 3/8 spec	8 7/8 +1/8 100%	9 3/8 -1/8 72%	10 1/8 -1/4 100%	10 7/8 -1/8 100%	11 7/8 spec
1.30A	WAIST AT EMPIRE - STRAIGHT	-3/4	+3/4	26 -1/4 100%	28 spec	30 -1/4 100%	32 -1/4 100%	35 -1/4 100%	38 ok 100%	42 spec
4.22A	BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ok 90%	54 spec	56 ok 100%	58 +1 100%	61 ok 100%	64 ok 100%	68 spec
4.22A	LINING - BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ok 90%	54 spec	56 ok 100%	58 ok 100%	61 ok 100%	64 ok 100%	68 spec
4.27A	BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ok 100%	3/16 spec	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 spec
4.27A	LINING - BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ok 100%	3/16 spec	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	8 1/8 -1/8 100%	8 1/2 spec	8 7/8 ok 100%	9 1/4 -1/4 100%	9 7/8 ok 100%	10 1/2 ok 100%	11 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE	-1/4	+1/4	4 7/8 ok 100%	5 1/8 spec	5 3/8 +1/8 100%	5 5/8 ok 66%	6 ok 100%	6 3/8 ok 82%	6 7/8 spec
3.19B	SLEEVE OPENING ALONG EDGE (S/S)	-1/4	+1/4	10 3/4 -1/4 100%	11 1/2 spec	12 1/4 -1/4 100%	13 spec	14 1/4 -1/4 100%	15 1/2 ok 100%	17 spec
3.23A	SLEEVE HEM LACE TRIM HEIGHT	-1/8	+1/8	1 ok 100%	1 spec	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 spec
2.05C	NECK WIDTH EDGE TO EDGE	-1/4	+1/4	8 ok 100%	8 1/4 spec	8 1/2 ok 100%	8 3/4 -1/8 100%	9 ok 100%	9 1/4 ok 100%	9 1/2 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 3/4 ok 100%	9 7/8 spec	10 ok 100%	10 1/8 -1/8 72%	10 1/4 -1/8 100%	10 3/8 ok 100%	10 1/2 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1 ok 100%	1 spec	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 spec
7.09B GR	BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT	-1/2	+1/2	28 1/2 ok 100%	29 spec	29 1/2 ok 100%	30 ok 100%	30 3/4 ok 62%	31 1/2 ok 100%	32 1/2 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
7.10A	SIDE SEAM BELT/TIE WIDTH	-1/8	+1/8	1 1/4 ok 100%	1 1/4 spec	1 1/4 ok 100%	1 1/4 ok 100%	1 1/4 ok 100%	1 1/4 ok 100%	1 1/4 spec
7.02C GR	SIDE SEAM ZIPPER LENGTH	-1/4	+1/4	10 ok 100%	10 1/2 spec	11 ok 86%	11 1/2 ok 100%	12 ok 100%	12 1/2 ok 100%	13 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **An orange outline = outside tolerance. Blue figures = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.**

OUT OF TOLERANCE

- 1.29F FRONT BODICE LENGTH FROM HPS — size M: measured 13 3/8 against 13 7/8, -1/2
- 1.29F FRONT BODICE LENGTH FROM HPS — size L: measured 14 against 14 1/2, -1/2
- 1.29F FRONT BODICE LENGTH FROM HPS — size XL: measured 14 3/4 against 15 1/4, -1/2
- 1.29F FRONT BODICE LENGTH FROM HPS — size XXS: measured 12 3/8 against 12 3/4, -3/8
- 1.29F FRONT BODICE LENGTH FROM HPS — size S: measured 13 against 13 1/2, -1/2

Generated from Recording_9662(3) and checked against style_9662_clean.pdf. Every value must be confirmed before this report is sent to a vendor.