

SIZE SET INSPECTION REPORT

STYLE NO# 662

DIVISION -

Date: -

DESCRIPTION: -

COLOUR: -

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR			✓		LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE			✓		PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER		✓			PH				

* HOOK EYE/BAR: Above zipper
* WASHCARE: As per destination
* ZIPPER: Gaping and puckering; improve workmanship

PATTERN CHECK LIST

Grain Line: OK
Notches: OK
Graded Nest: OK
Corrections Implemnted: OK
YY/ Mini Marker: Shirring average 0.98 meter; belt 0.12 meter; lining 0.83 meter

Planned Size Set Submission Date: 8 July
Actual Submission Date: 9 July
PCD: 5-8-2026
Cut Quantity: 66
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 0 W = 0

DETAILED COMMENTS

- (1) Zipper gaping more on left underarm side
- (2) Roping at hem
- (3) Lot matching with FOB
- (4) Pilling abrasion inside shell
- (5) Streak mark closure awaited from NY
- (6) Fraying yarn at belt
- (7) Tight stitch at side seam/princess seam
- (8) Puckering at zipper

MEASUREMENT (SPEC ATTACHED)

Result: -
Graded Nest: OK
Corrections To Be Done: Improve zipper workmanship to avoid gaping and puckering; prevent roping at hem; use only approved bulk fabric lot; obtain NY closure for streak mark; use air pipe for belt operation; correct tight stitching at side/princess seam
Bring Back To Specs: Front bodice measurement

Cutting Check: OK
Seam Allowance: OK
Corrections Implemented: OK

LINING: L = 0 W = 0

ACTION TO BE TAKEN BY VENDOR

- Improve zipper workmanship and secure stitching
- Correct feeding of top and bottom layers while stitching bias area
- Ensure only approved lot is used for bulk
- Closure received from NY through mail and physical sample
- Do not cut bulk until closure is approved
- Use air pipe for belt operation
- Loosen machine tension
- Distribute zipper and body evenly by marking and loosen machine tension

OVERALL: Size set is passed with correction. Do not cut bulk till streak mark closure approved from NY.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STATUS: FNL

STYLE: 9662

9662 OCCASION SHORT SLV MINI

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS
 Division / Dept: 02 / 039
 Season: HOLIDAY-B 2026
 Style Desc: 9662 OCCASION SHORT SLV MINI
 Fit / Other:

GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW DRESS/JUMPER/IOV
 POM Descr : GRADE SPECIFICATIONS
 Block :
 Modified By : JEANCHARV
 Sizes Measured : M, L, XL, XXS, S

Size Range : XXS, XS, S, M, L, XL, XXL
 Base Size : M
 Grading Method/UM : Incremental / IN
 Status : FNL
 Measurement Result : FAIL CONDITIONALLY (5 of 129 out of tolerance)

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
0.00B	DISCLAIMER (Wvn): Measure Gmts in Circumference	0	0	-	-	-	-	-	-	-
0.00Z	DRESS LENGTH FROM HPS (ON FORM) - REF ONLY	0	0	-	-	-	34 1/2 spec	-	-	-
1.01C	DRESS LENGTH FROM HPS	-1/2	+1/2	32 1/4 -3/8 100%	33 spec	33 3/4 -1/4 100%	34 1/2 -1/8 80%	35 3/4 -1/4 100%	37 ok 100%	38 1/4 spec
1.01C	LINING - DRESS LENGTH FROM HPS	-1/2	+1/2	31 1/4 -1/2 100%	32 spec	32 3/4 -1/4 100%	33 1/2 -3/8 75%	34 3/4 -1/4 100%	36 -1/4 100%	37 1/4 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 ok 100%	3/4 spec	3/4 ok 100%	3/4 spec	3/4 ok 100%	3/4 ok 100%	3/4 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	5/8 ok 100%	5/8 spec	5/8 ok 100%	5/8 ok 100%	5/8 ok 100%	5/8 ok 100%	5/8 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 -1/4 100%	12 1/2 spec	13 -1/4 100%	13 1/2 -1/4 100%	14 1/4 -1/8 100%	15 -1/4 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 ok 100%	5 spec	5 ok 100%	5 ok 95%	5 ok 100%	5 ok 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 1/8 -1/8 100%	10 5/8 spec	11 1/8 -1/8 100%	11 5/8 -1/8 58%	12 3/8 -1/8 100%	13 1/8 -1/8 100%	13 7/8 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 ok 100%	5 spec	5 ok 100%	5 ok 100%	5 ok 65%	5 ok 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 1/2 -1/8 100%	12 spec	12 1/2 -1/8 100%	13 ok 100%	13 3/4 ok 100%	14 1/2 ok 100%	15 1/4 spec
1.29F	FRONT BODICE LENGTH FROM HPS	-1/4	+1/4	12 3/4 -3/8 100%	13 1/8 spec	13 1/2 -1/2 100%	13 7/8 -1/2 58%	14 1/2 -1/2 100%	15 1/4 -1/2 100%	16 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 1/4 ok 100%	1 3/8 spec	1 1/2 ok 100%	1 5/8 ok 100%	2 ok 100%	2 1/2 +1/8 100%	3 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 1/8 -1/8 100%	4 1/8 spec	4 1/8 -1/8 100%	4 1/8 -1/8 65%	4 1/4 ok 90%	4 1/2 ok 100%	4 3/4 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	30 1/2 -3/8 100%	32 1/2 spec	34 1/2 -1/2 100%	36 1/2 -1/2 100%	39 1/2 -1/2 100%	42 1/2 -1/2 100%	46 1/2 spec
1.28B	FRONT CHEST SS TO CF - EACH SIDE	-1/4	+1/4	7 7/8 ok 100%	8 3/8 spec	8 7/8 +1/8 100%	9 3/8 -1/8 62%	10 1/8 -1/4 100%	10 7/8 -1/8 100%	11 7/8 spec
1.30A	WAIST AT EMPIRE - STRAIGHT	-3/4	+3/4	26 -1/4 100%	28 spec	30 -1/4 100%	32 -1/4 100%	35 -1/4 100%	38 ok 100%	42 spec
4.22A	BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ok 100%	54 spec	56 ok 100%	58 +1 100%	61 ok 100%	64 ok 100%	68 spec
4.22A	LINING - BOTTOM SWEEP CURVED ALONG EDGE	-1	+1	52 ok 100%	54 spec	56 ok 100%	58 ok 100%	61 ok 100%	64 ok 100%	68 spec
4.27A	BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ok 100%	3/16 spec	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 spec
4.27A	LINING - BOTTOM HEM HEIGHT	-1/16	+1/16	3/16 ok 100%	3/16 spec	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 ok 100%	3/16 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	8 1/8 -1/8 100%	8 1/2 spec	8 7/8 ok 100%	9 1/4 -1/4 100%	9 7/8 ok 100%	10 1/2 ok 100%	11 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE	-1/4	+1/4	4 7/8 ok 100%	5 1/8 spec	5 3/8 +1/8 100%	5 5/8 ok 58%	6 ok 100%	6 3/8 ok 78%	6 7/8 spec
3.19B	SLEEVE OPENING ALONG EDGE (S/S)	-1/4	+1/4	10 3/4 -1/4 100%	11 1/2 spec	12 1/4 -1/4 100%	13 ok 58%	14 1/4 -1/4 100%	15 1/2 ok 100%	17 spec
3.23A	SLEEVE HEM LACE TRIM HEIGHT	-1/8	+1/8	1 ok 100%	1 spec	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 spec
2.05C	NECK WIDTH EDGE TO EDGE	-1/4	+1/4	8 ok 100%	8 1/4 spec	8 1/2 ok 100%	8 3/4 spec	9 ok 100%	9 1/4 ok 100%	9 1/2 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 3/4 ok 100%	9 7/8 spec	10 ok 100%	10 1/8 spec	10 1/4 -1/8 100%	10 3/8 ok 100%	10 1/2 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1 ok 100%	1 spec	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 spec
7.09B GR	BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT	-1/2	+1/2	28 1/2 ok 100%	29 spec	29 1/2 ok 100%	30 spec	30 3/4 spec	31 1/2 ok 100%	32 1/2 spec

POM	Description	Tol-	Tol+	XXS	XS *	S	M	L	XL	XXL *
7.10A	SIDE SEAM BELT/TIE WIDTH	-1/8	+1/8	1 1/4 ok 100%	1 1/4 spec	1 1/4 ok 100%	1 1/4 spec	1 1/4 ok 100%	1 1/4 ok 100%	1 1/4 spec
7.02C GR	SIDE SEAM ZIPPER LENGTH	-1/4	+1/4	10 ok 100%	10 1/2 spec	11 ok 82%	11 1/2 ok 100%	12 ok 100%	12 1/2 ok 100%	13 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **An orange outline = outside tolerance. Blue figures = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.**

OUT OF TOLERANCE
1.29F FRONT BODICE LENGTH FROM HPS — size M: measured 13 3/8 against 13 7/8, -1/2
1.29F FRONT BODICE LENGTH FROM HPS — size L: measured 14 against 14 1/2, -1/2
1.29F FRONT BODICE LENGTH FROM HPS — size XL: measured 14 3/4 against 15 1/4, -1/2
1.29F FRONT BODICE LENGTH FROM HPS — size XXS: measured 12 3/8 against 12 3/4, -3/8
1.29F FRONT BODICE LENGTH FROM HPS — size S: measured 13 against 13 1/2, -1/2

Generated from Recording_9662(4) and checked against style_9662_clean.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 662 · Pass with comment · Source: Recording_9662(4) · 170 rows · 11 need review (shown in red)

Size M (24)

No	Point of measure	Measured	Dev	Note	Conf
25	Chest length from HPS	34	-1/8	Spoken as chest length	0.80
26	Line length from HPS	36	-3/8	Spoken as line length	0.75
27	Shoulder slope from HPS	1/2			1.00
28	Across shoulder seam to seam	13	-1/4		1.00
29	Across front position from HPS	5			0.95
30	Across front seam to seam	11 5/8	-1/8	Value spoken unclearly as eleven five	0.58
31	Across back position from HPS	5			1.00
32	Across back seam to seam	13			1.00
33	Front bodice length from HPS	13 7/8	-1/2	Fraction spoken unclearly as thirteen seven	0.58
34	Center front length to empire	1 5/8			1.00
35	Bodice length at side seam	4 1/8	-1/8	Value spoken unclearly as four one	0.65
36	Chest 1 inch below armhole, side seam to side seam	36 1/2	-1/2		1.00
37	Front chest side seam to center front each side	9 3/8	-1/8	Fraction spoken unclearly as nine three	0.62
38	Waist at empire straight	32	-1/4		1.00
39	Bottom sweep curve along edge	58	+1		1.00
40	Lining bottom sweep curve along edge	58			1.00
41	Bottom hemline	3/16			1.00
42	Lining bottom hemline	3/16			1.00
43	Armhole straight	9 1/4	-1/4		1.00
44	Sleeve length from armhole short including lace	5 5/8		Fraction spoken unclearly as five five	0.58
45	Sleeve opening along edge	13		Field partly inaudible before value	0.58
46	Sleeve hem trim height	1			1.00
47	Back neck drop from HPS to edge	1			1.00
48	Side seam zipper length	11 1/2			1.00

Size L (28)

No	Point of measure	Measured	Dev	Note	Conf
49	Dress length from HPS	35 3/4	-1/4		1.00
50	Lining dress length from HPS	34 3/4	-1/4		1.00
51	Shoulder seam forward	3/4			1.00
52	Shoulder slope from HPS	5/8			1.00
53	Across shoulder seam to seam	14 1/4	-1/8		1.00
54	Across front position from HPS	5			1.00
55	Across front seam to seam	12 3/8	-1/8		1.00
56	Across back position	5/8		Spoken without HPS value; may be ambiguous	0.65
57	Across back seam to seam	13 3/4			1.00
58	Front body length from HPS	14 1/2	-1/2		1.00
59	Center front body length to empire	2			1.00
60	Body length at side seam	4 1/4			0.90
61	Chest 1 inch below armhole, side seam to side seam	39 1/2	-1/2		1.00
62	Front chest side seam to center front each side	10 1/8	-1/4		1.00
63	Waist at empire straight	35	-1/4		1.00
64	Bottom sweep curve along edge	61			1.00
65	Lining bottom sweep curve along edge	61			1.00
66	Bottom hem height	3/16			1.00
67	Lining bottom hem height	3/16			1.00
68	Armhole straight	9 7/8			1.00
69	Sleeve length from armhole short including lace	6			1.00
70	Sleeve opening along edge, side seam to side seam	14 1/4	-1/4		1.00
71	Sleeve hem trim height	1			1.00
72	Neck width edge to edge	9			1.00
73	Front neck drop from HPS to edge	10 1/4	-1/8		1.00
74	Back neck drop from HPS to edge	1			1.00
75	Side seam belt tie width	1/4			1.00
76	Side seam zipper length	12			1.00

Size XL (29)

No	Point of measure	Measured	Dev	Note	Conf
77	Dress length from HPS	37			1.00
78	Lining dress length from HPS	36	-1/4		1.00
79	Shoulder seam forward	3/4			1.00
80	Shoulder slope from HPS	5/8			1.00
81	Across shoulder seam to seam	15	-1/4		1.00
82	Across front position from HPS	5			1.00
83	Across front seam to seam	13 1/8	-1/8		1.00
84	Across back position from HPS	5			1.00
85	Across back seam to seam	14 1/2			1.00
86	Front body length from HPS	15 1/4	-1/2		1.00
87	Center front body length to empire	2 1/2	+1/8		1.00
88	Body length at side seam	4 1/2			1.00
89	Chest 1 inch below armhole, side seam to side seam	42 1/2	-1/2		1.00
90	Front chest side seam to center front each side	10 7/8	-1/8		1.00
91	Waist at empire straight	38			1.00
92	Bottom sweep curve along edge	64			1.00
93	Lining bottom sweep curve along edge	64			1.00
94	Bottom hem height shell	3/16			1.00
95	Lining bottom hem height	3/16			1.00
96	Armhole straight	10 1/2			1.00
97	Sleeve length from armhole short including lace	6 3/8		Recognized as 638	0.78
98	Sleeve opening along edge	15 1/2			1.00
99	Sleeve hem trim height	1			1.00
100	Neck width edge to edge	9 1/4			1.00
101	Front neck drop from HPS to edge	10 3/8			1.00
102	Back neck drop from HPS to edge	1			1.00
103	Belt tie from side seam at each side to longest point	31 1/2			1.00
104	Side seam belt tie width	1/4			1.00
105	Side seam zipper length	12 1/2			1.00

Size XXS (29)

No	Point of measure	Measured	Dev	Note	Conf
106	Dress length from HPS	32 1/4	-3/8		1.00
107	Lining dress length from HPS	31 1/4	-1/2		1.00
108	Shoulder seam forward	3/4			1.00
109	Shoulder slope	5/8			1.00
110	Across shoulder seam to seam	12	-1/4		1.00
111	Across front position from HPS	5			1.00
112	Across front seam to seam	10 1/8	-1/8		1.00
113	Across back position from HPS	5			1.00
114	Across back seam to seam	11 1/2	-1/8		1.00
115	Front bodice length from HPS	12 3/4	-3/8		1.00
116	Center front bodice length to empire	1 1/4			1.00
117	Bodice length at side seam	4 1/8	-1/8		1.00
118	Chest 1 inch below armhole, side seam to side seam	30 1/2	-3/8		1.00
119	Front chest side seam to center front each side	7 7/8			1.00
120	Waist at empire straight	26	-1/4		1.00
121	Bottom sweep curve along edge	52			1.00
122	Lining bottom sweep curve along edge	52			1.00
123	Bottom hem height	3/16			1.00
124	Lining bottom hem height	3/16			1.00
125	Armhole straight	8 1/8	-1/8		1.00
126	Sleeve length from armhole short including lace	4 7/8			1.00
127	Sleeve opening along edge	10 3/4	-1/4		1.00
128	Sleeve hem trim height	1			1.00
129	Neck width edge to edge	8			1.00
130	Front neck drop from HPS to edge	9 3/4			1.00
131	Back neck drop from HPS to edge	1			1.00
132	Back tie from side seam at each side to longest point	28 1/2			1.00
133	Side seam back tie width	1/4			1.00
134	Side seam zipper length	10			1.00

Size S (29)

No	Point of measure	Measured	Dev	Note	Conf
135	Dress length from HPS	33 3/4	-1/4		1.00
136	Lining dress length from HPS	32 3/4	-1/4		1.00
137	Shoulder seam forward	3/4			1.00
138	Shoulder slope	5/8			1.00
139	Across shoulder seam to seam	13	-1/4		1.00
140	Across front position from HPS	5			1.00
141	Across front seam to seam	11 1/8	-1/8		1.00
142	Across back position from HPS	5			1.00
143	Across back seam to seam	12 1/2	-1/8		1.00
144	Front body length from HPS	13 1/2	-1/2		1.00
145	Center front body length to empire	1 1/2			1.00
146	Body length at side seam	4 1/8	-1/8		1.00
147	Chest 1 inch below armhole, side seam to side seam	34 1/2	-1/2		1.00
148	Front chest side seam to center front each side	8 7/8	+1/8		1.00
149	Waist at empire straight	30	-1/4		1.00
150	Bottom sweep curve along edge	56			1.00
151	Lining bottom sweep curve along edge	56			1.00
152	Bottom hemline	3/16			1.00
153	Lining bottom hemline	3/16			1.00
154	Armhole straight	8 7/8			1.00
155	Sleeve length from armhole short including lace	5 3/8	+1/8		1.00
156	Sleeve opening along edge	12 1/4	-1/4		1.00
157	Sleeve hem trim height	1			1.00
158	Neck width edge to edge	8 1/2			1.00
159	Front neck drop from HPS to edge	10			1.00
160	Back neck drop from HPS to edge	1			1.00
161	Belt tie from side seam at each side to longest point	29 1/2			1.00
162	Side seam belt tie width	1/4			1.00
163	Side seam zipper length	11		Spoken as G per length	0.82

Construction

No	Item	Value	Note	Conf
2	PP approval		Approved with correction	1.00
3	Sleeve opening construction		OK	1.00
4	Lining waist seam construction		OK	1.00
5	Armhole construction		OK	1.00
6	Side seam construction		OK	1.00
7	Bottom hem and bottom look		OK	1.00
8	Inside neck shape construction		OK	1.00
9	Neck pleat finished with lining		OK	1.00
10	Cap sleeve with light shirring at cap		OK	1.00
11	Shirring centered with upper chest bust		OK	1.00
12	Two-ply tie with tacking	1/4	OK	0.95
13	Back waist dart		OK	1.00
14	Baby hem		OK	1.00

Bill of materials

No	Item	Value	Note	Conf
15	Shell		Gum drop velvet	1.00
16	Lining		American crepe	1.00
17	Tie		Satin	1.00

Shrinkage

No	Item	Value	Note	Conf
18	Shell length shrinkage	0		1.00

No	Item	Value	Note	Conf
19	Shell width shrinkage	0		0.90
20	Lining length shrinkage	0		1.00
21	Lining width shrinkage	0		0.90

Mini marker

No	Item	Value	Note	Conf
22	Shirring average consumption	0.98 meter		1.00
23	Belt consumption	0.12 meter		1.00
24	Lining consumption	0.83 meter		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
1	Order quantity	7420		1.00
164	Zipper gaping on left underarm side		Improve workmanship and secure stitching	1.00
165	Roping at hem		Correct feeding of top and bottom layers at bias area	1.00
166	Lot matching with FOB		Use only approved lot for bulk	1.00
167	Streak mark closure		Await NY approval; do not cut bulk	1.00
168	Fraying yarn at belt		Use air pipe for belt operation	1.00
169	Tight stitch at side seam/princess seam		Loosen machine tension	1.00
170	Puckering at zipper		Mark and distribute zipper and body evenly; loosen machine tension	1.00