

# SIZE SET INSPECTION REPORT

STYLE NO# 9662  
DESCRIPTION: -

DIVISION -

Date: -  
COLOUR: -

## ACCESSORIES CHECKLIST

| ACCESSORIES | MIS | ALT | ACT | PLA | ACCESSORIES              | MIS | ALT | ACT | PLA | ACCESSORIES  | MIS | ALT | ACT | PLA | ACCESSORIES             | MIS | ALT | ACT | PLA |
|-------------|-----|-----|-----|-----|--------------------------|-----|-----|-----|-----|--------------|-----|-----|-----|-----|-------------------------|-----|-----|-----|-----|
| MAIN LABEL  |     |     | ✓   |     | POLYBAG                  |     |     |     |     | BUTTON       |     |     |     |     | PRINT                   |     |     |     |     |
| BOOK FOLD   |     |     |     |     | POLY BAG STICKER         |     |     |     |     | HOOK EYE/BAR |     |     |     |     | LAYOUT                  |     |     |     |     |
| FCTY CODE   |     |     |     |     | LOT STICKER              |     |     |     |     | LACE         |     |     | ✓   |     | EMB THREAD COLOR        |     |     |     |     |
| HANG TAG    |     |     |     |     | PRE PACK STICKER         |     |     |     |     | BUCKLE       |     |     |     |     | PLACEMENT               |     |     |     |     |
| HANGER      |     |     |     |     | CARTON MARKINGS          |     |     |     |     | SNAP         |     |     |     |     | BEADS/SEQUINS           |     |     |     |     |
| WASHCARE    |     |     | ✓   |     | PLACEMENT<br>UPC/P.PACK  |     |     |     |     | THREAD       |     |     |     |     | BEADS/SEQUINS<br>LAYOUT |     |     |     |     |
| INTERLINING |     |     |     |     | FOLDING                  |     |     |     |     | LINING       |     |     | ✓   |     | AFTER TREATMENT         |     |     |     |     |
|             |     |     |     |     | SPARE BUTTON<br>POSITION |     |     |     |     | ZIPPER       |     | ✓   |     |     | PH                      |     |     |     |     |

\* WASHCARE: Destination-specific wash care  
\* ZIPPER: Gaping and puckering; improve workmanship

## PATTERN CHECK LIST

Grain Line: OK  
Notches: OK  
Graded Nest: OK  
Corrections Implemnted: OK  
YY/ Mini Marker: OK

Planned Size Set Submission Date: 8 July  
Actual Submission Date: 9 July  
PCD: 5-8-2026  
Cut Quantity: 66  
Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 0% W = 0%

## DETAILED COMMENTS

- (1) Zipper gaping more than wearer's side
- (2) Roping at hem
- (3) Lot matching with FOB
- (4) Pilling abrasion closure
- (5) Streak mark fabric defect closure awaited
- (6) Fraying yarn at belt
- (7) Tight stitch at side seam/princess seam
- (8) Puckering at zipper

## MEASUREMENT (SPEC ATTACHED)

Result: PASS CONDITIONALLY  
Graded Nest: OK  
Corrections To Be Done: Cross front +1/8; center front length to hem -1/4;  
chest -1/2; front chest -1/8; bottom sweep -2; front neck drop +1/4; back  
armhole hook height at underarm -1/8 blending to zero at empire  
Bring Back To Specs: Front bodice measurement out of tolerance

Cutting Check: Not OK  
Seam Allowance: OK  
Corrections Implemented: OK

LINING: L = 0% W = 0%

## ACTION TO BE TAKEN BY VENDOR

- Improve zipper workmanship and secure with stitching
- Control feeding of top and bottom layers while stitching bias area
- Use only approved lot for bulk
- Closure received from NY by mail and physical sample
- Do not cut bulk until approved by NY
- Use air pipe for belt operation
- Loosen machine tension
- Mark and distribute zipper and body evenly; loosen machine tension

OVERALL: Size set is passed with correction. Do not cut bulk till streak mark closure approved from NY.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

Auto-generated from meeting recording transcript - demo pipeline output

STATUS: FNL

STYLE: 9662

9662 OCCASION SHORT SLV MINI

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS  
 Division / Dept: 02 / 039  
 Season: HOLIDAY-B 2026  
 Style Desc: 9662 OCCASION SHORT SLV MINI  
 Fit / Other:

## GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW DRESS/JUMPER/IOV  
 POM Descr : GRADE SPECIFICATIONS  
 Block :  
 Modified By : JEANCHARV  
 Sizes Measured : M, L, XL, XXS, S

Size Range : XXS, XS, S, M, L, XL, XXL  
 Base Size : M  
 Grading Method/UM : Incremental / IN  
 Status : FNL  
 Measurement Result : FAIL CONDITIONALLY (5 of 134 out of tolerance)

| POM   | Description                                     | Tol- | Tol+ | XXS                    | XS *           | S                      | M                      | L                      | XL                     | XXL *          |
|-------|-------------------------------------------------|------|------|------------------------|----------------|------------------------|------------------------|------------------------|------------------------|----------------|
| 0.00B | DISCLAIMER (Wvn): Measure Gmts in Circumference | 0    | 0    | -                      | -              | -                      | -                      | -                      | -                      | -              |
| 0.00Z | DRESS LENGTH FROM HPS (ON FORM) - REF ONLY      | 0    | 0    | -                      | -              | -                      | 34 1/2<br>spec         | -                      | -                      | -              |
| 1.01C | DRESS LENGTH FROM HPS                           | -1/2 | +1/2 | 32 1/4<br>ok<br>100%   | 33<br>spec     | 33 3/4<br>-1/4<br>100% | 34 1/2<br>-1/8<br>82%  | 35 3/4<br>-1/4<br>100% | 37<br>ok<br>100%       | 38 1/4<br>spec |
| 1.01C | LINING - DRESS LENGTH FROM HPS                  | -1/2 | +1/2 | 31 1/4<br>ok<br>100%   | 32<br>spec     | 32 3/4<br>-1/4<br>100% | 33 1/2<br>-3/8<br>88%  | 34 3/4<br>-1/4<br>100% | 36<br>-1/4<br>100%     | 37 1/4<br>spec |
| 2.01A | SHOULDER SEAM FORWARD                           | -1/8 | +1/8 | 3/4<br>ok<br>100%      | 3/4<br>spec    | 3/4<br>ok<br>100%      | 3/4<br>ok<br>100%      | 3/4<br>ok<br>100%      | 3/4<br>ok<br>100%      | 3/4<br>spec    |
| 2.02A | SHOULDER SLOPE FROM HPS                         | -1/4 | +1/4 | 5/8<br>ok<br>100%      | 5/8<br>spec    | 5/8<br>ok<br>100%      | 5/8<br>ok<br>100%      | 5/8<br>ok<br>100%      | 5/8<br>ok<br>100%      | 5/8<br>spec    |
| 1.20A | ACROSS SHOULDER SEAM TO SEAM                    | -1/4 | +1/4 | 12<br>-1/4<br>100%     | 12 1/2<br>spec | 13<br>-1/4<br>100%     | 13 1/2<br>-1/4<br>100% | 14 1/4<br>-1/8<br>100% | 15<br>-1/4<br>100%     | 15 3/4<br>spec |
| 1.22A | ACROSS FRONT POSITION FROM HPS                  | 0    | 0    | 5<br>ok<br>100%        | 5<br>spec      | 5<br>ok<br>100%        | 5<br>ok<br>100%        | 5<br>ok<br>100%        | 5<br>ok<br>100%        | 5<br>spec      |
| 1.23A | ACROSS FRONT SEAM TO SEAM                       | -1/4 | +1/4 | 10 1/8<br>-1/8<br>100% | 10 5/8<br>spec | 11 1/8<br>-1/8<br>100% | 11 5/8<br>-1/8<br>66%  | 12 3/8<br>-1/8<br>100% | 13 1/8<br>-1/8<br>100% | 13 7/8<br>spec |
| 1.24A | ACROSS BACK POSITION FROM HPS                   | 0    | 0    | 5<br>ok<br>100%        | 5<br>spec      | 5<br>ok<br>100%        | 5<br>ok<br>100%        | 5<br>ok<br>65%         | 5<br>ok<br>100%        | 5<br>spec      |
| 1.25A | ACROSS BACK SEAM TO SEAM                        | -1/4 | +1/4 | 11 1/2<br>-1/8<br>100% | 12<br>spec     | 12 1/2<br>-1/8<br>100% | 13<br>ok<br>100%       | 13 3/4<br>ok<br>100%   | 14 1/2<br>ok<br>100%   | 15 1/4<br>spec |
| 1.29F | FRONT BODICE LENGTH FROM HPS                    | -1/4 | +1/4 | 12 3/4<br>-3/8<br>100% | 13 1/8<br>spec | 13 1/2<br>-1/2<br>100% | 13 7/8<br>-1/2<br>66%  | 14 1/2<br>-1/2<br>100% | 15 1/4<br>-1/2<br>100% | 16<br>spec     |

| POM      | Description                                           | Tol-  | Tol+  | XXS                    | XS *           | S                      | M                      | L                      | XL                     | XXL *          |
|----------|-------------------------------------------------------|-------|-------|------------------------|----------------|------------------------|------------------------|------------------------|------------------------|----------------|
| 1.08C    | CF BODICE LENGTH TO EMPIRE                            | -1/8  | +1/8  | 1 1/4<br>ok<br>62%     | 1 3/8<br>spec  | 1 1/2<br>ok<br>100%    | 1 5/8<br>ok<br>82%     | 2<br>ok<br>100%        | 2 1/2<br>+1/8<br>100%  | 3<br>spec      |
| 1.09C    | BODICE LENGTH AT SIDE SEAM                            | -1/8  | +1/8  | 4 1/8<br>-1/8<br>100%  | 4 1/8<br>spec  | 4 1/8<br>-1/8<br>100%  | 4 1/8<br>-1/8<br>72%   | 4 1/4<br>ok<br>100%    | 4 1/2<br>ok<br>100%    | 4 3/4<br>spec  |
| 1.28E    | CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)     | -3/4  | +3/4  | 30 1/2<br>-3/8<br>100% | 32 1/2<br>spec | 34 1/2<br>-1/2<br>100% | 36 1/2<br>-1/2<br>100% | 39 1/2<br>-1/2<br>100% | 42 1/2<br>-1/2<br>100% | 46 1/2<br>spec |
| 1.28B    | FRONT CHEST SS TO CF - EACH SIDE                      | -1/4  | +1/4  | 7 7/8<br>ok<br>100%    | 8 3/8<br>spec  | 8 7/8<br>+1/8<br>100%  | 9 3/8<br>-1/8<br>72%   | 10 1/8<br>-1/4<br>100% | 10 7/8<br>-1/8<br>100% | 11 7/8<br>spec |
| 1.30A    | WAIST AT EMPIRE - STRAIGHT                            | -3/4  | +3/4  | 26<br>-1/4<br>100%     | 28<br>spec     | 30<br>-1/4<br>100%     | 32<br>-1/4<br>100%     | 35<br>-1/4<br>100%     | 38<br>ok<br>100%       | 42<br>spec     |
| 4.22A    | BOTTOM SWEEP CURVED ALONG EDGE                        | -1    | +1    | 52<br>ok<br>90%        | 54<br>spec     | 56<br>ok<br>100%       | 58<br>+1<br>100%       | 61<br>ok<br>100%       | 64<br>ok<br>100%       | 68<br>spec     |
| 4.22A    | LINING - BOTTOM SWEEP CURVED ALONG EDGE               | -1    | +1    | 52<br>ok<br>90%        | 54<br>spec     | 56<br>ok<br>100%       | 58<br>ok<br>100%       | 61<br>ok<br>100%       | 64<br>ok<br>100%       | 68<br>spec     |
| 4.27A    | BOTTOM HEM HEIGHT                                     | -1/16 | +1/16 | 3/16<br>ok<br>100%     | 3/16<br>spec   | 3/16<br>ok<br>100%     | 3/16<br>ok<br>100%     | 3/16<br>ok<br>100%     | 3/16<br>ok<br>100%     | 3/16<br>spec   |
| 4.27A    | LINING - BOTTOM HEM HEIGHT                            | -1/16 | +1/16 | 3/16<br>ok<br>100%     | 3/16<br>spec   | 3/16<br>ok<br>100%     | 3/16<br>ok<br>100%     | 3/16<br>ok<br>100%     | 3/16<br>ok<br>100%     | 3/16<br>spec   |
| 3.06B    | ARMHOLE STRAIGHT                                      | -1/4  | +1/4  | 8 1/8<br>-1/8<br>100%  | 8 1/2<br>spec  | 8 7/8<br>ok<br>100%    | 9 1/4<br>-1/4<br>100%  | 9 7/8<br>ok<br>100%    | 10 1/2<br>ok<br>100%   | 11 1/4<br>spec |
| 3.02B    | SLEEVE LENGTH FROM ARMHOLE SHORT - INCL LACE          | -1/4  | +1/4  | 4 7/8<br>ok<br>100%    | 5 1/8<br>spec  | 5 3/8<br>+1/8<br>100%  | 5 5/8<br>ok<br>66%     | 6<br>ok<br>100%        | 6 3/8<br>ok<br>82%     | 6 7/8<br>spec  |
| 3.19B    | SLEEVE OPENING ALONG EDGE (S/S)                       | -1/4  | +1/4  | 10 3/4<br>-1/4<br>100% | 11 1/2<br>spec | 12 1/4<br>-1/4<br>100% | 13<br>spec             | 14 1/4<br>-1/4<br>100% | 15 1/2<br>ok<br>100%   | 17<br>spec     |
| 3.23A    | SLEEVE HEM LACE TRIM HEIGHT                           | -1/8  | +1/8  | 1<br>ok<br>100%        | 1<br>spec      | 1<br>ok<br>100%        | 1<br>ok<br>100%        | 1<br>ok<br>100%        | 1<br>ok<br>100%        | 1<br>spec      |
| 2.05C    | NECK WIDTH EDGE TO EDGE                               | -1/4  | +1/4  | 8<br>ok<br>100%        | 8 1/4<br>spec  | 8 1/2<br>ok<br>100%    | 8 3/4<br>-1/8<br>100%  | 9<br>ok<br>100%        | 9 1/4<br>ok<br>100%    | 9 1/2<br>spec  |
| 2.03A    | FRONT NECK DROP FROM HPS TO EDGE                      | -1/4  | +1/4  | 9 3/4<br>ok<br>100%    | 9 7/8<br>spec  | 10<br>ok<br>100%       | 10 1/8<br>-1/8<br>72%  | 10 1/4<br>-1/8<br>100% | 10 3/8<br>ok<br>100%   | 10 1/2<br>spec |
| 2.04A    | BACK NECK DROP FROM HPS TO EDGE                       | -1/8  | +1/8  | 1<br>ok<br>100%        | 1<br>spec      | 1<br>ok<br>100%        | 1<br>ok<br>100%        | 1<br>ok<br>100%        | 1<br>ok<br>100%        | 1<br>spec      |
| 7.09B GR | BELT/TIE FROM SIDE SEAM AT EACH SIDE TO LONGEST POINT | -1/2  | +1/2  | 28 1/2<br>ok<br>100%   | 29<br>spec     | 29 1/2<br>ok<br>100%   | 30<br>ok<br>100%       | 30 3/4<br>ok<br>62%    | 31 1/2<br>ok<br>100%   | 32 1/2<br>spec |

| POM      | Description              | Tol- | Tol+ | XXS                 | XS *           | S                   | M                    | L                   | XL                   | XXL *         |
|----------|--------------------------|------|------|---------------------|----------------|---------------------|----------------------|---------------------|----------------------|---------------|
| 7.10A    | SIDE SEAM BELT/TIE WIDTH | -1/8 | +1/8 | 1 1/4<br>ok<br>100% | 1 1/4<br>spec  | 1 1/4<br>ok<br>100% | 1 1/4<br>ok<br>100%  | 1 1/4<br>ok<br>100% | 1 1/4<br>ok<br>100%  | 1 1/4<br>spec |
| 7.02C GR | SIDE SEAM ZIPPER LENGTH  | -1/4 | +1/4 | 10<br>ok<br>100%    | 10 1/2<br>spec | 11<br>ok<br>86%     | 11 1/2<br>ok<br>100% | 12<br>ok<br>100%    | 12 1/2<br>ok<br>100% | 13<br>spec    |

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **An orange outline = outside tolerance. Blue figures = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked \* that this inspection did not measure, so the specification is shown alone. Those carry no reading.**

OUT OF TOLERANCE

- 1.29F FRONT BODICE LENGTH FROM HPS — size M: measured 13 3/8 against 13 7/8, -1/2
- 1.29F FRONT BODICE LENGTH FROM HPS — size L: measured 14 against 14 1/2, -1/2
- 1.29F FRONT BODICE LENGTH FROM HPS — size XL: measured 14 3/4 against 15 1/4, -1/2
- 1.29F FRONT BODICE LENGTH FROM HPS — size XXS: measured 12 3/8 against 12 3/4, -3/8
- 1.29F FRONT BODICE LENGTH FROM HPS — size S: measured 13 against 13 1/2, -1/2

Generated from Recording\_9662(6) and checked against style\_9662\_clean.pdf. Every value must be confirmed before this report is sent to a vendor.

### MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 9662 · Pass with comment · Source: Recording\_9662(6) · 172 rows · 12 need review (shown in red)

## Size M (28)

| No | Point of measure                                    | Measured | Dev  | Note                                              | Conf |
|----|-----------------------------------------------------|----------|------|---------------------------------------------------|------|
| 22 | Dress length from HPS                               | 34       | -1/8 | Spoken as chest length from HPS                   | 0.82 |
| 23 | Lining length from HPS                              | 36       | -3/8 |                                                   | 0.88 |
| 24 | Shoulder seam to shoulder                           |          |      | On spec; no numeric value stated                  | 1.00 |
| 25 | Shoulder slope from HPS                             | 1/2      |      |                                                   | 1.00 |
| 26 | Across shoulder seam to seam                        | 13       | -1/4 |                                                   | 1.00 |
| 27 | Across front position from HPS                      | 5        |      |                                                   | 1.00 |
| 28 | Across front seam to seam                           | 11 5/8   | -1/8 | Fraction denominator inferred from spoken '■■■■■' | 0.66 |
| 29 | Across back position from HPS                       | 5        |      |                                                   | 1.00 |
| 30 | Across back seam to seam                            | 13       |      |                                                   | 1.00 |
| 31 | Front bodice length from HPS                        | 13 7/8   | -1/2 | Fraction denominator inferred from spoken '■■■■'  | 0.66 |
| 32 | Center front bodice length to empire                | 1 5/8    |      | Speaker corrected the field name                  | 0.82 |
| 33 | Bodice length at side seam                          | 4 1/8    | -1/8 | Fraction denominator inferred                     | 0.72 |
| 34 | Chest 1 inch below armhole, side seam to side seam  | 36 1/2   | -1/2 |                                                   | 1.00 |
| 35 | Front chest side seam to center front each side     | 9 3/8    | -1/8 | Fraction denominator inferred                     | 0.72 |
| 36 | Waist at empire straight                            | 32       | -1/4 |                                                   | 1.00 |
| 37 | Bottom sweep curve along edge                       | 58       | +1   |                                                   | 1.00 |
| 38 | Lining bottom sweep curve along edge                | 58       |      |                                                   | 1.00 |
| 39 | Bottom hemline                                      | 3/16     |      |                                                   | 1.00 |
| 40 | Lining bottom hemline                               | 3/16     |      |                                                   | 1.00 |
| 41 | Armhole straight                                    | 9 1/4    | -1/4 |                                                   | 1.00 |
| 42 | Sleeve length from armhole, including lace          | 5 5/8    |      | Fraction denominator inferred from spoken '■■■■'  | 0.66 |
| 43 | Sleeve hem lace trim height                         | 1        |      |                                                   | 1.00 |
| 44 | Neck width edge to edge                             | 8 3/4    | -1/8 |                                                   | 1.00 |
| 45 | Front neck drop from HPS to edge                    | 10 1/8   | -1/8 | Fraction denominator inferred                     | 0.72 |
| 46 | Back neck drop from HPS to edge                     | 1        |      |                                                   | 1.00 |
| 47 | Back tie from side seam each side to low neck point | 30       |      |                                                   | 1.00 |
| 48 | Side seam back tie width                            | 1 1/4    |      |                                                   | 1.00 |
| 49 | Side seam zipper length                             | 11 1/2   |      |                                                   | 1.00 |

**Size L (29)**

| No | Point of measure                                   | Measured | Dev  | Note                                    | Conf |
|----|----------------------------------------------------|----------|------|-----------------------------------------|------|
| 50 | Dress length from HPS                              | 35 3/4   | -1/4 |                                         | 1.00 |
| 51 | Lining dress length from HPS                       | 34 3/4   | -1/4 |                                         | 1.00 |
| 52 | Shoulder seam forward                              | 3/4      |      |                                         | 1.00 |
| 53 | Shoulder slope from HPS                            | 5/8      |      |                                         | 1.00 |
| 54 | Across shoulder seam to seam                       | 14 1/4   | -1/8 |                                         | 1.00 |
| 55 | Across front position from HPS                     | 5        |      |                                         | 1.00 |
| 56 | Across front seam to seam                          | 12 3/8   | -1/8 |                                         | 1.00 |
| 57 | Across back position from HPS                      | 5/8      |      | Value unusual but transcribed as spoken | 0.65 |
| 58 | Across back seam to seam                           | 13 3/4   |      |                                         | 1.00 |
| 59 | Front bodice length from HPS                       | 14 1/2   | -1/2 |                                         | 1.00 |
| 60 | Center front bodice length to empire               | 2        |      |                                         | 1.00 |
| 61 | Bodice length at side seam                         | 4 1/4    |      |                                         | 1.00 |
| 62 | Chest 1 inch below armhole, side seam to side seam | 39 1/2   | -1/2 |                                         | 1.00 |
| 63 | Front chest side seam to center front each side    | 10 1/8   | -1/4 |                                         | 1.00 |
| 64 | Waist at empire straight                           | 35       | -1/4 |                                         | 1.00 |
| 65 | Bottom sweep curve along edge                      | 61       |      |                                         | 1.00 |
| 66 | Lining bottom sweep curve along edge               | 61       |      |                                         | 1.00 |
| 67 | Bottom hemline                                     | 3/16     |      |                                         | 1.00 |
| 68 | Lining bottom hemline                              | 3/16     |      |                                         | 1.00 |
| 69 | Armhole straight                                   | 9 7/8    |      |                                         | 1.00 |
| 70 | Sleeve length from armhole, including lace         | 6        |      |                                         | 1.00 |
| 71 | Sleeve opening along edge, side seam to side seam  | 14 1/4   | -1/4 |                                         | 1.00 |
| 72 | Sleeve hem lace trim height                        | 1        |      |                                         | 1.00 |
| 73 | Neck width H to H                                  | 9        |      |                                         | 1.00 |
| 74 | Front neck drop from HPS to H                      | 10 1/4   | -1/8 |                                         | 1.00 |
| 75 | Back neck drop from HPS to H                       | 1        |      |                                         | 1.00 |
| 76 | Belt tie from side seam each side to longest point | 30 3/4   |      | Spoken unclearly as '33 by 4'           | 0.62 |
| 77 | Side seam belt tie width                           | 1/4      |      |                                         | 1.00 |
| 78 | Side seam zipper length                            | 12       |      |                                         | 1.00 |

**Size XL (29)**

| No  | Point of measure                                   | Measured | Dev  | Note                   | Conf |
|-----|----------------------------------------------------|----------|------|------------------------|------|
| 79  | Dress length from HPS                              | 37       |      |                        | 1.00 |
| 80  | Lining dress length from HPS                       | 36       | -1/4 |                        | 1.00 |
| 81  | Shoulder seam forward                              | 3/4      |      |                        | 1.00 |
| 82  | Shoulder slope from HPS                            | 5/8      |      |                        | 1.00 |
| 83  | Across shoulder seam to seam                       | 15       | -1/4 |                        | 1.00 |
| 84  | Across front position from HPS                     | 5        |      |                        | 1.00 |
| 85  | Across front seam to seam                          | 13 1/8   | -1/8 |                        | 1.00 |
| 86  | Across back position from HPS                      | 5        |      |                        | 1.00 |
| 87  | Across back seam to seam                           | 14 1/2   |      |                        | 1.00 |
| 88  | Front bodice length from HPS                       | 15 1/4   | -1/2 |                        | 1.00 |
| 89  | Center front bodice length to empire               | 2 1/2    | +1/8 |                        | 1.00 |
| 90  | Bodice length at side seam                         | 4 1/2    |      |                        | 1.00 |
| 91  | Chest 1 inch below armhole, side seam to side seam | 42 1/2   | -1/2 |                        | 1.00 |
| 92  | Front chest side seam to center front each side    | 10 7/8   | -1/8 |                        | 1.00 |
| 93  | Waist at empire straight                           | 38       |      |                        | 1.00 |
| 94  | Bottom sweep curve along edge                      | 64       |      |                        | 1.00 |
| 95  | Lining bottom sweep curve along edge               | 64       |      |                        | 1.00 |
| 96  | Bottom hemline shell                               | 3/16     |      |                        | 1.00 |
| 97  | Lining bottom hemline                              | 3/16     |      |                        | 1.00 |
| 98  | Armhole straight                                   | 10 1/2   |      |                        | 1.00 |
| 99  | Sleeve length from armhole, including lace         | 6 3/8    |      | Transcribed from '638' | 0.82 |
| 100 | Sleeve opening along edge                          | 15 1/2   |      |                        | 1.00 |
| 101 | Sleeve hem lace trim height                        | 1        |      |                        | 1.00 |
| 102 | Neck width H to H                                  | 9 1/4    |      |                        | 1.00 |
| 103 | Front neck drop from HPS to H                      | 10 3/8   |      |                        | 1.00 |
| 104 | Back neck drop from HPS to H                       | 1        |      |                        | 1.00 |
| 105 | Belt tie from side seam each side to longest point | 31 1/2   |      |                        | 1.00 |
| 106 | Side seam belt tie width                           | 1/4      |      |                        | 1.00 |
| 107 | Side seam zipper length                            | 12 1/2   |      |                        | 1.00 |

**Size XXS (29)**

| No  | Point of measure                                   | Measured | Dev  | Note                                                                 | Conf |
|-----|----------------------------------------------------|----------|------|----------------------------------------------------------------------|------|
| 108 | Dress length from HPS                              | 32 1/4   |      |                                                                      | 1.00 |
| 109 | Lining dress length from HPS                       | 31 1/4   |      |                                                                      | 1.00 |
| 110 | Shoulder seam forward                              | 3/4      |      |                                                                      | 1.00 |
| 111 | Shoulder slope                                     | 5/8      |      |                                                                      | 1.00 |
| 112 | Across shoulder seam to seam                       | 12       | -1/4 |                                                                      | 1.00 |
| 113 | Across front position from HPS                     | 5        |      |                                                                      | 1.00 |
| 114 | Across front seam to seam                          | 10 1/8   | -1/8 |                                                                      | 1.00 |
| 115 | Across back position from HPS                      | 5        |      |                                                                      | 1.00 |
| 116 | Across back seam to seam                           | 11 1/2   | -1/8 |                                                                      | 1.00 |
| 117 | Front bodice length from HPS                       | 12 3/4   | -3/8 |                                                                      | 1.00 |
| 118 | Center front bodice length to empire               | 1 1/4    |      | Spoken as 'one quarter'; mixed number inferred from grading sequence | 0.62 |
| 119 | Bodice length at side seam                         | 4 1/8    | -1/8 |                                                                      | 1.00 |
| 120 | Chest 1 inch below armhole, side seam to side seam | 30 1/2   | -3/8 |                                                                      | 1.00 |
| 121 | Front chest side seam to center front each side    | 7 7/8    |      |                                                                      | 1.00 |
| 122 | Waist at empire straight                           | 26       | -1/4 |                                                                      | 1.00 |
| 123 | Bottom sweep curve along edge                      | 52       |      | Spoken as bottom rib curve                                           | 0.90 |
| 124 | Lining bottom sweep curve along edge               | 52       |      | Spoken as bottom rib curve                                           | 0.90 |
| 125 | Bottom hem height                                  | 3/16     |      |                                                                      | 1.00 |
| 126 | Lining bottom hem height                           | 3/16     |      |                                                                      | 1.00 |
| 127 | Armhole straight                                   | 8 1/8    | -1/8 |                                                                      | 1.00 |
| 128 | Sleeve length from armhole, including lace         | 4 7/8    |      |                                                                      | 1.00 |
| 129 | Sleeve opening along edge                          | 10 3/4   | -1/4 |                                                                      | 1.00 |
| 130 | Sleeve hem lace trim height                        | 1        |      |                                                                      | 1.00 |
| 131 | Neck width H to H                                  | 8        |      |                                                                      | 1.00 |
| 132 | Front neck drop from HPS to H                      | 9 3/4    |      |                                                                      | 1.00 |
| 133 | Back neck drop from HPS to H                       | 1        |      |                                                                      | 1.00 |
| 134 | Back tie from side seam each side to longest point | 28 1/2   |      |                                                                      | 1.00 |
| 135 | Side seam back tie width                           | 1/4      |      |                                                                      | 1.00 |
| 136 | Side seam zipper length                            | 10       |      |                                                                      | 1.00 |

**Size S (29)**

| No  | Point of measure                                   | Measured | Dev  | Note                   | Conf |
|-----|----------------------------------------------------|----------|------|------------------------|------|
| 137 | Dress length from HPS                              | 33 3/4   | -1/4 |                        | 1.00 |
| 138 | Lining dress length from HPS                       | 32 3/4   | -1/4 |                        | 1.00 |
| 139 | Shoulder seam forward                              | 3/4      |      |                        | 1.00 |
| 140 | Shoulder slope                                     | 5/8      |      |                        | 1.00 |
| 141 | Across shoulder seam to seam                       | 13       | -1/4 |                        | 1.00 |
| 142 | Across front position from HPS                     | 5        |      |                        | 1.00 |
| 143 | Across front seam to seam                          | 11 1/8   | -1/8 |                        | 1.00 |
| 144 | Across back position from HPS                      | 5        |      |                        | 1.00 |
| 145 | Across back seam to seam                           | 12 1/2   | -1/8 |                        | 1.00 |
| 146 | Front bodice length from HPS                       | 13 1/2   | -1/2 |                        | 1.00 |
| 147 | Center front bodice length to empire               | 1 1/2    |      |                        | 1.00 |
| 148 | Bodice length at side seam                         | 4 1/8    | -1/8 |                        | 1.00 |
| 149 | Chest 1 inch below armhole, side seam to side seam | 34 1/2   | -1/2 |                        | 1.00 |
| 150 | Front chest side seam to center front each side    | 8 7/8    | +1/8 |                        | 1.00 |
| 151 | Waist at empire straight                           | 30       | -1/4 |                        | 1.00 |
| 152 | Bottom sweep curve along edge                      | 56       |      |                        | 1.00 |
| 153 | Lining bottom sweep curve along edge               | 56       |      |                        | 1.00 |
| 154 | Bottom hemline                                     | 3/16     |      |                        | 1.00 |
| 155 | Lining bottom hemline                              | 3/16     |      |                        | 1.00 |
| 156 | Armhole straight                                   | 8 7/8    |      |                        | 1.00 |
| 157 | Sleeve length from armhole, including lace         | 5 3/8    | +1/8 |                        | 1.00 |
| 158 | Sleeve opening along edge                          | 12 1/4   | -1/4 |                        | 1.00 |
| 159 | Sleeve hem lace trim height                        | 1        |      |                        | 1.00 |
| 160 | Neck width H to H                                  | 8 1/2    |      |                        | 1.00 |
| 161 | Front neck drop from HPS to H                      | 10       |      |                        | 1.00 |
| 162 | Back neck drop from HPS to H                       | 1        |      |                        | 1.00 |
| 163 | Belt tie from side seam each side to longest point | 29 1/2   |      |                        | 1.00 |
| 164 | Side seam belt tie width                           | 1/4      |      |                        | 1.00 |
| 165 | Side seam zipper length                            | 11       |      | Spoken as G-per length | 0.86 |

**Construction**

| No | Item                           | Value | Note | Conf |
|----|--------------------------------|-------|------|------|
| 8  | Sleeve opening construction    |       | OK   | 1.00 |
| 9  | Lining waist seam construction |       | OK   | 1.00 |
| 10 | Armhole construction           |       | OK   | 1.00 |
| 11 | Side seam construction         |       | OK   | 1.00 |
| 12 | Bottom hem and bottom look     |       | OK   | 1.00 |
| 13 | Inside neck shape construction |       | OK   | 1.00 |

**Bill of materials**

| No | Item                                    | Value | Note            | Conf |
|----|-----------------------------------------|-------|-----------------|------|
| 14 | Shell                                   |       | Gum drop velvet | 1.00 |
| 15 | Lining                                  |       | American crepe  | 1.00 |
| 16 | Tie                                     |       | Satin           | 1.00 |
| 17 | Neck placket with lining                |       | OK              | 1.00 |
| 18 | Cap sleeve with light shirring at cap   |       | OK              | 1.00 |
| 19 | Shirring centered with upper chest bust |       | OK              | 1.00 |
| 20 | Two-ply tie with satin                  | 1/4   | OK              | 1.00 |
| 21 | Back waist dart                         |       | OK              | 1.00 |

**Shrinkage**

| No | Item                    | Value | Note | Conf |
|----|-------------------------|-------|------|------|
| 4  | Shell length shrinkage  | 0%    |      | 1.00 |
| 5  | Shell width shrinkage   | 0%    |      | 1.00 |
| 6  | Lining length shrinkage | 0%    |      | 1.00 |

| No | Item                   | Value | Note | Conf |
|----|------------------------|-------|------|------|
| 7  | Lining width shrinkage | 0%    |      | 1.00 |

#### Mini marker

| No | Item                         | Value      | Note | Conf |
|----|------------------------------|------------|------|------|
| 1  | Shirring average consumption | 0.98 meter |      | 1.00 |
| 2  | Belt consumption             | 0.12 meter |      | 1.00 |
| 3  | Lining consumption           | 0.83 meter |      | 1.00 |

#### Comments and vendor actions

| No  | Item                                    | Value | Note                                                                 | Conf |
|-----|-----------------------------------------|-------|----------------------------------------------------------------------|------|
| 166 | Zipper gaping                           |       | Improve workmanship and secure with stitching                        | 1.00 |
| 167 | Roping at hem                           |       | Correct feeding of top and bottom layers in bias area                | 1.00 |
| 168 | Lot matching with FOB                   |       | Use only approved lot for bulk                                       | 1.00 |
| 169 | Streak mark closure                     |       | Await NY approval; do not cut bulk                                   | 1.00 |
| 170 | Fraying yarn at belt                    |       | Use air pipe for belt operation                                      | 1.00 |
| 171 | Tight stitch at side seam/princess seam |       | Loosen machine tension                                               | 1.00 |
| 172 | Puckering at zipper                     |       | Distribute zipper and body evenly by marking; loosen machine tension | 1.00 |