

SIZE SET INSPECTION REPORT

STYLE NO# 7147

DIVISION -

Date: -

DESCRIPTION: V-neck fitted top

COLOUR: navy

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER			✓		PH			✓	

* PH: pH level okay

PATTERN CHECK LIST

Grain Line: OK
Notches: OK
Graded Nest: OK
Corrections Implemnted: Correction has been implemented on size set
YY/ Mini Marker: Shell = 0.656 meters; Lining = 0.471 meter

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: -
Cut Quantity: 5 pieces
Size Set Inspection Result: -

SHRINKAGE SHELL: L = 0% W = 0%
No shrinkage in shell or lining; okay. Number of samples not stated.

DETAILED COMMENTS

- Bottom shape uneven and hiking at center front
- Neckline unbalanced
- Waist seam shape not symmetrical
- Puckering at zipper area
- Back dart length uneven
- Nap direction must be one way
- Roping at back armhole
- Poor waist belt corner shape
- Design intent states body only lined
- Slight shirring at bodice
- Washed product neck and armhole finish
- Back bodice lining required

MEASUREMENT (SPEC ATTACHED)

Result: -
Graded Nest: OK
Corrections To Be Done: Update design intent from body only lined to fully lined; update seam to circular-cut flutter sleeve
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: L = 0% W = 0%

ACTION TO BE TAKEN BY VENDOR

- Balance and level bottom; use even seam allowance during body attaching and avoid center-front hiking.
- Balance neckline and follow pattern measurement while patching shell and lining.
- Use even seam allowance; add balance marking for gathers and press center-front seam before attaching.
- Correct sewing method and thread tension; attach zipper smoothly without puckering.
- Educate operator to follow back-dart marking.
- Follow approved sample direction during fabric laying and cutting.
- Improve operator handling and correct thread tension.
- Use template for belt pressing; keep finish stitching neat and clean.
- Update design intent and make bodice fully lined with clean lining finish.
- Control bodice shirring.
- Ensure clean finish with no roping at neckline or armhole.
- Add lining to back bodice as checked with New York team.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STATUS: FNL

STYLE: 7147

7147 V NECK FITTED TOP

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS
 Division / Dept: 02 / 035
 Season: HOLIDAY-B 2026
 Style Desc: 7147 V NECK FITTED TOP
 Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW TOP L20 Size Range : ALPHA WW
POM Descr : GRADE SPECIFICATIONS Base Size : M
Block :
Modified By : VANGR Modified Date/Time : 2026-07-07 11:19:10
Sizes Measured : XS, S, M, L, XL

Size Range : XXS, XS, S, M, L, XL, XXL
Base Size : M
Grading Method/UM : Incremental / IN
Status : FNL
Measurement Result : FAIL CONDITIONALLY (7 of 130 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.01A	REFERENCE ON BODY - FRONT LENGTH	0	0	-	-	-	22 spec	-	-	-
1.01A	FRONT LENGTH FROM HPS	-3/8	+3/8	19 1/8 spec	19 3/4 +1/2 100%	20 3/8 +1/2 76%	21 +1/2 100%	21 5/8 +1/2 100%	22 3/8 +1/2 100%	23 1/8 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 spec	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 spec	12 1/2 +1/4 100%	13 +1/4 100%	13 1/2 ok 100%	14 1/4 ok 100%	15 ok 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 3/4 spec	11 1/4 ok 62%	11 3/4 +1/4 100%	12 1/4 ok 100%	13 +1/4 100%	13 3/4 +1/4 100%	14 1/2 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 5/8 spec	12 1/8 -1/8 100%	12 5/8 -1/8 100%	13 1/8 ok 100%	13 7/8 -1/4 100%	14 5/8 ok 100%	15 3/8 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	33 1/2 spec	35 1/2 ok 100%	37 1/2 ok 100%	39 1/2 ok 48%	42 1/2 ok 100%	45 1/2 ok 100%	49 1/2 spec
1.29F	EMPIRE SEAM POSITION FROM HPS	-1/4	+1/4	12 5/8 spec	13 ok 100%	13 3/8 ok 90%	13 3/4 ok 100%	14 3/8 ok 100%	15 1/8 +1/4 100%	15 7/8 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.31A	EMPIRE WAIST	-3/4	+3/4	30 1/2 spec	32 1/2 -1/2 100%	34 1/2 -1/2 100%	36 1/2 -1/2 100%	39 1/2 -1/2 100%	42 1/2 -1/2 100%	46 1/2 spec
4.22A	BOTTOM SWEEP	-3/4	+3/4	38 1/2 spec	40 1/2 -1/2 58%	42 1/2 ok 100%	44 1/2 -1/4 100%	47 1/2 -1/4 100%	50 1/2 -1/4 100%	54 1/2 spec
4.27A	BOTTOM HEM HEIGHT	-1/8	+1/8	3/16 spec	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 spec
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 3/8 spec	1 1/2 ok 100%	1 5/8 ok 100%	1 3/4 ok 100%	2 1/8 ok 100%	2 5/8 ok 100%	3 1/8 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 3/8 spec	4 1/2 ok 100%	4 5/8 +1/8 100%	4 3/4 ok 100%	5 1/8 +1/8 100%	5 5/8 ok 100%	6 1/8 spec
7.02B GR	WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH	-1/4	+1/4	4 spec	4 1/2 ok 100%	5 ok 100%	5 1/2 ok 100%	6 ok 100%	6 1/2 ok 100%	7 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE	-1/4	+1/4	3 7/8 spec	4 1/8 +3/8 76%	4 3/8 +1/4 100%	4 5/8 +1/4 100%	5 ok 100%	5 3/8 ok 100%	5 7/8 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	7 5/8 spec	8 -1/4 90%	8 3/8 ok 100%	8 3/4 +1/4 100%	9 3/8 ok 100%	10 ok 100%	10 3/4 spec
3.19B	SLEEVE OPENING (S/S)	-1/4	+1/4	10 1/4 spec	11 -1/4 100%	11 3/4 -1/8 100%	12 1/2 ok 100%	13 3/4 -1/4 100%	15 ok 100%	16 1/2 spec
8.08A	SLEEVE CAP SHIRring SPREAD - EVENLY BETWEEN OUTSEAM	-1/8	+1/8	2 7/8 spec	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 +1/8 100%	2 7/8 +1/8 100%	2 7/8 spec
2.05B	NECK WIDTH EDGE TO EDGE	-1/2	+1/2	7 1/4 spec	7 3/4 ok 100%	8 1/4 +1/8 100%	8 3/4 -1/4 90%	9 1/2 +1/4 80%	10 1/4 -1/4 100%	11 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 7/8 spec	10 -1/4 100%	10 1/8 -1/8 100%	10 1/4 +3/8 100%	10 3/8 +1/8 100%	10 1/2 +1/4 100%	10 5/8 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 spec
8.05A	BACK FISH DART LENGTH	-1/4	+1/4	6 1/2 spec	6 1/2 ok 100%	6 1/2 +1/8 100%	6 1/2 ok 100%	6 1/2 ok 100%	6 1/2 ok 100%	6 1/2 spec
7.06B	NG TIE LENGTH EXPOSED	-3/8	+3/8	25 3/4 spec	25 3/4 +1/4 100%	25 3/4 +1/4 95%	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 +1/4 95%	25 3/4 spec
*	TIE WIDTH	-1/4	+1/4	1 spec	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 spec
8.08A	BUST SHIRring SPREAD - AT EMPIRE	-1/4	+1/4	2 3/4 spec	2 3/4 ok 100%	2 3/4 ok 75%	2 3/4 -1/4 100%	2 3/4 -1/4 100%	2 3/4 ok 100%	2 3/4 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
*	START BUST SHIRring FROM CF SEAM	-1/8	+1/8	2 1/4 spec	2 1/4 -1/8 100%	2 1/4 ok 100%	2 1/4 +1/8 100%	2 1/4 ok 100%	2 1/4 -1/8 52%	2 1/4 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **An orange outline = outside tolerance. Blue figures = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking.** Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

- 1.01A FRONT LENGTH FROM HPS — size XS: measured 20 1/4 against 19 3/4, +1/2
- 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE — size XS: measured 4 1/2 against 4 1/8, +3/8
- 1.01A FRONT LENGTH FROM HPS — size S: measured 20 7/8 against 20 3/8, +1/2
- 1.01A FRONT LENGTH FROM HPS — size M: measured 21 1/2 against 21, +1/2
- 2.03A FRONT NECK DROP FROM HPS TO EDGE — size M: measured 10 5/8 against 10 1/4, +3/8
- 1.01A FRONT LENGTH FROM HPS — size L: measured 22 1/8 against 21 5/8, +1/2
- 1.01A FRONT LENGTH FROM HPS — size XL: measured 22 7/8 against 22 3/8, +1/2

Generated from SIZE SET 7147 (1)(5) and checked against style_7147.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 7147 · V-neck fitted top · Colour navy · Source: SIZE SET 7147 (1)(5) · 174 rows · 8 need review (shown in red)

Size XS (28)

No	Point of measure	Measured	Dev	Note	Conf
16	Front length from HPS	19 3/4	+1/2		1.00
17	Shoulder slope from HPS	1/2			1.00
18	Shoulder seam forward	3/4			1.00
19	Across shoulder seam to seam	12 1/2	+1/4		1.00
20	Across front position from HPS	5			1.00
21	Across front seam to seam	11 1/4		Audio rendered the number unclearly as "elbow and quarter."	0.62
22	Across back position from HPS	5			1.00
23	Across back seam to seam	12 1/8	-1/8		1.00
24	Chest 1 inch below armhole, side seam on top side seam	35 1/2			1.00
25	Empire seam position from HPS	13			1.00
26	Empire waist	32 1/2	-1/2		1.00
27	Bottom sweep	14 1/2	-1/2	Clearly transcribed as fourteen and half, though context may indicate a larger number.	0.58
28	Bottom hem height	3/16	+1/16		1.00
29	Center front bodice length to empire	1 1/2			1.00
30	Bodice length at side seam	4 1/2			1.00
31	Wearer left side seam invisible zipper length	4 1/2			1.00
32	Sleeve length from armhole, short including lace	4 1/8	+3/8	Number was slightly garbled.	0.76
33	Armhole straight	8	-1/4		0.90
34	Sleeve opening	11	-1/4		1.00
35	Sleeve cap shirring spread evenly between outseam	2 7/8		Gather measurement	1.00
36	Neck width H to H	7 3/4			1.00
37	Back neck drop from HPS to H	1/2			1.00
38	Front neck drop from HPS to H	10	-1/4		1.00
39	Back fish-eye dart length	6 1/2			1.00
40	Tie length exposed	25 3/4	+1/4		1.00
41	Tie width	1			1.00
42	Bust shirring spread at empire	2 3/4			1.00
43	Start bust shirring from center front seam	2 1/4	-1/8		1.00

Size S (28)

No	Point of measure	Measured	Dev	Note	Conf
44	Front length from HPS	20 3/8	+1/2	Initial wording was garbled; final reading understood as twenty and three eighths.	0.76
45	Shoulder slope from HPS	1/2			1.00
46	Shoulder seam forward	3/4			1.00
47	Across shoulder seam to seam	13	+1/4		1.00
48	Across front position from HPS	5			1.00
49	Across front seam to seam	11 3/4	+1/4		1.00
50	Across back position from HPS	5			1.00
51	Across back seam to seam	12 5/8	-1/8		1.00
52	Chest 1 inch below armhole, side on side	37 1/2			1.00
53	Empire seam position from HPS	13 3/8		An earlier partial number was abandoned.	0.90
54	Empire waist	34 1/2	-1/4		1.00
55	Bottom sweep	42 1/2			1.00
56	Bottom hem height	3/16	+1/16		1.00
57	Center front bodice length to empire	1 5/8			1.00
58	Bodice length at side seam	4 5/8	+1/8		1.00
59	Wearer left side seam invisible zipper length	5			1.00
60	Sleeve length from armhole, short including lace	4 3/8	+1/4		1.00
61	Armhole straight	8 3/8			1.00
62	Sleeve opening	11 3/4	-1/4		1.00
63	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
64	Neck width H to H	8 1/4	+1/8		1.00
65	Back neck drop from HPS to H	1/2			1.00
66	Front neck drop from HPS to H	10 1/8	-1/8		1.00
67	Back fish-eye dart length	6 1/2	+1/8		1.00
68	Tie length exposed	25 3/4	+1/4	Speaker briefly corrected himself before confirming.	0.95
69	Tie width	1			1.00
70	Bust shirring spread at empire	2 3/4		An earlier 2 3/8 was corrected to 2 3/4.	0.75
71	Start bust shirring from center front seam	2 1/4			1.00

Size M (28)

No	Point of measure	Measured	Dev	Note	Conf
72	Front length from HPS	21	+1/2		1.00
73	Shoulder slope from HPS	1/2			1.00
74	Shoulder seam forward	3/4			1.00
75	Across shoulder seam to seam	13 1/2			1.00
76	Across front position from HPS	5			1.00
77	Across front seam to seam	12 1/4			1.00
78	Across back position from HPS	5			1.00
79	Across back seam to seam	13 1/8			1.00
80	Chest 1 inch below armhole, side seam on top side seam	13 1/2		Repeated as thirteen and half, but the value is inconsistent with adjacent sizes.	0.48
81	Empire seam position from HPS	13 3/4			1.00
82	Empire waist	36 1/2	-1/2		1.00
83	Bottom sweep	44 1/2	-1/4		1.00
84	Bottom hem height	3/16	+1/16		1.00
85	Center front bodice length to empire	1 3/4			1.00
86	Bodice length at side seam	4 3/4			1.00
87	Wearer left side seam invisible zipper length	5 1/2			1.00
88	Sleeve length from armhole, short including lace	4 5/8	+1/4		1.00
89	Armhole straight	8 3/4	+1/4		1.00
90	Sleeve opening	12 1/2			1.00
91	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
92	Neck width H to H	8 3/4	-1/4	Initial wording before the final value was unclear.	0.90
93	Back neck drop from HPS to H	1/2			1.00
94	Front neck drop from HPS to H	10 1/4	+3/8		1.00
95	Back fish-eye dart length	6 1/2			1.00
96	Tie length exposed	25 3/4	+1/4		1.00
97	Tie width	1			1.00
98	Bust shirring spread at empire	2 3/4	-1/4		1.00
99	Start bust shirring from center front seam	2 1/4	+1/8		1.00

Size L (28)

No	Point of measure	Measured	Dev	Note	Conf
100	Front length from HPS	21 5/8	+1/2		1.00
101	Shoulder slope from HPS	1/2			1.00
102	Shoulder seam forward	3/4			1.00
103	Across shoulder seam to seam	14 1/4			1.00
104	Across front position from HPS	5			1.00
105	Across front seam to seam	13	+1/4		1.00
106	Across back position from HPS	5			1.00
107	Across back seam to seam	13 7/8	-1/4		1.00
108	Chest 1 inch below armhole, side seam on top side seam	42 1/2			1.00
109	Empire seam position from HPS	14 3/8			1.00
110	Empire waist	39 1/2	-1/2		1.00
111	Bottom sweep	47 1/2	-1/4		1.00
112	Bottom hem height	3/16	+1/16		1.00
113	Center front bodice length to empire	2 1/8			1.00
114	Bodice length at side seam	5 1/8	+1/8		1.00
115	Wearer left side seam invisible zipper length	6			1.00
116	Sleeve length from armhole, short including lace	5			1.00
117	Armhole straight	9 3/8			1.00
118	Sleeve opening	13 3/4	-1/4		1.00
119	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
120	Neck width H to H	9 1/2	+1/4	An earlier 8 3/4 was corrected to 9 1/2.	0.80
121	Back neck drop from HPS to H	1/2			1.00
122	Front neck drop from HPS to H	10 3/8	+1/8		1.00
123	Back fish-eye dart length	6 1/2			1.00
124	Tie length exposed	25 3/4	+1/4		1.00
125	Tie width	1			1.00
126	Bust shirring spread at empire	2 3/4	-1/4		1.00
127	Start bust shirring from center front seam	2 1/4			1.00

Size XL (28)

No	Point of measure	Measured	Dev	Note	Conf
128	Front length from HPS	22 3/8	+1/2		1.00
129	Shoulder slope from HPS	1/2			1.00
130	Shoulder seam forward	3/4			1.00
131	Across shoulder seam to seam	15			1.00
132	Across front position from HPS	5			1.00
133	Across front seam to seam	13 3/4	+1/4		1.00
134	Across back position from HPS	5			1.00
135	Across back seam to seam	14 5/8			1.00
136	Chest 1 inch below armhole, side seam on top side seam	45 1/2			1.00
137	Empire seam position from HPS	15 1/8	+1/4		1.00
138	Empire waist	42 1/2	-1/2		1.00
139	Bottom sweep	50 1/2	-1/4		1.00
140	Bottom hem height	3/16	+1/16		1.00
141	Center front bodice length to empire	2 5/8			1.00
142	Bodice length at side seam	5 5/8			1.00
143	Wearer left side seam invisible zipper length	6 1/2			1.00
144	Sleeve length from armhole, short including lace	5 3/8			1.00
145	Armhole straight	10			1.00
146	Sleeve opening	15			1.00
147	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
148	Neck width H to H	10 1/4	-1/4		1.00
149	Back neck drop from HPS to H	1/2			1.00
150	Front neck drop from HPS to H	10 1/2	+1/4		1.00
151	Back fish-eye dart length	6 1/2			1.00
152	Tie length exposed	25 3/4	+1/4	Speaker briefly corrected himself before confirming.	0.95
153	Tie width	1			1.00
154	Bust shirring spread at empire	2 3/4			1.00
155	Start bust shirring from center front seam	1/4	-1/8	Only "one quarter" was audible; the value may be incomplete.	0.52

Construction

No	Item	Value	Note	Conf
9	Sample size		Medium	1.00
10	Bodice lining		Bodice fully lined; design intent needs updating from body only lined	1.00
11	Sleeve		Circular-cut flutter sleeve with lace-finished hem	1.00
12	Hem finish		Baby hem	1.00
13	Self tie	1	Flat two-ply clean-finish self tie from side seam, functionally tied at center back	1.00
14	Back darts		Fish-eye darts to control fullness at back	1.00
15	Invisible zipper placement		Wearer left side seam	1.00

Bill of materials

No	Item	Value	Note	Conf
156	Gumdrop velvet		Entire garment; shell fabric	1.00
157	100% polyester lining		Entire garment	1.00
158	100% polyester		Tie only	1.00
159	Lace trim		Okay	1.00
160	Invisible zipper		Okay	1.00
161	Thread Vardhman Tex 21		For overlock	1.00
162	Thread Vardhman Tex 27		For all construction	1.00
163	Thread Vardhman Tex 21		For main label stitching	1.00
164	Main label		Horizontal end fold at center back; code 008	1.00

Shrinkage

No	Item	Value	Note	Conf
5	Shell length shrinkage	0%	Navy; no shrinkage	1.00
6	Shell width shrinkage	0%	Navy; no shrinkage	1.00
7	Lining length shrinkage	0%	No shrinkage	1.00
8	Lining width shrinkage	0%	No shrinkage	1.00

Mini marker

No	Item	Value	Note	Conf
1	Shell average consumption	0.656 meters		1.00
2	Marker efficiency	65.06%		1.00
3	Marker direction		One-way marker due to nap direction	1.00
4	Lining YY	0.471 meter		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
165	Bottom shape		Uneven and hiking at center front; balance and level bottom	1.00
166	Neckline		Unbalanced; follow pattern measurement during shell and lining patching	1.00
167	Waist seam shape		Not symmetrical; use even seam allowance and add balance marking for gather	1.00
168	Zipper area		Puckering; correct sewing method and thread tension	1.00
169	Back dart length		Uneven; follow marking during making	1.00
170	Nap direction		Must be one way during fabric laying and cutting	1.00
171	Back armhole		Roping; improve handling and correct thread tension	1.00
172	Waist belt corner shape		Poor shape; use pressing template and neat finish stitch	1.00
173	Neckline and armhole finish		Washed product; ensure clean finish with no roping	1.00
174	Back bodice lining		Add lining as checked with New York team	1.00