

SIZE SET INSPECTION REPORT

STYLE NO# 7147
DESCRIPTION: -

DIVISION -

Date: -
COLOUR: navy

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL			✓		POLYBAG					BUTTON					PRINT				
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT				
FCTY CODE					LOT STICKER					LACE			✓		EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT				
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE					PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING					LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER			✓		PH			✓	

* PH: pH level okay

PATTERN CHECK LIST

Grain Line: OK
Notches: OK
Graded Nest: OK
Corrections Implemnted: OK on size set
YY/ Mini Marker: Shell = 0.656 meters; lining = 0.471 meter

Planned Size Set Submission Date: -
Actual Submission Date: -
PCD: -
Cut Quantity: 5 pieces
Size Set Inspection Result: -

SHRINKAGE SHELL: L = 0% W = 0%

DETAILED COMMENTS

(1) Bottom shape uneven and hiking at center front

(2) Neckline unbalanced

(3) Waist seam shape not symmetrical

(4) Puckering at zipper area

(5) Back dart length uneven

(6) Nap direction must be one way

(7) Roping at back armhole

(8) Poor waist belt corner shape

(9) DIA states body only lined

(10) Neck finish must be clean

MEASUREMENT (SPEC ATTACHED)

Result: -
Graded Nest: OK
Corrections To Be Done: Update DIA from body only lined to bodice fully lined
Bring Back To Specs: -

Cutting Check: -
Seam Allowance: -
Corrections Implemented: -

LINING: L = 0% W = 0%

ACTION TO BE TAKEN BY VENDOR

Balance and level bottom; take even seam allowance during body attaching and avoid center-front hiking

Balance neckline and follow pattern measurement while patching shell and lining

Take even seam allowance, add balance marking for gather and press center-front seam before attaching

Correct sewing method and thread tension; attach zipper smoothly

Educate operator to follow back-dart marking

Follow approved-sample direction during fabric laying and cutting

Improve operator handling and correct thread tension

Use template for belt pressing and keep finish stitching neat and clean

Update to bodice fully lined and check with New York team

Ensure no roping at neckline or armhole

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE

SENT VIA MAIL

STATUS: FNL

STYLE: 7147

7147 V NECK FITTED TOP

HOLIDAY-B 2026

Company: AMERICAN EAGLE OUTFITTERS
 Division / Dept: 02 / 035
 Season: HOLIDAY-B 2026
 Style Desc: 7147 V NECK FITTED TOP
 Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model : WW TOP L20 Size Range : ALPHA WW
POM Descr : GRADE SPECIFICATIONS Base Size : M
Block :
Modified By : VANGR Modified Date/Time : 2026-07-07 11:19:10
Sizes Measured : XS, S, M, L, XL

Size Range : XXS, XS, S, M, L, XL, XXL
Base Size : M
Grading Method/UM : Incremental / IN
Status : FNL
Measurement Result : FAIL CONDITIONALLY (7 of 130 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.01A	REFERENCE ON BODY - FRONT LENGTH	0	0	-	-	-	22 spec	-	-	-
1.01A	FRONT LENGTH FROM HPS	-3/8	+3/8	19 1/8 spec	19 3/4 +1/2 100%	20 3/8 +1/2 55%	21 +1/2 100%	21 5/8 +1/2 100%	22 3/8 +1/2 100%	23 1/8 spec
2.02A	SHOULDER SLOPE FROM HPS	-1/4	+1/4	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 spec
2.01A	SHOULDER SEAM FORWARD	-1/8	+1/8	3/4 spec	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 ok 100%	3/4 spec
1.20A	ACROSS SHOULDER SEAM TO SEAM	-1/4	+1/4	12 spec	12 1/2 +1/4 100%	13 +1/4 100%	13 1/2 ok 100%	14 1/4 ok 100%	15 ok 100%	15 3/4 spec
1.22A	ACROSS FRONT POSITION FROM HPS	0	0	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 spec
1.23A	ACROSS FRONT SEAM TO SEAM	-1/4	+1/4	10 3/4 spec	11 1/4 ok 55%	11 3/4 +1/4 100%	12 1/4 ok 100%	13 +1/4 100%	13 3/4 +1/4 100%	14 1/2 spec
1.24A	ACROSS BACK POSITION FROM HPS	0	0	5 spec	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 ok 100%	5 spec
1.25A	ACROSS BACK SEAM TO SEAM	-1/4	+1/4	11 5/8 spec	12 1/8 -1/8 60%	12 5/8 -1/8 100%	13 1/8 ok 100%	13 7/8 -1/4 100%	14 5/8 ok 100%	15 3/8 spec
1.28E	CHEST 1" BELOW ARMHOLE (SIDESEAM ON TOP SIDESEAM)	-3/4	+3/4	33 1/2 spec	35 1/2 ok 100%	37 1/2 ok 100%	39 1/2 ok 65%	42 1/2 ok 100%	45 1/2 ok 100%	49 1/2 spec
1.29F	EMPIRE SEAM POSITION FROM HPS	-1/4	+1/4	12 5/8 spec	13 ok 100%	13 3/8 ok 85%	13 3/4 ok 100%	14 3/8 ok 100%	15 1/8 +1/4 100%	15 7/8 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
1.31A	EMPIRE WAIST	-3/4	+3/4	30 1/2 spec	32 1/2 -1/2 100%	34 1/2 -1/2 100%	36 1/2 -1/2 100%	39 1/2 -1/2 100%	42 1/2 -1/2 100%	46 1/2 spec
4.22A	BOTTOM SWEEP	-3/4	+3/4	38 1/2 spec	40 1/2 -1/2 65%	42 1/2 ok 100%	44 1/2 -1/4 100%	47 1/2 -1/4 100%	50 1/2 -1/4 100%	54 1/2 spec
4.27A	BOTTOM HEM HEIGHT	-1/8	+1/8	3/16 spec	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 +1/16 100%	3/16 spec
1.08C	CF BODICE LENGTH TO EMPIRE	-1/8	+1/8	1 3/8 spec	1 1/2 ok 100%	1 5/8 ok 100%	1 3/4 ok 100%	2 1/8 ok 100%	2 5/8 ok 100%	3 1/8 spec
1.09C	BODICE LENGTH AT SIDE SEAM	-1/8	+1/8	4 3/8 spec	4 1/2 ok 100%	4 5/8 +1/8 100%	4 3/4 ok 100%	5 1/8 +1/8 100%	5 5/8 ok 100%	6 1/8 spec
7.02B GR	WR'S LEFT SIDE SEAM INVISIBLE ZIPPER LENGTH	-1/4	+1/4	4 spec	4 1/2 ok 100%	5 ok 100%	5 1/2 ok 100%	6 ok 100%	6 1/2 ok 100%	7 1/4 spec
3.02B	SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE	-1/4	+1/4	3 7/8 spec	4 1/8 +3/8 65%	4 3/8 +1/4 100%	4 5/8 +1/4 100%	5 ok 100%	5 3/8 ok 100%	5 7/8 spec
3.06B	ARMHOLE STRAIGHT	-1/4	+1/4	7 5/8 spec	8 -1/4 100%	8 3/8 ok 100%	8 3/4 +1/4 100%	9 3/8 ok 100%	10 ok 100%	10 3/4 spec
3.19B	SLEEVE OPENING (S/S)	-1/4	+1/4	10 1/4 spec	11 -1/4 100%	11 3/4 -1/4 100%	12 1/2 ok 100%	13 3/4 -1/4 100%	15 ok 100%	16 1/2 spec
8.08A	SLEEVE CAP SHIRring SPREAD - EVENLY BETWEEN OUTSEAM	-1/8	+1/8	2 7/8 spec	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 ok 100%	2 7/8 +1/8 100%	2 7/8 +1/8 100%	2 7/8 spec
2.05B	NECK WIDTH EDGE TO EDGE	-1/2	+1/2	7 1/4 spec	7 3/4 ok 100%	8 1/4 +1/8 100%	8 3/4 -1/4 100%	9 1/2 +1/4 80%	10 1/4 -1/4 100%	11 spec
2.03A	FRONT NECK DROP FROM HPS TO EDGE	-1/4	+1/4	9 7/8 spec	10 -1/4 100%	10 1/8 -1/8 100%	10 1/4 +3/8 100%	10 3/8 +1/8 100%	10 1/2 +1/4 100%	10 5/8 spec
2.04A	BACK NECK DROP FROM HPS TO EDGE	-1/8	+1/8	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%	1/2 spec
8.05A	BACK FISH DART LENGTH	-1/4	+1/4	6 1/2 spec	6 1/2 ok 100%	6 1/2 +1/8 100%	6 1/2 ok 100%	6 1/2 ok 100%	6 1/2 ok 100%	6 1/2 spec
7.06B	NG TIE LENGTH EXPOSED	-3/8	+3/8	25 3/4 spec	25 3/4 +1/4 100%	25 3/4 +1/4 90%	25 3/4 +1/4 100%	25 3/4 +1/4 100%	25 3/4 +1/4 90%	25 3/4 spec
*	TIE WIDTH	-1/4	+1/4	1 spec	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 ok 100%	1 spec
8.08A	BUST SHIRring SPREAD - AT EMPIRE	-1/4	+1/4	2 3/4 spec	2 3/4 ok 100%	2 3/4 ok 70%	2 3/4 -1/4 100%	2 3/4 -1/4 100%	2 3/4 ok 100%	2 3/4 spec

POM	Description	Tol-	Tol+	XXS *	XS	S	M	L	XL	XXL *
*	START BUST SHIRRING FROM CF SEAM	-1/8	+1/8	2 1/4 spec	2 1/4 -1/8 100%	2 1/4 ok 100%	2 1/4 +1/8 100%	2 1/4 ok 100%	2 1/4 -1/8 55%	2 1/4 spec

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **An orange outline = outside tolerance. Blue figures = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking.** Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

- 1.01A FRONT LENGTH FROM HPS — size XS: measured 20 1/4 against 19 3/4, +1/2
- 3.02B SLEEVE LENGTH FROM ARMHOLE SHORT INCL LACE — size XS: measured 4 1/2 against 4 1/8, +3/8
- 1.01A FRONT LENGTH FROM HPS — size S: measured 20 7/8 against 20 3/8, +1/2
- 1.01A FRONT LENGTH FROM HPS — size M: measured 21 1/2 against 21, +1/2
- 2.03A FRONT NECK DROP FROM HPS TO EDGE — size M: measured 10 5/8 against 10 1/4, +3/8
- 1.01A FRONT LENGTH FROM HPS — size L: measured 22 1/8 against 21 5/8, +1/2
- 1.01A FRONT LENGTH FROM HPS — size XL: measured 22 7/8 against 22 3/8, +1/2

Generated from SIZE SET 7147 (1) and checked against style_7147.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 7147 · Colour navy · Source: SIZE SET 7147 (1) · 182 rows · 9 need review (shown in red)

Size XS (28)

No	Point of measure	Measured	Dev	Note	Conf
25	Front length from HPS	19 3/4	+1/2		1.00
26	Shoulder slope from HPS	1/2			1.00
27	Shoulder seam forward	3/4			1.00
28	Across shoulder seam to seam	12 1/2	+1/4		1.00
29	Across front position from HPS	5			1.00
30	Across front seam to seam	11 1/4		Audio rendered as 'elbow and quarter'; reconstructed from context	0.55
31	Across back position from HPS	5			1.00
32	Across back seam to seam	12 1/8	-1/8	Audio omitted the tens digit; reconstructed from graded sequence	0.60
33	Chest 1 inch below armhole, side seam to side seam	35 1/2			1.00
34	Empire seam position from HPS	13			1.00
35	Empire waist	32 1/2	-1/2		1.00
36	Bottom sweep	14 1/2	-1/2	Value stated clearly but appears inconsistent with following graded sizes	0.65
37	Bottom hem height	3/16	+1/16		1.00
38	Center front bodice length to empire	1 1/2			1.00
39	Bodice length at side seam	4 1/2			1.00
40	Wearer left side seam invisible zipper length	4 1/2			1.00
41	Sleeve length from armhole, short including lace	4 1/8	+3/8	Opening word was garbled	0.65
42	Armhole straight	8	-1/4		1.00
43	Sleeve opening	11	-1/4		1.00
44	Sleeve cap shirring spread evenly between outseam	2 7/8		Gather measurement	1.00
45	Neck width H to H	7 3/4			1.00
46	Back neck drop from HPS to H	1/2			1.00
47	Front neck drop from HPS to H	10	-1/4		1.00
48	Back fish dart length	6 1/2			1.00
49	Tie length exposed point extra	25 3/4	+1/4		1.00
50	Tie width	1			1.00
51	Bust shirring spread at empire	2 3/4			1.00
52	Start bust shirring from center front	2 1/4	-1/8		1.00

Size S (28)

No	Point of measure	Measured	Dev	Note	Conf
53	Front length from HPS	20 3/8	+1/2	Speaker gave a garbled first reading before confirming the fractional reading	0.55
54	Shoulder slope from HPS	1/2			1.00
55	Shoulder seam forward	3/4			1.00
56	Across shoulder seam to seam	13	+1/4		1.00
57	Across front position from HPS	5			1.00
58	Across front seam to seam	11 3/4	+1/4		1.00
59	Across back position from HPS	5			1.00
60	Across back seam to seam	12 5/8	-1/8		1.00
61	Chest 1 inch below armhole, side seam to side seam	37 1/2			1.00
62	Empire seam position from HPS	13 3/8		Earlier number was garbled; last confirmed value used	0.85
63	Empire waist	34 1/2	-1/4		1.00
64	Bottom sweep	42 1/2			1.00
65	Bottom hem height	3/16	+1/16		1.00
66	Center front bodice length to empire	1 5/8			1.00
67	Bodice length at side seam	4 5/8	+1/8		1.00
68	Wearer left side seam invisible zipper length	5			1.00
69	Sleeve length from armhole, short including lace	4 3/8	+1/4		1.00
70	Armhole straight	8 3/8			1.00
71	Sleeve opening	11 3/4	-1/4		1.00
72	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
73	Neck width H to H	8 1/4	+1/8		1.00
74	Back neck drop from HPS to H	1/2			1.00
75	Front neck drop from HPS to H	10 1/8	-1/8		1.00
76	Back fish dart length	6 1/2	+1/8		1.00
77	Tie length exposed	25 3/4	+1/4	Speaker corrected the reading	0.90
78	Tie width	1			1.00
79	Bust shirring spread at empire	2 3/4		Earlier reading sounded like 2 3/8; last confirmed reading used	0.70
80	Start bust shirring from center front seam	2 1/4			1.00

Size M (28)

No	Point of measure	Measured	Dev	Note	Conf
81	Front length from HPS	21	+1/2		1.00
82	Shoulder slope from HPS	1/2			1.00
83	Shoulder seam forward	3/4			1.00
84	Across shoulder seam to seam	13 1/2			1.00
85	Across front position from HPS	5			1.00
86	Across front seam to seam	12 1/4			1.00
87	Across back position from HPS	5			1.00
88	Across back seam to seam	13 1/8			1.00
89	Chest 1 inch below armhole, side seam to side seam	13 1/2		Value stated twice but appears inconsistent with graded chest values	0.65
90	Empire seam position from HPS	13 3/4			1.00
91	Empire waist	36 1/2	-1/2		1.00
92	Bottom sweep	44 1/2	-1/4		1.00
93	Bottom hem height	3/16	+1/16		1.00
94	Center front bodice length to empire	1 3/4			1.00
95	Bodice length at side seam	4 3/4			1.00
96	Wearer left side seam invisible zipper length	5 1/2			1.00
97	Sleeve length from armhole, short including lace	4 5/8	+1/4		1.00
98	Armhole straight	8 3/4	+1/4		1.00
99	Sleeve opening	12 1/2			1.00
100	Sleeve cap shirring spread evenly between outseam	2 7/8			1.00
101	Neck width H to H	8 3/4	-1/4		1.00
102	Back neck drop from HPS to H	1/2			1.00
103	Front neck drop from HPS to H	10 1/4	+3/8		1.00
104	Back fish dart length	6 1/2			1.00
105	Tie length exposed	25 3/4	+1/4		1.00
106	Tie width	1			1.00
107	Bust shirring spread at empire	2 3/4	-1/4		1.00
108	Start bust shirring from center front seam	2 1/4	+1/8		1.00

Size L (28)

No	Point of measure	Measured	Dev	Note	Conf
109	Front length from HPS	21 5/8	+1/2		1.00
110	Shoulder slope from HPS	1/2			1.00
111	Shoulder seam forward	3/4			1.00
112	Across shoulder seam to seam	14 1/4			1.00
113	Across front position from HPS	5			1.00
114	Across front seam to seam	13	+1/4		1.00
115	Across back position from HPS	5			1.00
116	Across back seam to seam	13 7/8	-1/4		1.00
117	Chest 1 inch below armhole, side seam to side seam	42 1/2			1.00
118	Empire seam position from HPS	14 3/8			1.00
119	Empire waist	39 1/2	-1/2		1.00
120	Bottom sweep	47 1/2	-1/4		1.00
121	Bottom hem height	3/16	+1/16		1.00
122	Center front bodice length to empire	2 1/8			1.00
123	Bodice length at side seam	5 1/8	+1/8		1.00
124	Wearer left side seam invisible zipper length	6			1.00
125	Sleeve length from armhole, short including lace	5			1.00
126	Armhole straight	9 3/8			1.00
127	Sleeve opening	13 3/4	-1/4		1.00
128	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
129	Neck width H to H	9 1/2	+1/4	Initial reading was 8 3/4; speaker corrected and reconfirmed 9 1/2	0.80
130	Back neck drop from HPS to H	1/2			1.00
131	Front neck drop from HPS to H	10 3/8	+1/8		1.00
132	Back fish dart length	6 1/2			1.00
133	Tie length exposed	25 3/4	+1/4		1.00
134	Tie width	1			1.00
135	Bust shirring spread at empire	2 3/4	-1/4		1.00
136	Start bust shirring from center front seam	2 1/4			1.00

Size XL (28)

No	Point of measure	Measured	Dev	Note	Conf
137	Front length from HPS	22 3/8	+1/2		1.00
138	Shoulder slope from HPS	1/2			1.00
139	Shoulder seam forward	3/4			1.00
140	Across shoulder seam to seam	15			1.00
141	Across front position from HPS	5			1.00
142	Across front seam to seam	13 3/4	+1/4		1.00
143	Across back position from HPS	5			1.00
144	Across back seam to seam	14 5/8			1.00
145	Chest 1 inch below armhole, side seam to side seam	45 1/2			1.00
146	Empire seam position from HPS	15 1/8	+1/4		1.00
147	Empire waist	42 1/2	-1/2		1.00
148	Bottom sweep	50 1/2	-1/4		1.00
149	Bottom hem height	3/16	+1/16		1.00
150	Center front bodice length to empire	2 5/8			1.00
151	Bodice length at side seam	5 5/8			1.00
152	Wearer left side seam invisible zipper length	6 1/2			1.00
153	Sleeve length from armhole, short including lace	5 3/8			1.00
154	Armhole straight	10			1.00
155	Sleeve opening	15			1.00
156	Sleeve cap shirring spread evenly between outseam	2 7/8	+1/8		1.00
157	Neck width H to H	10 1/4	-1/4		1.00
158	Back neck drop from HPS to H	1/2			1.00
159	Front neck drop from HPS to H	10 1/2	+1/4		1.00
160	Back fish dart length	6 1/2			1.00
161	Tie length exposed	25 3/4	+1/4	Speaker corrected the reading before giving deviation	0.90
162	Tie width	1			1.00
163	Bust shirring spread at empire	2 3/4			1.00
164	Start bust shirring from center front seam	1/4	-1/8	Only 'one quarter' was audible; possible omitted whole number	0.55

Construction

No	Item	Value	Note	Conf
10	Fabric inspection	16.1 points	10% fabric checking	1.00
11	Superimposed pattern	OK		1.00
12	Nested pattern	OK		1.00
13	Fusing compatibility report	Not applicable		1.00
14	Fusing trim card	OK	Only for size set	1.00
15	Fabric approval	OK	Follow FOB	1.00
16	Hand feel report	OK		1.00
17	Sample size	M		1.00
18	Bodice lining	Fully lined	DIA says body only lined; update required	1.00
19	Bodice finish	Clean finish with lining	Slight shirring at bodice	1.00
20	Sleeve	Circular cut flutter sleeve	Update seam	1.00
21	Sleeve hem	Baby hem	Lace finish at sleeve hem	1.00
22	Self tie	1 inch	Flat two-ply clean finish; comes from side seam and ties at center back	1.00
23	Back darts	Fish eye darts	Controls fullness at back	1.00
24	Invisible zipper position	Wearer left side seam		1.00

Bill of materials

No	Item	Value	Note	Conf
174	Shell fabric	Gumdrop velvet	Entire garment	1.00
175	Lining	100% polyester	Entire garment	1.00
176	Tie fabric	100% polyester	Tie only	1.00

No	Item	Value	Note	Conf
177	Lace trim	OK		1.00
178	Invisible zipper	OK		1.00
179	Overlock thread	Worthmann Tex 21		1.00
180	Construction thread	Worthmann Tex 27	For all construction	1.00
181	Main label stitching thread	Worthmann Tex 21		1.00
182	Main label	Horizontal end fold	At center back; code 008	1.00

Shrinkage

No	Item	Value	Note	Conf
6	Shell length shrinkage	0%	No shrinkage	1.00
7	Shell width shrinkage	0%	No shrinkage	1.00
8	Lining length shrinkage	0%		1.00
9	Lining width shrinkage	0%		1.00

Mini marker

No	Item	Value	Note	Conf
1	Shell and lining mini marker consumption	0.656 meters	Average	1.00
2	Mini marker efficiency	65.06%		1.00
3	Marker direction	One-way	Due to nap direction	1.00
4	YY shell	0.656 meters		1.00
5	YY lining	0.471 meter		1.00

Comments and vendor actions

No	Item	Value	Note	Conf
165	Bottom shape	Uneven	Hiking at center front; balance and level bottom	1.00
166	Neckline	Unbalanced	Follow pattern measurement while patching shell and lining	1.00
167	Waist seam shape	Not symmetrical	Use even seam allowance and add balance marking for gather	1.00
168	Zipper area	Puckering	Correct sewing method and thread tension	1.00
169	Back dart length	Uneven	Follow marking during making	1.00
170	Nap direction	One-way	Follow approved sample during laying and cutting	1.00
171	Back armhole	Roping	Improve handling and thread tension	1.00
172	Waist belt corner shape	Poor	Use pressing template; finish stitch neatly	1.00
173	Neckline and armhole finish	No roping required	Ensure clean neck finish	1.00