

SIZE SET INSPECTION REPORT

STYLE NO# 2463

DIVISION airy

Date: 26/08/26

DESCRIPTION: flannel girl boxer

COLOUR: tomato glaze

ACCESSORIES CHECKLIST

ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA	ACCESSORIES	MIS	ALT	ACT	PLA
MAIN LABEL		✓			POLYBAG					BUTTON			✓		PRINT			✓	
BOOK FOLD					POLY BAG STICKER					HOOK EYE/BAR					LAYOUT			✓	
FCTY CODE					LOT STICKER					LACE					EMB THREAD COLOR				
HANG TAG					PRE PACK STICKER					BUCKLE					PLACEMENT			✓	
HANGER					CARTON MARKINGS					SNAP					BEADS/SEQUINS				
WASHCARE	✓				PLACEMENT UPC/P.PACK					THREAD			✓		BEADS/SEQUINS LAYOUT				
INTERLINING					FOLDING		✓			LINING			✓		AFTER TREATMENT				
					SPARE BUTTON POSITION					ZIPPER					PH			✓	

* MAIN LABEL: red thread seam grinning
 * POLYBAG: no polybags or alternate
 * POLY BAG STICKER: not needed
 * HOOK EYE/BAR: not needed
 * LAYOUT: print layout actual
 * LOT STICKER: not needed
 * LACE: not there
 * HANG TAG: not needed
 * PRE PACK STICKER: not needed
 * BUCKLE: not there
 * CARTON MARKINGS: not needed
 * SNAP: not needed
 * BEADS/SEQUINS: not there
 * WASHCARE: missing right now
 * PLACEMENT UPC/P.PACK: not needed
 * BEADS/SEQUINS LAYOUT: not needed
 * INTERLINING: no interlining on this style
 * FOLDING: alternate right now
 * LINING: single jersey instead of lining
 * SPARE BUTTON POSITION: not needed
 * ZIPPER: not there
 * PH: okay as on report

PATTERN CHECK LIST

Grain Line: OK
 Notches: Not OK - one notch missing at side seam
 Graded Nest: OK
 Corrections Implemnted: OK - no pattern corrections
 YY/ Mini Marker: OK

Planned Size Set Submission Date: -
 Actual Submission Date: -
 PCD: 29.08.26
 Cut Quantity: 7 pieces

Size Set Inspection Result: Pass with comment

SHRINKAGE SHELL: L = 1% W = 0%
 Good; number of samples not stated

DETAILED COMMENTS

- (1) One notch missing at side seam
- (2) Overall press is very hard and creases are visible
- (3) Red thread seam grinning at main label
- (4) Broken stitch at bottom hem

MEASUREMENT (SPEC ATTACHED)

Result: PASS
 Graded Nest: OK
 Corrections To Be Done: Use light press and avoid creases; remove red thread seam grinning at main label; rectify broken stitch at bottom hem; add missing side-seam notch
 Bring Back To Specs: -

Cutting Check: -
 Seam Allowance: -
 Corrections Implemented: -

LINING: L = 1.5% W = 0%

ACTION TO BE TAKEN BY VENDOR

- Add the missing side-seam notch
- Use light press and ensure no creases are made
- Ensure seam grinning is not present
- Maintain all seams and ensure there is no stitch breaking

OVERALL: The size set image we passed with these corrections. Size set is good.

I AGREE WITH THE ABOVE COMMENTS AND WILL INCORPORATE ALL ABOVE COMMENTS

VENDOR'S SIGNATURE


SENT VIA MAIL

STATUS: FNL

STYLE: 2463

2463 FLANNEL GIRL BOXER

HOLIDAY-B 2026



Company: AMERICAN EAGLE OUTFITTERS
Division / Dept: 07 / 066
Season: HOLIDAY-B 2026
Style Desc: 2463 FLANNEL GIRL BOXER
Fit / Other:



GRADE MEASUREMENTS - APPROVED FOR PRODUCTION - TRIBURG CONSULTANTS PVT LTD.

Tolerance Model :	WW BOTTOMS L20 Size Range : ALPHA WW	Size Range :	XXS, XS, S, M
POM Descr :	XXS - M - TRIBURG Base Size : S	Base Size :	S
Block :		Grading Method/UM :	Incremental / IN
Modified By :	BIASIE Modified Date/Time : 2026-06-16 09:34:59	Status :	FNL
Sizes Measured :	XS, S, M	Measurement Result :	FAIL CONDITIONALLY (2 of 68 out of tolerance)

POM	Description	Tol-	Tol+	XXS *	XS	S	M
0.00B	DISCLAIMER (WVN): MEASURE GMTS	0	0	-	-	-	-
4.05A	WAISTBAND HEIGHT	-1/8	+1/8	1 1/4 spec	1 1/4 ok 100%	1 1/4 ok 100%	1 1/4 ok 100%
4.05A	WAISTBAND ELASTIC HEIGHT	-1/8	+1/8	1 3/8 spec	1 3/8 ok 100%	1 3/8 ok 100%	1 3/8 ok 100%
4.04A	WAIST RELAXED @ TOP EDGE	-3/4	+3/4	24 3/4 spec	26 3/4 ok 100%	28 3/4 ok 100%	30 3/4 ok 80%
4.02A	WAIST EXTENDED @ TOP EDGE MINIMUM	-3/4	+3/4	37 spec	39 ok 100%	41 ok 100%	43 ok 100%
4.09B	LOW HIP PLACEMENT FROM TOP WAIST	0	0	4 7/8 spec	5 1/4 ok 100%	5 5/8 ok 100%	6 ok 100%
4.10B	3 POINT LOW HIP	-3/4	+3/4	38 1/2 spec	40 1/2 +1/4 100%	42 1/2 ok 100%	44 1/2 ok 100%
4.14A	FRONT RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	9 1/4 spec	9 3/4 -1/4 100%	10 1/4 -1/4 90%	10 3/4 ok 100%
4.15A	BACK RISE STRAIGHT TO TOP WAIST	-1/4	+1/4	14 1/2 spec	15 -1/4 100%	15 1/2 -1/4 100%	16 ok 100%
5.08C	SHORT LEG OPENING	-3/8	+3/8	25 1/2 spec	27 ok 100%	28 1/2 ok 100%	30 ok 100%
5.01A	INSEAM SHORT	-1/4	+1/4	2 1/2 spec	2 1/2 ok 100%	2 1/2 -1/8 100%	2 1/2 ok 100%

POM	Description	Tol-	Tol+	XXS *	XS	S	M
5.02A	OUTSEAM FROM TOP WAIST	-1/4	+1/4	10 1/4 spec	10 5/8 +1/8 95%	11 +1/4 100%	11 3/8 ok 100%
7.01A GR	FLY/J-STITCH LENGTH BELOW WAIST SEAM	-1/4	+1/4	3 3/4 spec	4 1/4 ok 100%	4 3/4 ok 100%	5 1/4 ok 95%
7.01B	FLY /J-STITCH WIDTH	-1/8	+1/8	1 1/8 spec	1 1/8 +1/16 90%	1 1/8 ok 100%	1 1/8 ok 100%
4.27A	HEM HEIGHT	-1/8	+1/8	1/2 spec	1/2 ok 100%	1/2 ok 100%	1/2 ok 100%
*	FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED	-1/8	+1/8	10 1/2 spec	10 7/8 ok 100%	11 1/4 -1/4 95%	11 5/8 -1/8 100%
*	BK LEG DEPTH 3" FRM CB (TOP EDGE) RELAXED	-1/8	+1/8	11 3/4 spec	12 1/8 -1/8 100%	12 1/2 +1/8 100%	12 7/8 -1/8 100%
*	SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH	-1/8	+1/8	7 3/4 spec	8 ok 100%	8 1/4 -1/4 95%	8 1/2 -1/8 100%
*	BUTTON SPACE ON FLY FRONT	-1/8	+1/8	1 1/2 spec	1 3/4 ok 100%	2 ok 100%	2 ok 100%
7.04B	BUTTON POSITION FROM WAIST STITCH	-1/8	+1/8	1 1/4 spec	1 1/4 -1/8 100%	1 1/4 ok 100%	1 1/4 -1/8 100%
6.05B	ON SEAM POCKET HEM HEIGHT	-1/8	+1/8	1/4 spec	1/4 ok 100%	1/4 ok 100%	1/4 ok 100%
6.54A	POCKET POSITION FROM BELOW WAIST STITCH	-1/8	+1/8	1 spec	1 ok 100%	1 ok 100%	1 ok 100%
6.14A GR	POCKET OPENING LENGTH	-1/8	+1/8	5 1/4 spec	5 1/2 ok 100%	5 3/4 ok 100%	5 3/4 spec
6.17A GR	POCKET BAG LENGTH	-1/4	+1/4	8 1/4 spec	8 5/8 -1/4 100%	9 -1/4 95%	9 -1/4 100%
6.17B GR	POCKET BAG WIDTH	-1/4	+1/4	5 3/4 spec	6 1/8 ok 100%	6 1/2 ok 95%	6 1/2 ok 100%

Each cell shows this style set's specified measurement, the deviation the inspector called against it, and how confidently that was transcribed. **ok** means the inspector said okay; every stated deviation is shown, whether or not it falls inside the tolerance band. **An orange outline** = outside tolerance. **Blue figures** = heard with under 100% confidence, so confirm against the recording. The two are independent: an outlined cell with blue figures is out of tolerance and wants checking. Grey = a size marked * that this inspection did not measure, so the specification is shown alone. Those carry no reading.

OUT OF TOLERANCE

* FRT LEG DEPTH 3" FRM CF (TOP EDGE) RELAXED — size S: measured 11 against 11 1/4, -1/4

* SADDLE WIDTH 2" UP FRM CROTCH - REF PT FOR NY TECH — size S: measured 8 against 8 1/4, -1/4

Generated from rec_2463(2) and checked against style_2463.pdf. Every value must be confirmed before this report is sent to a vendor.

MEASUREMENT DETAIL (ATTACHED SPEC SHEET)

Style 2463 · flannel girl boxer · Colour tomato glaze · Pass with comment · Source: rec_2463(2) · 83 rows · 1 need review (shown in red)

Size XS (24)

No	Point of measure	Measured	Dev	Note	Conf
10	Waistband height	1 1/4			1.00
11	Waistband elastic height	1 3/8			1.00
12	Waist relaxed at top edge	26 3/4			1.00
13	Waist extended at top edge minimum	39			1.00
14	Low hip placement from top waist	5 1/4			1.00
15	3 point low hip	40 1/2	+1/4		1.00
16	Front rise straight to top waist	9 3/4	-1/4		1.00
17	Back rise straight to top waist	15	-1/4		1.00
18	Short leg opening	27			1.00
19	Inseam short	2 1/2			1.00
20	Outseam from top waist	10 5/8	+1/8	Deviation stated after self-correction	0.95
21	Fly gusset length below waist seam	4 1/4			1.00
22	Fly gusset width	1 1/8	+1/16	Speaker first said minus, then corrected to plus	0.90
23	Hem height	1/2			1.00
24	Front leg depth 3 inch from center front top edge relaxed	10 7/8			1.00
25	Back leg depth 3 inch from center back top edge relaxed	12 1/8	-1/8		1.00
26	Saddle width 2 inch up from crotch reference point	8			1.00
27	Button space on fly front	1 3/4			1.00
28	Button position from waist stitch	1 1/4	-1/8		1.00
29	On-seam pocket hem height	1/4			1.00
30	Pocket position from below waist stitch	1			1.00
31	Pocket opening length	5 1/2			1.00
32	Pocket bag length	8 5/8	-1/4		1.00
33	Pocket bag width	6 1/8			1.00

Size S (24)

No	Point of measure	Measured	Dev	Note	Conf
34	Waistband height	1 1/4			1.00
35	Waistband elastic height	1 3/8			1.00
36	Waist relaxed at top edge	28 3/4			1.00
37	Waist extended at top edge minimum	41			1.00
38	Low hip placement from top waist	5 5/8			1.00
39	3 point low hip	42 1/2			1.00
40	Front rise straight to top waist	10 1/4	-1/4		0.90
41	Back rise straight to top waist	15 1/2	-1/4		1.00
42	Short leg opening	28 1/2			1.00
43	Inseam short	2 1/2	-1/8		1.00
44	Outseam from top waist	11	+1/4		1.00
45	Fly stitch length below waist seam	4 3/4			1.00
46	Fly stitch width	1 1/8			1.00
47	Hem height	1/2			1.00
48	Front leg depth 3 inch from center front top edge relaxed	11 1/4	-1/4		0.95
49	Back leg depth 3 inch from center back top edge relaxed	12 1/2	+1/8		1.00
50	Saddle width 2 inch up from crotch	8 1/4	-1/4		0.95
51	Button space on fly front	2			1.00
52	Button position from waist stitch	1 1/4			1.00
53	On-seam pocket hem height	1/4			1.00
54	Pocket position from below waist stitch	1			1.00
55	Pocket opening length	5 3/4			1.00
56	Pocket bag length	9	-1/4	Value repeated and confirmed; spoken as pocket back length	0.95
57	Pocket bag width	6 1/2		Spoken as pocket back width	0.95

Size M (23)

No	Point of measure	Measured	Dev	Note	Conf
58	Waistband height	1 1/4			1.00
59	Waistband elastic height	1 3/8			1.00
60	Waist relaxed at top edge	30 3/4		Spoken as 'thirty-three quarter'	0.80
61	Waist extended at top edge minimum	43			1.00
62	Low hip placement from top waist	6			1.00
63	3 point low hip	44 1/2			1.00
64	Front rise straight to top waist	10 3/4			1.00
65	Back rise straight to top waist	16			1.00
66	Short leg opening	30			1.00
67	Inseam short	2 1/2			1.00
68	Outseam from top waist	11 3/8			1.00
69	Fly stitch length below waist seam	5 1/4			0.95
70	Fly stitch width	1 1/8			1.00
71	Hem height	1/2			1.00
72	Front leg depth 3 inch from center front top edge relaxed	11 5/8	-1/8		1.00
73	Back leg depth 3 inch from center back top edge relaxed	12 7/8	-1/8		1.00
74	Saddle width 2 inch up from crotch	8 1/2	-1/8		1.00
75	Button space on fly front	2			1.00
76	Button position from waist edge	1 1/4	-1/8		1.00
77	On-seam pocket hem height	1/4			1.00
78	Pocket position from below waist edge	1			1.00
79	Pocket bag length	9	-1/4		1.00
80	Pocket bag width	6 1/2			1.00

Construction

No	Item	Value	Note	Conf
7	Pattern notches		One notch missing at side seam	1.00

Bill of materials

No	Item	Value	Note	Conf
8	Lining		Single jersey instead of lining; actual	1.00
9	Wash care		Missing right now	1.00

Shrinkage

No	Item	Value	Note	Conf
3	Shell length shrinkage	1	percent; stated as good	1.00
4	Shell width shrinkage	0	percent; stated as good	1.00
5	Jersey length shrinkage	1.5	percent	1.00
6	Jersey width shrinkage	0	percent	1.00

Mini marker

No	Item	Value	Note	Conf
1	Mini marker	52.92	centimeters	1.00
2	YY on jersey	15.7	centimeters	1.00

Comments and vendor actions

No	Item	Value	Note	Conf
81	Overall press		Press is very hard; use light press and avoid creases	1.00
82	Main label stitching		Red thread seam grinning; ensure it is not present	1.00
83	Bottom hem stitching		Broken stitch; maintain all seams and prevent stitch breaking	1.00