Test case


Code :


```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions as EC
# Step 1: Open Chrome
driver = webdriver.Chrome()
# Step 2: Maximize browser
driver.maximize_window()
# Step 3: Create explicit wait
wait = WebDriverWait(driver, 10)
try:
# Step 4: Open website
driver.get("https://www.saucedemo.com/")
print("Website opened successfully")
# Step 5: Enter username
username = wait.until(
EC.visibility_of_element_located(
(By.ID, "user-name")
)
)
username.send_keys("standard_user")
# Step 6: Enter password
password = driver.find_element(
By.ID, "password"
)
password.send_keys("secret_sauce")
# Step 7: Click Login
driver.find_element(
By.ID, "login-button"
).click()
# Step 8: Validate Products page
```

```
wait.until(
EC.url_contains("inventory")
)
assert "inventory" in driver.current_url
print("Login Test: PASS")
# Step 9: Add product
wait.until(
EC.element_to_be_clickable(
(By.ID, "add-to-cart-sauce-labs-backpack")
)
).click()
print("Product Added: PASS")
# Step 10: Open cart
driver.find_element(
By.CLASS_NAME,
"shopping_cart_link"
).click()
assert "cart" in driver.current_url
print("Cart Navigation: PASS")
# Step 11: Checkout
driver.find_element(
By.ID, "checkout"
).click()
# Step 12: Fill form
wait.until(
EC.visibility_of_element_located(
(By.ID, "first-name")
)
).send_keys("Student")
driver.find_element(
By.ID, "last-name"
).send_keys("Testing")
driver.find_element(
By.ID, "postal-code"
).send_keys("380001")
# Step 13: Continue
driver.find_element(
```

```
By.ID, "continue"
).click()
# Step 14: Validate next page
wait.until(
EC.url_contains("checkout-step-two")
)
assert "checkout-step-two" in driver.current_url
print("Multi-Page Workflow: PASS")
finally:
# Step 15: Close browser
driver.quit()
print("Tutorial 11 Completed Successfully")
```

Output :





Steps of test case :

- Open app
- Enter the Code
- Click on run
- Check the output