Test Case

Code :

```
from selenium import webdriver
from selenium.webdriver.common.by import By
from selenium.webdriver.support.ui import WebDriverWait
from selenium.webdriver.support import expected_conditions
as EC
from selenium.common.exceptions import (
NoSuchElementException,
TimeoutException,
ElementNotInteractableException,
StaleElementReferenceException
)
URL = "https://www.saucedemo.com/"
VALID_USERNAME = "standard_user"
VALID_PASSWORD = "secret_sauce"
def start_browser():
driver = webdriver.Chrome()
driver.maximize_window()
return driver
def login(driver, username, password):
driver.get(URL)
wait = WebDriverWait(driver, 10)
username_box = wait.until(
EC.visibility_of_element_located(
(By.ID, "user-name")
)
)
password_box = wait.until(
```

```
EC.visibility_of_element_located(
(By.ID, "password")
)
)
login_button = wait.until(
EC.element_to_be_clickable(
(By.ID, "login-button")
)
)
username_box.clear()
username_box.send_keys(username)
password_box.clear()
password_box.send_keys(password)
login_button.click()
# TC-01 VALID LOGIN
def test_valid_login():
driver = start_browser()
try:
login(
driver,
VALID_USERNAME,
VALID_PASSWORD
)
WebDriverWait(driver, 10).until(
EC.url_contains("inventory")
)
assert "inventory" in driver.current_url
print("TC-01 Valid Login: PASS")
except AssertionError:
print("TC-01 Valid Login: FAIL")
except NoSuchElementException:
print("NoSuchElementException handled")
except TimeoutException:
```

```
print("TimeoutException handled")
except ElementNotInteractableException:
print(
"ElementNotInteractableException handled"
)
except StaleElementReferenceException:
print(
"StaleElementReferenceException handled"
)
finally:
driver.quit()
```

Output :